

# ROMET BIKES CATALOGO 2024



**REVELO** 

**Agenzia di distribuzione  
per il mercato italiano:**

Revelo Tech srl • Via Dell'Artigianato n.8, 35023 BAGNOLI DI SOPRA (PD)  
Telefono: 049 9535332 • Cellulare: +39 348 4500867 • Indirizzo E-Mail: [info@revelotech.it](mailto:info@revelotech.it)



# 2024 Romet Bikes


Il team di Romet è guidato dalla passione. Uniamo tecnologia ed emozioni per progettare biciclette che aggiungono vibrazioni positive allo stile di vita moderno.

Lasciati condurre attraverso il mondo delle nostre innovazioni, dove la massima utilità si abbina a design moderni, comfort e geometria ottimizzata per la funzionalità. Le bici Romet sono progettate per offrire anni di svago, garantendo affidabilità e divertimento in ogni viaggio.

I nuovi profili dei tubi più rigidi, il passaggio interno dei cavi e gli attacchi manubrio integrati hanno dato vita ad un connubio di successo tra modernità, peso ridotto ed estetica all'avanguardia. La geometria migliorata delle nostre bici da trekking, cross e gravel, le nuove trasmissioni tra cui il rivoluzionario Shimano CUeS ed i gruppi di trasmissione elettronici Shimano e SRAM stabiliscono nuovi parametri di riferimento in termini di rapporto qualità-prezzo.

Nuovi schemi di verniciatura e componenti aggiornati compongono un design purista che si adatta all'attuale tendenza dell'austerità visiva. Abbiamo selezionato le caratteristiche di ciascun modello Romet in modo da ottenere il massimo rapporto qualità e utilità / prezzo indipendentemente dal segmento di prezzo. Il nostro obiettivo è che più ciclisti possibile si divertano a pedalare nel modo in cui amano e godano dei vantaggi di una bicicletta che si adatta alle loro esigenze e al loro stile di vita.

Siamo molto entusiasti di introdurre la gamma bici Romet 2024.



## INDICE

TECHNOLOGY / p. 4

ABOUT US / p. 8

**E-BIKES** / p. 10

**MTB** / p. 78

**ROAD** / p. 200

**GRAVEL** / p. 220

**CROSS** / p. 240

**TREKKING** / p. 294

**CITY** / p. 358

**JUNIOR / KIDS** / p. 430

**ACCESSORIES** / p. 462

TECHNICAL DATA / p. 562



# TECHNOLOGY



Il team di Romet utilizza una serie di soluzioni tecnologiche per rendere le biciclette più leggere, robuste e affidabili, e consentirti di fare una pedalata divertente senza spendere una fortuna. Puoi essere certo che abbiamo selezionato le soluzioni e le tecnologie alla base del tuo modello Romet per aiutarti a raggiungere molto di più.



## Robustezza

- Nuovi profili dei tubi ad alta resistenza realizzati in lega di alluminio con un rapporto resistenza / peso positivo.
- Processo di saldatura robotizzata del telaio per lavorazioni di alta precisione.
- Componenti strutturali in composito di carbonio.
- Cuscinetti serie sterzo durevoli con diametri variabili.



## Leggerezza e comfort

- Tubi in alluminio estruso dalle forme ottimizzate.
- Ruote con cerchi in carbonio.
- Forcelle in fibra di carbonio.



## Maggiore controllo

- Pneumatici larghi e ad alto volume realizzati con una mescola ad alta trazione per guidare comodamente e in sicurezza.
- Potenzia le ruote standard con mozzi di larghezza più ampia (110mm anteriore e 148mm posteriore) per una maggiore rigidità.
- Assi passanti rigidi da 15mm e 12mm per una manovrabilità sicura.

## Specificità ottimizzate

- Componenti ben testati di vari livelli di prezzo.
- Nuovo gruppo trasmissione Shimano CUeS utilizzato su una gamma vasta di modelli.
- Gruppo wireless SRAM e trasmissione elettronica Shimano Di2 nelle nostre bici gravel.
- Nuovi motori centrali Shimano EP8/EP6 di seconda generazione e Bafang M200.
- Portapacchi integrato nel parafango con sistema di montaggio AVS.
- Luce posteriore integrata nel portapacchi.
- Cockpit integrati con passaggio cavi interno.

## ⚡ Bici elettriche - Più lontano, più facile, di più!

Le nostre biciclette elettriche comprendono gruppi MTB, Cross, Trekking e City, tutte in tre livelli di prezzo. Novità nel 2024 sono i nuovissimi motori centrali Shimano EP8/EP6 di seconda generazione e Bafang M200.

### Sport, Touring e City

Abbiamo utilizzato motori posizionati centralmente dove è richiesto maggiore controllo e carattere sportivo della bici, ovvero sulle nostre e-MTB e sulle bici da trekking, cross e city di fascia

alta.

I sistemi basati su motori montati sul mozzo sono stati utilizzati nelle nostre bici elettriche entry-level. Questa soluzione unisce la comodità del viaggio alla stabilità e al prezzo contenuto.

### Batterie

Tutti i sistemi di assistenza delle biciclette elettriche Romet sono alimentati da batterie agli ioni di litio di comprovati produttori di BMZ Polonia e Bafang. Le batterie sono integrate nel tubo inferiore del telaio con il sistema di montaggio posizionato sotto, consentendo un accesso più facile e abbassando il baricentro, il che contribuisce a una guida più stabile e sicura.

### Integrazione completa nel telaio


Abbiamo sviluppato una tecnologia innovativa per la completa integrazione della batteria nel telaio e nel motore: un progetto che stiamo portando avanti insieme a BMZ Polonia, il più grande produttore di batterie del paese. Questa soluzione ti offre l'opportunità unica di scegliere la capacità della batteria al momento dell'acquisto della bicicletta. L'ampia scelta di capacità da 480 Wh a 504, 540, 720 a 830 Wh sarà presto completata da una potente batteria da 900+ Wh.





L'obiettivo ambizioso di Romet è rendere le biciclette create in Polonia un simbolo di qualità, affidabilità e modernità.

Produciamo telai per le nostre biciclette in una fabbrica completamente robotizzata che utilizza le più recenti tecnologie a livello mondiale. Combiniamo un processo di produzione avanzato con test rigorosi in laboratorio e sul campo. Dall'ideazione e progettazione sullo schermo del computer, modellazione 2D e 3D, attraverso prototipi, fino al taglio laser dell'alluminio, saldatura, verniciatura e assemblaggio: controlliamo i prodotti in ogni fase della produzione, grazie alla quale assicuriamo garanzia a vita di telai delle biciclette Romet.



La verniciatura dei telai è automatizzata. Il nostro reparto ci permette di ottenere una tavolozza praticamente illimitata di colori originali, compresi quelli di nostra ideazione.

In qualità di produttore, disponiamo di un design completo e di una struttura tecnologica. Testiamo tutti i nostri componenti. Effettuiamo test di fatica, impatto e camera climatica. Con l'aiuto di strumenti specifici, ogni componente della bicicletta può essere testato sia nel mondo virtuale che reale, il che ci permette di conseguenza di riflettere i processi che si verificano durante l'uso della bici prima che venga prodotta in serie.

La produzione interna del telaio significa anche una minore impronta di carbonio del prodotto finito e una maggiore responsabilità per il pianeta.



# BICICLETTE ELETTRICHE

Le biciclette elettriche sono state un segno distintivo dei nostri tempi. Semplificano la nostra vita, servono per spostarsi, viaggiare, allenarsi e persino gareggiare. Offrono velocità, divertimento di guida e una serie di vantaggi che le bici convenzionali non offrono. L'uso di E-Bike comporta più endorfine, più felicità e chilometri più gioiosi. A tutti!

## ↳ E-MTB

p. 12

## ↳ E-CROSS

p. 30

## ↳ E-TREKKING

p. 46

## ↳ E-CITY

p. 68



Più potenza, più percorsi, più divertimento.

Vivi l'esperienza della mountain bike senza fiato corto!

La gamma E-MTB di Romet offre il massimo piacere di guida e più chilometri con molto meno sforzo. Assistenza elettrica extra significa più discese sui sentieri preferiti, più potenza per affinare le proprie capacità, più tempo per esplorare nuovi sentieri e semplicemente più puro piacere di guida. Ovunque tu voglia andare, la potenza di un motore elettrico ti porterà più velocemente e più lontano.

Abbiamo basato la progettazione della nostra gamma E-MTB di bici elettriche Romet su comprovati sistemi di servoassistenza Shimano e Bafang. Ora con la batteria completamente integrata nel telaio. Dunque, non è solo la velocità a rendere la tua bici accattivante nell'aspetto. I controlli intuitivi e la reattività naturale durante la pedalata ti faranno venire voglia di pedalare più spesso e più lontano che mai.

Progettiamo, testiamo e produciamo i telai delle nostre biciclette elettriche in Polonia, in uno stabilimento completamente automatizzato, utilizzando le tecnologie più avanzate al mondo.

Le miglia veloci sui sentieri di montagna richiedono la marcia giusta. Casco, borraccia e luci potenti sono indispensabili per cominciare. Abbiamo preparato più selezioni di attrezzi che renderanno ogni chilometro ancora più elettrizzante.



E-MTB .....	12
E-MONSUN 2.0 .....	14
E-MONSUN 1.0 .....	16
E-MUSTANG 2.0 .....	18
E-MUSTANG 1.0 .....	20
E-RAMBLER 2.0 .....	22
E-RAMBLER 1.0 .....	24
E-MODECO SUV 1.0 .....	26



# E-MONSUN 2.0

820Wh



Shimano EP8

250W 85Nm

820Wh

12 speed

## E-MONSUN 2.0 820Wh

Technical data

**MOTOR / PERFORMANCE** Shimano EP8 mid-mount, 250 Watt, 85Nm torque sensor

**CONTROL UNIT** display Shimano SC-EN600

**BATTERY** 820Wh

**CHARGER** 4,5A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Rock Shox Recon Silver AIR TK, 120mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x12

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SLX SL-M7100 12 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano SLX RD-M7100

**CRANKSET** Shimano SM-CRE80-B 36T 170mm

**FRONT BRAKE** Shimano BL-MT4100 hydraulic

**REAR BRAKE** Shimano BL-MT4100 hydraulic

**FRONT BRAKE DISC** Shimano SM-RT30 203mm

**REAR BRAKE DISC** Shimano SM-RT30 180mm

**TYRES** Schwalbe Nobby Nic 29" x 2,40"

**RIMS** WTB ST-I27

**FRONT HUB** Shimano HB-M7110-B 15mm/110mm

**REAR HUB** Shimano FH-M7110-B 12mm/148mm

**CASSETTE** Shimano SLX CS-M7100-12, 10-45T, 12 speed

**HANDLEBAR** RMT Components aluminium 720mm, 31,8mm

**STEM** Satori New Viper 80mm Int. cable routing, 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Royal Vivo Ergo Sport

**PEDALS** FP-989ZU aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** —

**COLOURS** champagne-black

Geometry

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	608 mm	649 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73,1°	73,1°
E - head tube angle	69°	69°
F - wheel base	1158 mm	1200 mm
G - head tube length	130 mm	140 mm
H - fork length	530 mm	530 mm
Stack	663 mm	673 mm
Reach	411 mm	449 mm
Standover height	821 mm	858mm
Maximum tyre size	2.60"	2.60"





# E-MONSUN 1.0

820Wh / 725Wh



Shimano EP8

250W 85Nm

820Wh / 725Wh

11 speed

## E-MONSUN 1.0 820Wh / 725Wh

Technical data

**MOTOR / PERFORMANCE** Shimano EP8 mid-mount, 250 Watt, 85Nm torque sensor

**CONTROL UNIT** display Shimano SC-EN600

**BATTERY** 820Wh / 725Wh

**CHARGER** 4,5A

**WHEEL SIZE / FRAME** 29" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Rock Shox Judy Silvier TK AIR, 120mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x11

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U6000 11 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U6000

**CRANKSET** Shimano SM-CRE80-B 34T 170mm

**FRONT BRAKE** Shimano BL-MT4100 hydraulic

**REAR BRAKE** Shimano BL-MT4100 hydraulic

**FRONT BRAKE DISC** Shimano SM-RT30 203mm

**REAR BRAKE DISC** Shimano SM-RT30 180mm

**TYRES** Schwalbe Nobby Nic 29" x 2,40"

**RIMS** WTB ST-I27

**FRONT HUB** Shimano MT400B 15mm/110mm

**REAR HUB** Shimano MT400B 12mm/148mm

**CASSETTE** Shimano Cues CS-LG400-11, 11-50T, 11 speed

**HANDLEBAR** RMT Components aluminium 720mm, 31,8mm

**STEM** Satori New Viper 80mm Int. cable routing, 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Royal Vivo Ergo Sport

**PEDALS** FP-989ZU aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 24,2 kg

**COLOURS** yellow

Geometry

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	608 mm	649 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73,1°	73,1°
E - head tube angle	69°	69°
F - wheel base	1158 mm	1200 mm
G - head tube length	130 mm	140 mm
H - fork length	530 mm	530 mm
Stack	663 mm	673 mm
Reach	411 mm	449 mm
Standover height	821 mm	858 mm
Maximum tyre size	2.60"	2.60"





# E-MUSTANG 2.0

725Wh / 540Wh



Shimano EP6

250W 85Nm

725Wh / 540Wh

10 speed

## E-MUSTANG 2.0 725Wh / 540Wh

Technical data

**MOTOR / PERFORMANCE** Shimano EP6 mid-mount, 250 Watt, 85Nm torque sensor

**CONTROL UNIT** display Shimano SC-EN500

**BATTERY** 725Wh / 540Wh

**CHARGER** 4.5A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour X1- BoostAIR-LOR, 120mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x10

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U6000 10 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U6000

**CRANKSET** Shimano SM-CRE80-B 34T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 180mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Crown Gem 29" x 2,30"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium 15mm/110mm

**REAR HUB** aluminium 12mm/148mm

**CASSETTE** Shimano Cues CS-LG300-10, 11-48T, 10 speed

**HANDLEBAR** RMT Components aluminium 720mm, 31,8mm

**STEM** Satori New Viper 80mm Int. cable routing, 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Royal Vivo Ergo Sport

**PEDALS** FP-868ZU

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** —

**COLOURS** graphite-silver

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	608 mm	649 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73,1°	73,1°
E - head tube angle	69°	69°
F - wheel base	1158 mm	1200 mm
G - head tube length	130 mm	140 mm
H - fork length	530 mm	530 mm
Stack	663 mm	673 mm
Reach	411 mm	449 mm
Standover height	821 mm	858 mm
Maximum tyre size	2.60"	2.60"

Geometry





# E-MUSTANG 1.0

725Wh / 540Wh


**Bafang M200**
**250W 65Nm**
**725Wh / 540Wh**
**9 speed**

## E-MUSTANG 1.0 725Wh / 540Wh

Technical data

MOTOR / PERFORMANCE Bafang M200 mid-mount, 250 Watt, 65Nm torque sensor

CONTROL UNIT display IPS B02C

BATTERY 725Wh / 540Wh

CHARGER 4.5A

WHEEL SIZE / FRAME 29" alu 6061

SIZE M – 18" / L – 20"

FORK Suntour XCM32-Boost-LO-DS, 120mm, tapered

DAMPER —

DRIVETRAIN 1x9

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U4010 9 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U4000

CRANKSET Prowheel 38T 170mm

FRONT BRAKE Shimano BL-MT200 hydraulic

REAR BRAKE Shimano BL-MT200 hydraulic

FRONT BRAKE DISC 180mm

REAR BRAKE DISC 160mm

TYRES VeeTire Crown Gem 29" x 2,30"

RIMS aluminium doublewall RMT Components

FRONT HUB aluminium 15mm/110mm

REAR HUB aluminium 12mm/148mm

CASSETTE Shimano Cues CS-LG300-9, 11-46T, 9 speed

HANDLEBAR RMT Components aluminium 720mm, 31,8mm

STEM RMT Components alu. 70mm Int. cable routing, 31,8mm

SEAT POST RMT Components aluminium 30,9mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal Vivo Ergo Sport

PEDALS FP-868ZU

FRONT LAMP —


REAR LAMP —

WEIGHT 25,6 kg / —

COLOURS gray-black

Geometry

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	611 mm	640 mm
C - chainstay length	475 mm	475 mm
D - seat tube angle	73°	73°
E - head tube angle	69°	69°
F - wheel base	1158 mm	1187 mm
G - head tube length	130 mm	140 mm
H - fork length	541 mm	541 mm
Stack	675 mm	684 mm
Reach	406 mm	431 mm
Standover height	802 mm	832 mm
Maximum tyre size	2.30"	2.30"





# E-RAMBLER 2.0

504Wh



blue-silver   silver-graphite

Bafang G020

250W 45Nm

504Wh

9 speed

## E-RAMBLER 2.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** SR Suntour XCM32-DS-LO, 100mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 180mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Crown Gem 29" x 2,30"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** RMT Components aluminium 720mm, 31,8mm

**STEM** RMT Comp. alu. 80mm/90mm int.cable routing, 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Romet

**PEDALS** FP-803

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 24 kg

**COLOURS** blue-silver, silver-graphite

Geometry

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	601 mm	625 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1116 mm	1140 mm
G - head tube length	140 mm	140 mm
H - fork length	517 mm	517 mm
Stack	671 mm	671 mm
Reach	396 mm	420 mm
Standover height	793 mm	822 mm
Maximum tyre size	2.30"	2.30"





# E-RAMBLER 1.0

504Wh



Bafang G020

250W 45Nm

504Wh

8 speed

## E-RAMBLER 1.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour XCM32-DS-LO, 100mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Crown Gem 29" x 2,30"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** RMT Components aluminium 720mm, 31,8mm

**STEM** RMT Comp. alu. 80mm/90mm int. cable routing, 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Romet

**PEDALS** FP-803

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 23,4 kg

**COLOURS** orange-graphite-black, graphite-turquoise-silver

Geometry

	M	L
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	601 mm	625 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1116 mm	1140 mm
G - head tube length	140 mm	140 mm
H - fork length	517 mm	517 mm
Stack	671 mm	671 mm
Reach	396 mm	420 mm
Standover height	793 mm	822 mm
Maximum tyre size	2.30"	2.30"





# E-MODECO SUV 1.0

504Wh



gray-silver

gold-black

lime green

Bafang G020

250W 45Nm

504Wh

9 speed

## E-MODECO SUV 1.0 504Wh

Technical data

MOTOR / PERFORMANCE Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

CONTROL UNIT display Bafang DP C220 CAN

BATTERY 504Wh

CHARGER 2A

WHEEL SIZE / FRAME 29" alu 6061

SIZE M - 17" / L - 19"

FORK Suntour NEX-E25-LO-DS 75mm

DAMPER —

DRIVETRAIN 1x9

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U4010 9 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD U4000

CRANKSET Prowheel 38T 170mm

FRONT BRAKE Shimano BL-MT200 hydraulic

REAR BRAKE Shimano BL-MT200 hydraulic

FRONT BRAKE DISC 180mm

REAR BRAKE DISC 160mm

TYRES VeeTire Mission 29x2.1

RIMS aluminium doublewall RMT Components

FRONT HUB aluminium

REAR HUB —

CASSETTE Shimano Cues CS-LG300-9, 11-41T, 9 speed

HANDLEBAR RMT Comp. alu. 660mm/680mm, 31,8mm

STEM RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

SEAT POST aluminium suspension 30,9mm/300mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal Vivo

PEDALS FP-803

FRONT LAMP Satelite C13


REAR LAMP Buchel Edge

WEIGHT 24,6 kg

COLOURS gray-silver, gold-black, lime green

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1110 mm	1125 mm
G - head tube length	160 mm	160 mm
H - fork length	489 mm	489 mm
Stack	656 mm	656 mm
Reach	383 mm	408 mm
Standover height	415 mm	415 mm
Maximum tyre size	2.00"	2.00"



# Recommended accessories

# E-MTB



Front light ALLTY 600

00-11-27701-01-00004



Rear light SEEMEE 30 TL

00-11-27701-01-00008



Saddle bag ROMET mod. SH8-6702MR-A

00-00-25850-00-00002



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV9100

00-20-18922-06-00017

Romet Accessories 2024  
See more



Esplora una gamma completamente nuova di possibilità. Prendi il controllo dello spazio e del tempo con la potenza aggiuntiva di una bici da cross elettrica.

I modelli ROMET E-CROSS sono biciclette elettriche nate con l'idea di comfort e versatilità di utilizzo con assistenza elettrica aggiuntiva che renderà le salite circostanti, il vento o pavimentazione peggiore un ricordo del passato.

La gamma ROMET E-CROSS 2024 è stata ampliata con un nuovissimo telaio ridisegnato con una batteria integrata e invisibile e un nuovo look minimalista che si adatta alle tendenze globali.

Geometria rilassata, facilità di salita e discesa, attacco manubrio regolabile in altezza, forcella ammortizzata e pneumatici di larghezza ottimale combinati con un motore potente garantiscono una guida confortevole su qualsiasi superficie.

Tutte le bici ROMET E-CROSS sono dotate di freni a disco per garantire sicurezza e protezione in tutte le condizioni, indipendentemente dal tempo. Le montature sono dotate di una garanzia a vita per quella massima tranquillità.

Vuoi divertirti ancora di più durante la tua pedalata? La nostra gamma di accessori accuratamente selezionati ti garantirà un piacere maggiore di una bicicletta veloce che si prende cura del suo proprietario come nessun'altra.



# CROSS

E-CROSS .....	30
E-ORKAN 3.0 M .....	32
E-ORKAN 3.0 D.....	34
E-ORKAN 2.0 M .....	36
E-ORKAN 2.0 D.....	38
E-ORKAN 1.0 M.....	40
E-ORKAN 1.0 D .....	42

# E-ORKAN 3.0 M

820Wh

PHOTO SOON



Shimano EP8



250W 85Nm



835Wh



11 speed

## E-ORKAN 3.0 M 820Wh


Technical data

MOTOR / PERFORMANCE	Shimano EP8 mid-mount, 250 Watt, 85Nm torq. sensor
CONTROL UNIT	display Shimano SC-EN610
BATTERY	820Wh
CHARGER	4.5A
WHEEL SIZE / FRAME	28" alu 6061
SIZE	M - 18" / L - 20"
FORK	Rock Shox Judy Silvier TK AIR, 80mm, tapered
DAMPER	—
DRIVETRAIN	1x11
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Cues SL-U6000 11 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Cues RD-U6000
CRANKSET	Shimano SM-CRE80-B 38T 170mm
FRONT BRAKE	Shimano BL-MT4100 hydraulic
REAR BRAKE	Shimano BL-MT4100 hydraulic
FRONT BRAKE DISC	Shimano SM-RT30 180mm
REAR BRAKE DISC	Shimano SM-RT30 180mm

TYRES	Schwalbe G-One Bite 28" x 2.00"
RIMS	WTB ST-I25
FRONT HUB	Shimano MT400B 15mm/110mm
REAR HUB	Shimano MT400B 12mm/148mm
CASSETTE	Shimano Cues CS-LG400-11, 11-50T, 11 speed
HANDLEBAR	RMT Comp. alu. 660mm/680mm, 31,8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	RMT Comp. aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport
SADDLE	Selle Royal Vivo
PEDALS	FP-989ZU aluminium
FRONT LAMP	—
REAR LAMP	—
WEIGHT	—
COLOURS	silver

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	615 mm	644 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73,1°	73,1°
E - head tube angle	70°	70°
F - wheel base	1140 mm	1170 mm
G - head tube length	150 mm	160 mm
H - fork length	490 mm	490 mm
Stack	644 mm	653 mm
Reach	424 mm	456 mm
Standover height	798 mm	829 mm
Maximum tyre size	2.00"	2.00"



# E-ORKAN 3.0 D

820Wh

PHOTO SOON



Shimano EP8



250W 85Nm



820Wh



11 speed

## E-ORKAN 3.0 D 820Wh


Technical data

MOTOR / PERFORMANCE	Shimano EP8 mid-mount, 250 Watt, 85Nm torq. sensor
CONTROL UNIT	display Shimano SC-EN610
BATTERY	820Wh
CHARGER	4.5A
WHEEL SIZE / FRAME	28" alu 6061
SIZE	M – 17" / L – 19"
FORK	Rock Shox Judy Silvier TK AIR, 80mm, tapered
DAMPER	—
DRIVETRAIN	1x11
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Cues SL-U6000 11 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Cues RD-U6000
CRANKSET	Shimano SM-CRE80-B 38T 170mm
FRONT BRAKE	Shimano BL-MT4100 hydraulic
REAR BRAKE	Shimano BL-MT4100 hydraulic
FRONT BRAKE DISC	Shimano SM-RT30 180mm
REAR BRAKE DISC	Shimano SM-RT30 180mm

TYRES	Schwalbe G-One Bite 28"×2.00"
RIMS	WTB ST-I25
FRONT HUB	Shimano MT400B 15mm/110mm
REAR HUB	Shimano MT400B 12mm/148mm
CASSETTE	Shimano Cues CS-LG400-11, 11-50T, 11 speed
HANDLEBAR	RMT Comp. alu.680mm, 31,8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	RMT Comp. aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport
SADDLE	Selle Royal Vivo
PEDALS	FP-989ZU aluminium
FRONT LAMP	—
REAR LAMP	—
WEIGHT	—
COLOURS	blue

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	613 mm	645 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	74°	73,1°
E - head tube angle	70°	70°
F - wheel base	1151 mm	1151 mm
G - head tube length	150 mm	160 mm
H - fork length	490 mm	490 mm
Stack	644 mm	653 mm
Reach	435 mm	431 mm
Standover height	711 mm	712 mm
Maximum tyre size	2.00"	2.00"



# E-ORKAN 2.0 M

725Wh / 540Wh



Bafang M200

250W 65Nm

725Wh / 540Wh

9 speed

## E-ORKAN 2.0 M 725Wh / 540Wh

Technical data

**MOTOR / PERFORMANCE** Bafang M200 mid-mount 250 Watt, 65Nm torq. sensor

**CONTROL UNIT** display IPS B02C

**BATTERY** 725Wh / 540Wh

**CHARGER** 4.5A

**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NVX32-Boost-NLO-DS, 80mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 180mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Protek Cross 28" x 1.75"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium 15mm/110mm

**REAR HUB** aluminium

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** RMT Comp. alu. 660mm/680mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Royal Vivo

**PEDALS** FP-868ZU

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 25,3 kg /

**COLOURS** silver

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	615 mm	647 mm
C - chainstay length	478 mm	478 mm
D - seat tube angle	74°	74°
E - head tube angle	70°	70°
F - wheel base	1167 mm	1204 mm
G - head tube length	150 mm	160 mm
H - fork length	499 mm	499 mm
Stack	653 mm	662 mm
Reach	429 mm	458 mm
Standover height	799 mm	828 mm
Maximum tyre size	2.00"	2.00"



# E-ORKAN 2.0 D

725Wh / 540Wh



Bafang M200

250W 65Nm

725Wh / 540Wh

9 speed

## E-ORKAN 2.0 D 725Wh / 540Wh


Technical data

MOTOR / PERFORMANCE	Bafang M200 mid-mount 250 Watt, 65Nm torq. sensor
CONTROL UNIT	display IPS B02C
BATTERY	725Wh / 540Wh
CHARGER	4.5A
WHEEL SIZE / FRAME	28" / alu 6061
SIZE	M - 17" / L - 19"
FORK	Suntour NVX32-Boost-NLO-DS, 80mm, tapered
DAMPER	—
DRIVETRAIN	1x9
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Cues SL-U4010 9 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Cues RD-U4000
CRANKSET	Prowheel 38T 170mm
FRONT BRAKE	Shimano BL-MT200 hydraulic
REAR BRAKE	Shimano BL-MT200 hydraulic
FRONT BRAKE DISC	180mm
REAR BRAKE DISC	160mm

TYRES	Michelin Protek Cross 28" x 1.75"
RIMS	aluminium doublewall RMT Components
FRONT HUB	aluminium 15mm/110mm
REAR HUB	aluminium
CASSETTE	Shimano Cues CS-LG300-9, 11-41T, 9 speed
HANDLEBAR	RMT Comp. alu. 660mm/680mm, 31,8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	RMT Components aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport
SADDLE	Selle Royal Vivo
PEDALS	FP-868ZU
FRONT LAMP	—
REAR LAMP	—
WEIGHT	25,3 kg / —
COLOURS	silver

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	600 mm	625 mm
C - chainstay length	478 mm	478 mm
D - seat tube angle	74°	74°
E - head tube angle	70°	70°
F - wheel base	1159 mm	1185 mm
G - head tube length	150 mm	160 mm
H - fork length	499 mm	499 mm
Stack	653 mm	662 mm
Reach	416 mm	438 mm
Standover height	708 mm	709 mm
Maximum tyre size	2.00"	2.00"



# E-ORKAN 1.0 M

504Wh



Bafang G020

250W 45Nm

504Wh

8 speed

## E-ORKAN 1.0 M 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 28" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Speedster 29"×1.95"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** RMT Comp. alu. 660mm/680mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** RMT Components aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Vader 1138

**PEDALS** FP-803

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 23,2 kg

**COLOURS** orange, dark green

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	600 mm	625 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1112 mm	1137 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	643 mm	656 mm
Reach	398 mm	420 mm
Standover height	785 mm	811 mm
Maximum tyre size	2.00"	2.00"



# E-ORKAN 1.0 D

504Wh



Bafang G020

250W 45Nm

504Wh

8 speed

## E-ORKAN 1.0 D 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 28" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Speedster 29"×1.95"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** RMT Comp. alu. 680mm, 31.8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31.8mm

**SEAT POST** RMT Components aluminium 30.9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Vader 1138

**PEDALS** FP-803

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 23.2 kg

**COLOURS** white, red

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1126 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	661 mm	671 mm
Reach	386 mm	408 mm
Standover height	642 mm	657 mm
Maximum tyre size	2.00"	2.00"



# Recommended accessories **E-CROSS**



Front light 300 lumenów USB ROMET

00-11-25770-01-00004



Rear light SEEMEE 30 TL

00-11-27701-01-00008



Frame bag ROMET

00-00-25850-00-00011



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV3501

00-20-18922-06-00022

Romet Accessories 2024  
See more



**Esplora e viaggia con comodità e senza sforzo.**  
Con la bicicletta dei tuoi sogni diventa più facile.

I modelli ROMET E-TREKKING sono biciclette comode da turismo con le classiche caratteristiche di quelle da trekking ROMET, ma dotate di moderni motori elettrici, che facilitano la salita, sia che si tratti di una piccola collina verso l'iconico bar, o di un altro passo di montagna scalato con bagagli pesanti.

Le biciclette ROMET E-TREKKING sono dotate di portapacchi, parafanghi e luci, ed i loro telai sono coperti da garanzia a vita. I modelli 2024 beneficiano di nuovi telai dalla forma sottile con batterie integrate dal look elegante durante la guida.

Sono disponibili modelli 2024 da donna e uomo con confortevoli telai in rinnovate combinazioni di colori, dotati di forcelle ammortizzate, attacchi manubrio regolabili e comode selle e manopole, che creano biciclette per le lunghe percorrenze con capacità di trasporto bagagli.

Le spedizioni non sarebbero possibili senza l'attrezzatura giusta. Per questo motivo, abbiamo messo insieme una selezione di accessori coordinati di cui i futuri avventurieri potrebbero aver bisogno, tra cui borse laterali, borse, bottiglie d'acqua e molto altro ancora. Dai un'occhiata ai nostri consigli.



# E-TREKKING

E-TREKKING .....	46
E-WAGANT 4.0 .....	48
E-GAZELA 4.0 .....	50
E-WAGANT 3.0 .....	52
E-GAZELA 3.0 .....	54
E-WAGANT 2.0 .....	56
E-GAZELA 2.0 .....	58
E-WAGANT 1.0 .....	60
E-GAZELA 1.0 .....	62
E-MODECO TRK 1.0 .....	64



# E-WAGANT 4.0

820Wh



Shimano EP8

250W 85Nm

820Wh

11speed

## E-WAGANT 4.0 820Wh

Technical data

**MOTOR / PERFORMANCE** Shimano EP8 mid-mount, 250 Watt, 85Nm torq. sensor

**CONTROL UNIT** display Shimano SC-E610

**BATTERY** 820Wh

**CHARGER** 4.5A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x11

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U6000 11 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U6000

**CRANKSET** Shimano SM-CRE80-B 38T 170mm

**FRONT BRAKE** Shimano BL-MT401 hydraulic

**REAR BRAKE** Shimano BL-MT401 hydraulic

**FRONT BRAKE DISC** Shimano SM-RT30 180mm

**REAR BRAKE DISC** Shimano SM-RT30 180mm

**TYRES** Michelin Protek 700x47C

**RIMS** WTB ST I25

**FRONT HUB** Shimano MT400B 15mm/110mm

**REAR HUB** Shimano MT400B 12mm/148mm

**CASSETTE** Shimano Cues CS-LG400-11, 11-50T, 11 speed

**HANDLEBAR** RMT Comp. alu. 640mm/660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal ON

**PEDALS** FP-972ZU aluminium

**FRONT LAMP** Satelite C13


**REAR LAMP** Spanninga Pimento

**WEIGHT** —

**COLOURS** plum

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	615 mm	652 mm
C - chainstay length	480 mm	480 mm
D - seat tube angle	73°	73,1°
E - head tube angle	70,5°	70,5°
F - wheel base	1156 mm	1193 mm
G - head tube length	150 mm	160 mm
H - fork length	508 mm	508 mm
Stack	663 mm	673 mm
Reach	418 mm	452 mm
Standover height	781 mm	821 mm
Maximum tyre size	2.00"	2.00"





# E-GAZELA 4.0

820Wh



Shimano EP8

250W 85Nm

820Wh

11 speed


## E-GAZELA 4.0 820Wh

Technical data

MOTOR / PERFORMANCE	Shimano EP8 mid-mount, 250 Watt, 85Nm torq. sensor
CONTROL UNIT	display Shimano SC-E610
BATTERY	820Wh
CHARGER	4.5A
WHEEL SIZE / FRAME	29" / alu 6061
SIZE	M – 17" / L – 19"
FORK	Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered
DAMPER	—
DRIVETRAIN	1x11
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Cues SL-U6000 11 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Cues RD-U6000
CRANKSET	Shimano SM-CRE80-B 38T 170mm
FRONT BRAKE	Shimano BL-MT401 hydraulic
REAR BRAKE	Shimano BL-MT401 hydraulic
FRONT BRAKE DISC	Shimano SM-RT30 180mm
REAR BRAKE DISC	Shimano SM-RT30 180mm

TYRES	Michelin Protek 700x47C
RIMS	WTB ST i25
FRONT HUB	Shimano MT400B 15mm/110mm
REAR HUB	Shimano MT400B 12mm/148mm
CASSETTE	Shimano Cues CS-LG400-11, 11-50T, 11 speed
HANDLEBAR	RMT Comp. alu. 660mm, 31.8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31.8mm
SEAT POST	aluminium suspension 30.9mm/300mm
GRIPS	Wittkop Medicus Ergo
SADDLE	Selle Royal ON
PEDALS	FP-972ZU aluminium
FRONT LAMP	Satelite C13
REAR LAMP	Spanninga Pimento
WEIGHT	—
COLOURS	plum

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	607 mm	625 mm
C - chainstay length	480 mm	480 mm
D - seat tube angle	74°	74°
E - head tube angle	70,5°	70,5°
F - wheel base	1179 mm	1179 mm
G - head tube length	150 mm	160 mm
H - fork length	508 mm	508 mm
Stack	663 mm	673 mm
Reach	423 mm	438 mm
Standover height	573 mm	573 mm
Maximum tyre size	2.00"	2.00"





# E-WAGANT 3.0

725Wh / 540Wh



Bafang M200

250W 65Nm

725Wh / 540Wh

9 speed

## E-WAGANT 3.0 725Wh / 540Wh

Technical data

MOTOR / PERFORMANCE Bafang M200 mid-mount, 250 Watt, 65Nm torq. sensor

CONTROL UNIT display IPS B02C

BATTERY 725Wh / 540Wh

CHARGER 4.5A

WHEEL SIZE / FRAME 29" / alu 6061

SIZE M - 18" / L - 20"

FORK Suntour NVX32-Boost-NLO-DS, 80mm, tapered

DAMPER —

DRIVETRAIN 1x9

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U4010 9 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U4000

CRANKSET Prowheel 38T 170mm

FRONT BRAKE Shimano BL-MT200 hydraulic

REAR BRAKE Shimano BL-MT200 hydraulic

FRONT BRAKE DISC 180mm

REAR BRAKE DISC 160mm

TYRES Michelin Protek 700x47C

RIMS aluminium doublewall RMT Components

FRONT HUB aluminium 15mm/110mm

REAR HUB aluminium

CASSETTE Shimano Cues CS-LG300-9, 11-41T, 9 speed

HANDLEBAR RMT Comp. alu. 640mm/660mm, 31,8mm

STEM RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

SEAT POST aluminium suspension 30,9mm/300mm

GRIPS Wittkop Medicus Ergo

SADDLE Selle Royal Essenza

PEDALS FP-831ZU

FRONT LAMP Satelite C13


REAR LAMP Spanninga Pimento

WEIGHT 27 kg / —

COLOURS brown

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	615 mm	647 mm
C - chainstay length	478 mm	478 mm
D - seat tube angle	73°	72°
E - head tube angle	70,5°	70°
F - wheel base	1146 mm	1182 mm
G - head tube length	150 mm	160 mm
H - fork length	509 mm	509 mm
Stack	663 mm	673 mm
Reach	410 mm	437 mm
Standover height	805 mm	826 mm
Maximum tyre size	2.00"	2.00"





# E-GAZELA 3.0

725Wh / 540Wh



Bafang M200

250W 65Nm

725Wh / 540Wh

9 speed

## E-GAZELA 3.0 725Wh / 540Wh

Technical data

**MOTOR / PERFORMANCE** Bafang M200 mid-mount, 250 Watt, 65Nm torq. sensor

**CONTROL UNIT** display IPS B02C

**BATTERY** 725Wh / 540Wh

**CHARGER** 4.5A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NVX32-Boost-NLO-DS, 80mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 180mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Protek 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium 15mm/110mm

**REAR HUB** aluminium

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** RMT Comp. alu. 660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza

**PEDALS** FP-831ZU

**FRONT LAMP** Satelite C13


**REAR LAMP** Spanninga Pimento

**WEIGHT** 27 kg / —

**COLOURS** navy blue

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	600 mm	625 mm
C - chainstay length	478 mm	478 mm
D - seat tube angle	68°	68°
E - head tube angle	70°	71°
F - wheel base	1131 mm	1186 mm
G - head tube length	150 mm	160 mm
H - fork length	509 mm	509 mm
Stack	663 mm	673 mm
Reach	395 mm	417 mm
Standover height	587 mm	584 mm
Maximum tyre size	2.00"	2.00"

Geometry





# E-WAGANT 2.0

504Wh



Bafang G020

250W 45Nm

504Wh

9 speed

## E-WAGANT 2.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm torq. sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Zilent 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** RMT Comp. alu. 640mm/660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza

**PEDALS** FP-872ZU

**FRONT LAMP** Satelite C9


**REAR LAMP** Buchel Edge

**WEIGHT** 25,1 kg

**COLOURS** graphite, beige-gray

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	599 mm	600 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1117 mm	1117 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	644 mm	653 mm
Reach	402 mm	399 mm
Standover height	812 mm	854 mm
Maximum tyre size	2.00"	2.00"





# E-GAZELA 2.0

504Wh



Bafang G020

250W 45Nm

504Wh

9 speed

## E-GAZELA 2.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm torq. sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Zilent 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** RMT Comp. alu. 660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza

**PEDALS** FP-872ZU

**FRONT LAMP** Satelite C9


**REAR LAMP** Buchel Edge

**WEIGHT** 25,1 kg

**COLOURS** silver, beige-gray

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1126 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	661 mm	671 mm
Reach	386 mm	408 mm
Standover height	657 mm	657 mm
Maximum tyre size	2.00"	2.00"





# E-WAGANT 1.0

504Wh



Bafang G020

250W 45Nm

504Wh

8 speed

## E-WAGANT 1.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Zilent 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** RMT Comp. alu. 640mm/660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza

**PEDALS** FP-872ZU

**FRONT LAMP** Satelite C9


**REAR LAMP** Buchel Edge

**WEIGHT** 24,8 kg

**COLOURS** claret, navy blue

Geometry

	M	L
Tyre size	28"	28"
A - frame size	457 mm	508 mm
B - top tube length	600 mm	625 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1112 mm	1137 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	659 mm	668 mm
Reach	399 mm	421 mm
Standover height	800 mm	838 mm
Maximum tyre size	2.00"	2.00"





# E-GAZELA 1.0

504Wh



Bafang GO20

250W 45Nm

504Wh

8 speed

## E-GAZELA 1.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Zilent 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** RMT Comp. alu. 660mm, 31.8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31.8mm

**SEAT POST** aluminium suspension 30.9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza

**PEDALS** FP-872ZU

**FRONT LAMP** Satelite C9


**REAR LAMP** Buchel Edge

**WEIGHT** 24.8 kg

**COLOURS** claret, sand

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1126 mm
G - head tube length	150 mm	160 mm
H - fork length	489 mm	489 mm
Stack	661 mm	671 mm
Reach	386 mm	408 mm
Standover height	657 mm	657 mm
Maximum tyre size	2.00"	2.00"





# E-MODECO TRK 1.0

504Wh


● red   ○ white   ● graphite

⚙️ Bafang G020

⚡ 250W 45Nm

⚡ 504Wh

🌀 8 speed


## E-MODECO TRK 1.0 504Wh

Technical data

MOTOR / PERFORMANCE	Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor
CONTROL UNIT	display Bafang DP C220 CAN
BATTERY	504Wh
CHARGER	2A
WHEEL SIZE / FRAME	29" / alu 6061
SIZE	M – 17" / L – 19"
FORK	Suntour NEX-E25-LO-DS, 75mm, tapered
DAMPER	—
DRIVETRAIN	1x8
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano SL-M315-8R 8 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Acera RDM3020-8
CRANKSET	Prowheel 38T 170mm
FRONT BRAKE	Shimano BL-MT200 hydraulic
REAR BRAKE	Shimano BL-MT200 hydraulic
FRONT BRAKE DISC	160mm
REAR BRAKE DISC	160mm

TYRES	VeeTire Zilent 700x47C
RIMS	aluminium doublewall RMT Components
FRONT HUB	aluminium
REAR HUB	—
CASSETTE	Shimano HG31-8, 11-34T, 8 speed
HANDLEBAR	RMT Comp. alu. 660mm, 31.8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31.8mm
SEAT POST	aluminium suspension 30.9mm/300mm
GRIPS	Wittkop Medicus Ergo
SADDLE	Selle Royal Essenza
PEDALS	FP-87ZU
FRONT LAMP	Satelite C9
REAR LAMP	Buchel Edge
WEIGHT	24.8 kg
COLOURS	white, graphite, red

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1110 mm	1125 mm
G - head tube length	160 mm	160 mm
H - fork length	489 mm	489 mm
Stack	656 mm	656 mm
Reach	383 mm	408 mm
Standover height	415 mm	415 mm
Maximum tyre size	2.00"	2.00"



## Recommended accessories

# E-TREKKING



Bicycle pump mod. AS-06 mini  
DV/AV/FV aluminium

00-20-31083-16-00013



Two-chamber carrier bag ROMET

00-00-25850-00-00008



Frame bag ROMET

00-00-25850-00-00011



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7 l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV1557

00-20-18922-06-00034





Inizia la tua giornata con un sorriso.

Acceler o rallenta: la città è tua.

Una bicicletta da città a pedalata assistita accorcia le distanze urbane e semplifica la vita di tutti i giorni: meno ingorghi e nessun problema di parcheggio, più tempo per belle attività da fare, un inizio giornata più sano e più energia la sera. È più economica di un'auto e più affidabile dei trasporti pubblici, motivo per cui la bicicletta elettrica è diventata un fattore fisso nelle strade polacche così come un simbolo della città sostenibile. Scegliere la bicicletta al posto dell'auto è una decisione quotidiana per essere più sani ed ecologici.

La linea 2024 è una gamma di modelli versatili con design e attrezzi diversi. Per la prima volta presentiamo MODECO, con una batteria completamente integrata ed un telaio ribassato per facilitare la salita e la discesa. Il nuovo design minimalista è accattivante e in linea con le tendenze globali.

Andare in giro per la città con una bicicletta elettrica non è solo una questione di velocità e tempo guadagnati, ma anche di stile individuale! In questo catalogo è presente anche una gamma di accessori che renderanno la guida di tutti i giorni più semplice e divertente, e al tempo stesso più sicura.



E-CITY	68
E-MODECO URB 3.0	70
E-MODECO URB 2.0	72
E-MODECO URB 1.0	74

# E-MODECO URB 3.0

820Wh



Shimano EP8

250W 85Nm

820Wh

10 speed

## E-MODECO URB 3.0 820Wh

Technical data

**MOTOR / PERFORMANCE** Shimano EP8 mid-mount, 250 Watt, 85Nm torq. sensor

**CONTROL UNIT** display Shimano SC-E610

**BATTERY** 820Wh

**CHARGER** 4.5A

**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x10

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U6000 10 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U6000

**CRANKSET** Shimano SM-CRE80-B 38T 170mm

**FRONT BRAKE** Shimano BL-MT401 hydraulic

**REAR BRAKE** Shimano BL-MT401 hydraulic

**FRONT BRAKE DISC** Shimano SM-RT30 180mm

**REAR BRAKE DISC** Shimano SM-RT30 180mm

**TYRES** Michelin Protek Max 28" x 2.20"

**RIMS** WTB ST i25

**FRONT HUB** Shimano MT400B 15mm/110mm

**REAR HUB** Shimano MT400B 12mm/148mm

**CASSETTE** Shimano Cues CS-LG300-10, 11-48T, 10 speed

**HANDLEBAR** aluminium 660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal ON

**PEDALS** FP-972ZU aluminium

**FRONT LAMP** Satelite C13


**REAR LAMP** Spanninga Pimento

**WEIGHT** 28,8 kg

**COLOURS** black, graphite-silver

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	615 mm	625 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1130 mm	1140 mm
G - head tube length	160 mm	160 mm
H - fork length	508 mm	508 mm
Stack	675 mm	675 mm
Reach	414 mm	424 mm
Standover height	378 mm	378 mm
Maximum tyre size	2.20"	2.20"

Geometry



# E-MODECO URB 2.0

725Wh / 540Wh



brown-black    champagne-black    black-graphite

Bafang M200

250W 65Nm

725Wh / 540Wh

9 speed

## E-MODECO URB 2.0 725Wh / 540Wh

Technical data

**MOTOR / PERFORMANCE** Bafang M200 mid-mount, 250 Watt, 65Nm torq. sensor

**CONTROL UNIT** display IPS B02C

**BATTERY** 725Wh / 540Wh

**CHARGER** 4,5A

**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NVX32-Boost-NLO-DS, 80mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x9

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U4010 9 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U4000

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 180mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Protek Max 28" x 2,20"

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium 15mm/110mm

**REAR HUB** aluminium

**CASSETTE** Shimano Cues CS-LG300-9, 11-41T, 9 speed

**HANDLEBAR** aluminium 660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza Plus Relaxed

**PEDALS** FP-831ZU


**FRONT LAMP** Satelite C13

**REAR LAMP** Spanninga Pimento

**WEIGHT** 29,1 kg / —

**COLOURS** brown-black, champagne-black, black-graphite

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	619 mm	640 mm
C - chainstay length	483 mm	483 mm
D - seat tube angle	72,9°	72,9°
E - head tube angle	70,5°	70,5°
F - wheel base	1171 mm	1192 mm
G - head tube length	160 mm	160 mm
H - fork length	509 mm	509 mm
Stack	673 mm	673 mm
Reach	427 mm	449 mm
Standover height	437 mm	437 mm
Maximum tyre size	2,20"	2,20"



# E-MODECO URB 1.0

504Wh



champagne  
-black

navy blue  
-silver

turquoise

Bafang G020

250W 45Nm

504Wh

8 speed

## E-MODECO URB 1.0 504Wh

Technical data

**MOTOR / PERFORMANCE** Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

**CONTROL UNIT** display Bafang DP C220 CAN

**BATTERY** 504Wh

**CHARGER** 2A

**WHEEL SIZE / FRAME** 28" alu 6061

**SIZE** M – 17" / L – 19"

**FORK** Suntour NEX-E25-LO-DS, 75mm, tapered

**DAMPER** —

**DRIVETRAIN** 1x8

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano SL-M315-8R 8 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Acera RDM3020-8

**CRANKSET** Prowheel 38T 170mm

**FRONT BRAKE** Shimano BL-MT200 hydraulic

**REAR BRAKE** Shimano BL-MT200 hydraulic

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** VeeTire Zilent 700x47C

**RIMS** aluminium doublewall RMT Components

**FRONT HUB** aluminium

**REAR HUB** —

**CASSETTE** Shimano HG31-8, 11-34T, 8 speed

**HANDLEBAR** aluminium 660mm, 31,8mm

**STEM** RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

**SEAT POST** aluminium suspension 30,9mm/300mm

**GRIPS** Wittkop Medicus Ergo

**SADDLE** Selle Royal Essenza Plus Relaxed

**PEDALS** FP-872ZU

**FRONT LAMP** Satelite C9


**REAR LAMP** Buchel Edge

**WEIGHT** 25 kg

**COLOURS** champagne-black, navy blue-silver, turquoise

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	588 mm	613 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	70°	70°
F - wheel base	1110 mm	1125 mm
G - head tube length	160 mm	160 mm
H - fork length	489 mm	489 mm
Stack	656 mm	656 mm
Reach	383 mm	408 mm
Standover height	415 mm	415 mm
Maximum tyre size	2.00"	2.00"



# Recommended accessories **E-CITY**



Bicycle helmet ROMET 192

00-00-19107-00-00070



Wicker basket mounted over handlebar  
HB-075

00-12-19578-09-00005



Bell BRASS 55 mm ROMET

00-03-31118-06-00005



Phone / smartphone holder

00-11-19004-01-00077



Universal mini bicycle mirror

00-20-26567-10-00005



Wireless bicycle computer BKV9000

00-20-18922-06-00011



Romet Accessories 2024  
See more



# MTB

Sessioni di allenamento frenetiche, run fuoristrada prolungate, maratone MTB, gare XC e gare ultra gravel: otterrai geometria dedicata alla gara, trasmissioni di alta tecnologia e componenti ottimizzate per incentivare la tua passione. Le nostre tecnologie del telaio più avanzate e le componenti di punta vengono utilizzate per offrire la migliore maneggevolezza possibile, precisione, sensazione di leggerezza e velocità.

## ENDURO

p. 104

## XC

p. 112

## MTB

p. 158

## LADY

p. 204



Scatena il tuo potenziale ovunque il percorso ti metta alla prova. Scopri la vera mountain bike.

Le bici ROMET MTB ENDURO sono realizzate per gli appassionati del vero e proprio shredding in montagna. I fan dei trail da enduro e del trail riding, così come coloro che amano esplorare sentieri di montagna meno battuti, apprezzeranno appieno questi modelli.


Sono moderne mountain bike full progettate per affrontare terreni impegnativi sia in salita che in discesa. Progettate con telai moderni e ruote da 29", dotate di sospensioni anteriori e posteriori e del sistema di sospensione proprietario Romet, sono ideali per percorsi tipici della montagna, trail e gare di enduro.

Quando si pedala in montagna e si percorrono sentieri da enduro, un casco di buona qualità, luci, una camera d'aria di scorta, una pompa e un kit di attrezzi sono indispensabili. Dai un'occhiata alla nostra selezione di accessori per rendere la tua esperienza di guida in montagna sicura e ricca di emozioni estreme.



# MTB ENDURO

MTB ENDURO .....	80
DAGGER 2.....	82
DAGGER 1.....	84



# DAGGER 2



silver

29"

alu 6061 X-lite

17" / 19" / 21"

12 speed

15,0 kg

## DAGGER 2

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Rock Shox Revelation 15x110mm, 150mm, tapered

DAMPER Rock Shox Super Deluxe Ultimate RCT 210x55mm

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore XT SLM8100 I-Spec 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore XT RD-M8100

CRANKSET Shimano Deore XT FC-M8100-1 32T 170mm

FRONT BRAKE Shimano Deore XT BL-M8100/BR-M8120

REAR BRAKE Shimano Deore XT BL-M8100/BR-M8120

FRONT BRAKE DISC Shimano SLX SM-RT70 203mm

REAR BRAKE DISC Shimano SLX SM-RT70 180mm

TYRES Michelin Wild Enduro Gum-X 29"x2,4"

RIMS DT Swiss XM 1700

FRONT HUB DT Swiss 350 15mm/110mm

REAR HUB DT Swiss 350 Rachet 36 SL 12mm/148mm Microspine

CASSETTE Shimano SLX CS-M7100-12 10-51T 12 speed

HANDLEBAR aluminium 780mm/31,8mm

STEM aluminium 40mm/31,8mm

SEAT POST X-Fusion aluminium 30,9mm/350mm/150mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia

PEDALS VP-531 Enduro aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 15,0 kg

COLOURS silver

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	420 mm	440 mm	460 mm
B - top tube length	602 mm	631 mm	661 mm
C - chainstay length	436,5 mm	436,5 mm	436,5 mm
D - seat tube angle	70°	70°	70°
E - head tube angle	64,5°	64,5°	64,5°
F - wheel base	1208 mm	1237 mm	1267 mm
G - head tube length	110 mm	120 mm	135 mm
H - fork length	560 mm	560 mm	560 mm
Stack	618 mm	630 mm	639 mm
Reach	445 mm	470 mm	495 mm
Standover height	—	—	—
Maximum tyre size	2,4"	2,4"	2,4"






# DAGGER 1

PHOTO SOON



29"  
alu 6061 X-lite



17"/19"/21"



12 speed  
15,3 kg

## DAGGER 1

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M – 17" / L – 19" / XL – 21"

FORK X-Fusion MQ Queen 15×110mm 150mm, tapered

DAMPER Rock Shox Super Deluxe Ultimate RCT 210×55mm

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore SL-M6100 I-Spec 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore RD-M6100

CRANKSET Shimano Deore FC-M6120-1 32T 170mm

FRONT BRAKE Shimano BL-MT501/BR-M520

REAR BRAKE Shimano BL-MT501/BR-M520

FRONT BRAKE DISC Shimano SM-RT64 centerlock 203mm

REAR BRAKE DISC Shimano SM-RT64 centerlock 180mm

TYRES Michelin Wild Enduro Gum-X 29"×2,4"

RIMS WTB ST 30mm 29"

FRONT HUB Shimano HB-MT400BB 15mm/110mm

REAR HUB Shimano FH-MT510BB 12mm/148mm Microspline

CASSETTE Shimano Deore CS-HG6100 10-51T 12 speed

HANDLEBAR aluminium 780mm/31,8mm

STEM aluminium 40mm/31,8mm

SEAT POST X-Fusion aluminium 30,9mm/350mm/150mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X-Base

PEDALS VP-531 Enduro aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 15,3 kg


COLOURS black

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	420 mm	440 mm	460 mm
B - top tube length	602 mm	631 mm	661 mm
C - chainstay length	436,5 mm	436,5 mm	436,5 mm
D - seat tube angle	70°	70°	70°
E - head tube angle	64,5°	64,5°	64,5°
F - wheel base	1208 mm	1237 mm	1267 mm
G - head tube length	110 mm	120 mm	135 mm
H - fork length	560 mm	560 mm	560 mm
Stack	618 mm	630 mm	639 mm
Reach	445 mm	470 mm	495 mm
Standover height	—	—	—
Maximum tyre size	2,4"	2,4"	2,4"



# Recommended accessories MTB ENDURO



Front light ALLTY mini

00-11-27701-01-00001



Rear light SEEMEE 20

00-11-27701-01-00007

Saddle bag ROMET  
mod. SH8-6702MR-A

00-00-25850-00-00002



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,6 l Big Mouth

00-20-17186-02-00015



Mudguard 24-28" IQ MTB FRONT

00-10-00525-04-00003

Romet Accessories 2024  
See more



**Allenati, gareggia, vinci.**

**Passa al livello successivo della MTB.**

La gamma Romet MTB XC è stata creata per soddisfare le ambizioni atletiche. Il suo spirito competitivo verrà molto apprezzato da chi ha l'obiettivo di allenarsi più duramente, migliorare la propria forma fisica e le proprie abilità, ed entrare nel mondo racing. Sono bici da gara leggere e agili, pensate per gli amanti della mountain bike nella sua forma più pura.

Sessioni di allenamento frenetiche, corse fuoristrada prolungate, maratone MTB, gare XC e gare ultra gravel: avrai tra le mani una geometria dedicata alla gara, trasmissioni di alta tecnologia e componenti ottimizzate per incentivare la tua passione. Le nostre tecnologie del telaio più avanzate e le componenti di punta vengono utilizzate per offrire la migliore maneggevolezza possibile, precisione, sensazione di leggerezza e velocità.

Le molteplici specifiche della gamma ti consentono di scegliere la bicicletta adatta alle tue esigenze e al tuo budget.

Come rendere il cross-country migliore? Con l'aiuto di alcuni pratici accessori. Scegli un casco, una piccola borsa da sella, un kit di attrezzi o una pompa per rendere l'acquisto della tua nuova bici un'esperienza completa e totalmente piacevole.



# MTB XC

<b>MTB XC .....</b>	<b>88</b>
MONSUN 3.....	90
MONSUN 2.....	92
MONSUN 1.....	94
MUSTANG EVO 2 CS.....	96
MUSTANG EVO 1CS .....	98
MUSTANG EVO 3 .....	100
MUSTANG EVO 1.....	102
MUSTANG M5 CS.....	104
MUSTANG M4 CS.....	106
MUSTANG M3 CS.....	108
MUSTANG M2 CS.....	110
MUSTANG M1 CS.....	112
MUSTANG M8.....	114
MUSTANG M7.....	116
MUSTANG M6.....	118
MUSTANG M5.....	120
MUSTANG M4.....	122
MUSTANG M3.....	124
MUSTANG M2.....	126
MUSTANG M1 .....	128
MUSTANG M7.1.....	130



# MONSUN 3



gray

29"

carbon

15"/17"/19"/21"

12 speed

9,7 kg

## MONSUN 3

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK Rock Shox SID SL base RL Crown 29" 15x110 100mm, tap.

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore XT M8100 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore XT M8100

CRANKSET SRAM NX Eagle DUB 34T 170mm

FRONT BRAKE Shimano Deore XT BL-M8100/BR-M8100

REAR BRAKE Shimano Deore XT BL-M8100/BR-M8100

FRONT BRAKE DISC Shimano SM-RT70 180mm

REAR BRAKE DISC Shimano SM-RT70 160mm

TYRES Michelin Force XC 29" x 2,25"

RIMS Ursus MTB SPARK 25

FRONT HUB Ursus MTB SPARK 25 15mm/110mm

REAR HUB Ursus MTB SPARK 25 12mm/148mm Microspine

CASSETTE SRAM Eagle CS-PG1230 11-50T 12 speed

HANDLEBAR Romet Carbon 760mm/31,8mm

STEM Romet Carbon 90mm/31,8mm

SEAT POST Romet Carbon 27,2mm/350mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X1

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 9,7 kg

COLOURS gray

Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	562 mm	584 mm	605 mm	630 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°
E - head tube angle	70,5°	71°	71,5°	71,5°
F - wheel base	1060 mm	1070 mm	1086 mm	1111 mm
G - head tube length	95 mm	95 mm	110 mm	120 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	607 mm	614 mm	625 mm	635 mm
Reach	383 mm	396 mm	414 mm	436 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MONSUN 2



turquoise  
celadon

29"

carbon

15"/17"/19"/21"

12 speed

10,3 kg

## MONSUN 2

Technical data

### WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK SRAM Rock Shock REBAR RL 15×100mm, 100mm, tap.

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS SRAM NX Eagle 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR SRAM NX Eagle 12 speed

CRANKSET SRAM NX Eagle 34T 170mm

FRONT BRAKE SRAM DB LVLT GLB hydraulic

REAR BRAKE SRAM DB LVLT GLB hydraulic

FRONT BRAKE DISC SRAM Centerline 180mm

REAR BRAKE DISC SRAM Centerline 160mm

TYRES Michelin Force XC 29"×2,25"

RIMS Ursus MTB SPARK 25

FRONT HUB Ursus MTB SPARK 25 15mm/110mm

REAR HUB Ursus MTB SPARK 25 12mm/148mm

CASSETTE SRAM CS PG1230 EAGLE 11-50 12 speed

HANDLEBAR Romet Carbon 760mm/31,8mm

STEM Romet Carbon 90mm/31,8mm

SEAT POST Romet Carbon 27,2mm/350mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X1

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 10,3 kg

COLOURS turquoise-celadon

### Geometry

	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	562 mm	584 mm	605 mm	630 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°
E - head tube angle	70,5°	71°	71,5°	71,5°
F - wheel base	1060 mm	1070 mm	1086 mm	1111 mm
G - head tube length	95 mm	95 mm	110 mm	120 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	607 mm	614 mm	625 mm	635 mm
Reach	383 mm	396 mm	414 mm	436 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MONSUN 1




black-red



29"



carbon



15"/17"/19"/21"



12 speed



12,1kg

## MONSUN 1

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK Rock Shox Recon Gold RL 29" 15x110mm, 100mm, tap.

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano SLX SL-M7100 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano SLX RD-M7100 12 speed

CRANKSET Shimano SLX FC-M7100 32T 175mm

FRONT BRAKE Shimano SLX BL-M7100/BR-M7100

REAR BRAKE Shimano SLX BL-M7100/BR-M7100

FRONT BRAKE DISC Shimano SM-RT64 centerlock 180mm

REAR BRAKE DISC Shimano SM-RT64 centerlock 160mm

TYRES Michelin Force XC 29" x 2,25"

RIMS Mach1 Karma M631

FRONT HUB Shimano HB-MT400 15mm/110mm

REAR HUB Shimano FH-MT410 12mm/148mm

CASSETTE Shimano SLX CS-M7100 10-51T 12 speed

HANDLEBAR Romet Carbon 720mm/31,8mm

STEM Romet Carbon 90mm/31,8mm

SEAT POST Romet Carbon 27,2mm/350mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X1

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 12,1 kg

COLOURS black-red

Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	562 mm	584 mm	605 mm	630 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°
E - head tube angle	70,5°	71°	71,5°	71,5°
F - wheel base	1060 mm	1070 mm	1086 mm	1111 mm
G - head tube length	95 mm	95 mm	110 mm	120 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	607 mm	614 mm	625 mm	635 mm
Reach	383 mm	396 mm	414 mm	436 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MUSTANG EVO 2 CS



29"

carbon

15"/17"/19"/21"

11speed

12,8 kg

## MUSTANG EVO 2 CS

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK Suntour XCR-32 Air 15x100mm, 100mm, tapered

DAMPER —

DRIVETRAIN 1x11

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U6000-11R 11 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U6000

CRANKSET Shimano Cues FC-U6000 30T 170mm/175mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400 15mm/100mm

REAR HUB Shimano FH-MT400 12mm/142mm

CASSETTE Shimano CS-LG400-11 11-50T 11 speed

HANDLEBAR Romet aluminium 760mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/350mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 12,8 kg

COLOURS graphite-navy blue

## Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	560 mm	595 mm	611,5 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	69°	69°	70°	70°
F - wheel base	1168 mm	1103 mm	1104 mm	1137 mm
G - head tube length	100 mm	100 mm	115 mm	125 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	599 mm	595 mm	615 mm	630 mm
Reach	378 mm	413 mm	420 mm	447 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"






# MUSTANG EVO1CS



29"



carbon



15" / 17" / 19" / 21"



20 speed



13,2 kg

## MUSTANG EVO1CS

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK Suntour XCR-32 Air 15x100mm, 100mm, tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000-10R 10 speed

FRONT DERAILLEUR Shimano Cues FD-U4000-E

REAR DERAILLEUR Shimano Cues RD-U6020-10 SGS

CRANKSET Shimano Cues FC-U6000-236-22T 170mm/175mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400 15mm/100mm

REAR HUB Shimano FH-MT400 12mm/142mm

CASSETTE Shimano CS-LG300-10, 11-39T 10 speed

HANDLEBAR Romet aluminium 760mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/350mm

GRIPS Velo VLG 1749-A 130mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13,2 kg

COLOURS black-green

Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	560 mm	595 mm	611,5 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	69°	69°	70°	70°
F - wheel base	1168 mm	1103 mm	1104 mm	1137 mm
G - head tube length	100 mm	100 mm	115 mm	125 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	599 mm	595 mm	615 mm	630 mm
Reach	378 mm	413 mm	420 mm	447 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MUSTANG EVO 3



29"

carbon

15"/17"/19"/21"

12 speed

12,7 kg

## MUSTANG EVO 3

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK Rock Shock Recon Silver RL Boost 15x110mm, 100mm, tap.

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore SL-M6100 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore RD-M6100 12 speed

CRANKSET Shimano FC-MT510 32T 175mm

FRONT BRAKE Shimano BL-MT401, BR-MT400

REAR BRAKE Shimano BL-MT401, BR-MT400

FRONT BRAKE DISC Shimano SM-RT10 centerlock 180mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TC500-15-B, 15mm/110mm

REAR HUB Shimano FH-TC500-MS, 12mm/142mm

CASSETTE Shimano Deore CS-M6100 10-51T 12 speed

HANDLEBAR Romet aluminium 760mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/350mm

GRIPS Velo VLG-1541AD2 132mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 12,7 kg

COLOURS black-green

## Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	560 mm	595 mm	611,5 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	69°	69°	70°	70°
F - wheel base	1168 mm	1103 mm	1104 mm	1137 mm
G - head tube length	100 mm	100 mm	115 mm	125 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	599 mm	595 mm	615 mm	630 mm
Reach	378 mm	413 mm	420 mm	447 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MUSTANG EVO 1



black-red

29"

carbon

15"/17"/19"/21"

20 speed

12,7 kg

## MUSTANG EVO 1

Technical data

WHEEL SIZE / FRAME 29" / carbon

SIZE S – 15" / M – 17" / L – 19" / XL – 21"

FORK SunTour XCR-32 Air 15x100mm, 100mm, tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Deore SL-M6000 2 speed

REAR SHIFTERS Shimano Deore SL-M6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-M4100-E

REAR DERAILLEUR Shimano Deore RD-M4120

CRANKSET Shimano Deore FC-M4100 36-26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 180mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400 15mm/100mm

REAR HUB Shimano FH-MT400 12mm/142mm

CASSETTE Shimano Deore CS-M4100 11-42T 10 speed

HANDLEBAR Romet aluminium 760mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/350mm

GRIPS Velo VLG-1541AD2 132mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 12,7 kg

COLOURS black-red

## Geometry

	S	M	L	XL
Tyre size	29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm
B - top tube length	560 mm	595 mm	611,5 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	69°	69°	70°	70°
F - wheel base	1168 mm	1103 mm	1104 mm	1137 mm
G - head tube length	100 mm	100 mm	115 mm	125 mm
H - fork length	501 mm	501 mm	501 mm	501 mm
Stack	599 mm	595 mm	615 mm	630 mm
Reach	378 mm	413 mm	420 mm	447 mm
Standover height	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"





# MUSTANG M5 CS



29"



alu 6061X-lite



16" / 18" / 20"



22 speed

## MUSTANG M5 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M – 16" / L – 18" / XL – 20"

FORK Suntour XCM 32 LOR COIL 15/110, 100mm tapered

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Cues SL-U6000-L 2 speed

REAR SHIFTERS Shimano Cues SL-U6000-11R 11 speed

FRONT DERAILLEUR Shimano Cues FD-U6000-M

REAR DERAILLEUR Shimano Cues RD-U6020-11 SGS

CRANKSET Shimano Cues FC-U4010-2 36-22 T, 170mm/175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400-B, 15/110mm

REAR HUB Shimano FH-MT400-B, 12/148mm

CASSETTE Shimano CS-LG400-11 11-45T 11 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,9mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS antracite-blue

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	405 mm	455 mm	505 mm
B - top tube length	615 mm	625 mm	635 mm
C - chainstay length	445 mm	445 mm	445 mm
D - seat tube angle	72°	72°	72°
E - head tube angle	70°	70°	70°
F - wheel base	1112 mm	1122 mm	1129 mm
G - head tube length	120 mm	130 mm	135 mm
H - fork length	495 mm	495 mm	495 mm
Stack	617 mm	624 mm	631 mm
Reach	423 mm	445 mm	450 mm
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M4 CS



29"

alu 6061 X-lite

17" / 19" / 21"

11 speed

## MUSTANG M4 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM RL 100mm

DAMPER —

DRIVETRAIN 1x11

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U6000-11R 11 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U6000-11 GS

CRANKSET Shimano Cues FC-U6000-1, 30T 170mm/175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-11 11-50T 11 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS silver-blue

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M3 CS



29"

alu 6061X-lite

17"/19"/21"

20 speed

## MUSTANG M3 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM RL 100mm

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000-10R 10 speed

FRONT DERAILLEUR Shimano Cues FD-U4000

REAR DERAILLEUR Shimano Cues RD-U6020-10 SGS

CRANKSET Shimano Cues FC-U6000-2 36-22T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160 mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-10 11-39T 10 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS dark blue-yellow

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M2 CS



29"

alu 6061X-lite

17" / 19" / 21"

10 speed

## MUSTANG M2 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM HLO 100mm

DAMPER —

DRIVETRAIN 1x10

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U6000-10R 10 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U6000-10 GS

CRANKSET Shimano Cues FC-U6000-1, 30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-10 11-48T 10 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS lime green-black, graphite-orange

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M1 CS



29"



alu 6061 X-lite



17" / 19" / 21"



18 speed

## MUSTANG M1 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4000-M

REAR DERAILLEUR Shimano Cues RD-U4020 SGS

CRANKSET Shimano Cues FC-U4000-2, 36-22T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Race'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-9 11-36T 9 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —


WEIGHT —

COLOURS white-yellow, antracite-turquoise

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M8




graphite-copper



29"



alu 6061 X-lite



16" / 18" / 20"



12 speed



13,5 kg

## MUSTANG M8

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M – 16" / L – 18" / XL – 20"

FORK RS Judy sil. TK RL-crown 15/110mm solo air, 100mm, tap.

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore SL-M6100 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore RD-M6100 SGS

CRANKSET Shimano FC-MT511 32T 175mm

FRONT BRAKE Shimano BL-MT401/BR-MT410

REAR BRAKE Shimano BL-MT401/BR-MT410

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400-B, 15/110mm

REAR HUB Shimano FH-MT410-B, 12/148mm

CASSETTE Shimano Deore CS-M6100 10-51T 12 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,9mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT 13,5 kg

COLOURS graphite-copper

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	405 mm	455 mm	505 mm
B - top tube length	615 mm	625 mm	635 mm
C - chainstay length	445 mm	445 mm	445 mm
D - seat tube angle	72°	72°	72°
E - head tube angle	70°	70°	70°
F - wheel base	1112 mm	1122 mm	1129 mm
G - head tube length	120 mm	130 mm	135 mm
H - fork length	495 mm	495 mm	495 mm
Stack	617 mm	624 mm	631 mm
Reach	423 mm	445 mm	450 mm
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M7



black  
-orange

29"

alu 6061 X-lite

16" / 18" / 20"

22 speed

13,9 kg

## MUSTANG M7

Technical data

**WHEEL SIZE / FRAME** 29" / alu 6061 X-lite

**SIZE** M – 16" / L – 18" / XL – 20"

**FORK** SunTour XCR 32 COIL 15/110, 100mm tapered

**DAMPER** —

**DRIVETRAIN** 2x11

**FRONT SHIFTERS** Shimano Deore SL-M5100 2 speed

**REAR SHIFTERS** Shimano Deore SL-M5100 11 speed

**FRONT DERAILLEUR** Shimano Deore FD-M5100

**REAR DERAILLEUR** Shimano Deore RD-M5120 SGS

**CRANKSET** Shimano Deore FC-M5100-2 36-26T 175mm

**FRONT BRAKE** Shimano BL-MT200/BR-MT200

**REAR BRAKE** Shimano BL-MT200/BR-MT200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Grip'R 29" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-MT400-B, 15/110mm

**REAR HUB** Shimano FH-MT400-B, 12/148mm

**CASSETTE** Shimano Deore CS-M5100 11-42T 11 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 30,9mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Selle Italia X-Base

**PEDALS** FP-971 aluminium

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 13,9 kg

**COLOURS** black-orange

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	405 mm	455 mm	505 mm
B - top tube length	615 mm	625 mm	635 mm
C - chainstay length	445 mm	445 mm	445 mm
D - seat tube angle	72°	72°	72°
E - head tube angle	70°	70°	70°
F - wheel base	1112 mm	1122 mm	1129 mm
G - head tube length	120 mm	130 mm	135 mm
H - fork length	495 mm	495 mm	495 mm
Stack	617 mm	624 mm	631 mm
Reach	423 mm	445 mm	450 mm
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M6



white-blue



29"



alu 6061X-lite



17" / 19" / 21"



11 speed



13,6 kg

## MUSTANG M6

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM 32 LOR COIL 15/110, 100mm, tapered

DAMPER —

DRIVETRAIN 1x11

FRONT SHIFTERS —

REAR SHIFTERS Shimano Deore SL-M5100 11 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Deore RD-M5100 SGS

CRANKSET Shimano Deore FC-M5100 32T 175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-MT400-B, 15/110mm

REAR HUB Shimano FH-MT400-B, 12/148mm

CASSETTE Shimano Deore CS-M5100-11 10-51T 11 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,9mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT 13,6 kg

COLOURS white-blue

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	405 mm	455 mm	505 mm
B - top tube length	615 mm	625 mm	635 mm
C - chainstay length	445 mm	445 mm	445 mm
D - seat tube angle	72°	72°	72°
E - head tube angle	70°	70°	70°
F - wheel base	1112 mm	1122 mm	1129 mm
G - head tube length	120 mm	130 mm	135 mm
H - fork length	495 mm	495 mm	495 mm
Stack	617 mm	624 mm	631 mm
Reach	423 mm	445 mm	450 mm
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M5



29"

alu 6061X-lite

17" / 19" / 21"

20 speed

13,8 kg

## MUSTANG M5

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M – 17" / L – 19" / XL – 21"

FORK Suntour X1 Coil RL 100mm

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Deore SL-M6000 2 speed

REAR SHIFTERS Shimano Deore SL-M6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-M4100

REAR DERAILLEUR Shimano Deore RD-M4120 SGS

CRANKSET Shimano Deore FC-MT4100-2 36-26T 175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano Deore CS-HG4100-10 11-42T 10 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT 13,8 kg

COLOURS black-green

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M4


● blue-yellow

● 29"

● alu 6061 X-lite

● 17" / 19" / 21"

● 10 speed

● 14,1kg

## MUSTANG M4

[Technical data](#)
**WHEEL SIZE / FRAME** 29" / alu 6061 X-lite

**SIZE** M – 17" / L – 19" / XL – 21"

**FORK** Suntour XCM RL 100mm

**DAMPER** —

**DRIVETRAIN** 1x10

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Deore SL-M4100 10 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Deore RD-M5120 SGS

**CRANKSET** Shimano Deore FC-M5100-1 32T 175mm

**FRONT BRAKE** Shimano BL-MT200/BR-M200

**REAR BRAKE** Shimano BL-MT200/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Grip'R 29" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano Deore CS-M4100-10 11-46T 10 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 31,6mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-971 aluminium

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 14,1 kg

**COLOURS** blue-yellow

## Geometry

	<b>M</b>	<b>L</b>	<b>XL</b>
<b>Tyre size</b>	29"	29"	29"
<b>A - frame size</b>	432 mm	485 mm	535 mm
<b>B - top tube length</b>	610 mm	630 mm	640 mm
<b>C - chainstay length</b>	435 mm	435 mm	435 mm
<b>D - seat tube angle</b>	69°	69°	69°
<b>E - head tube angle</b>	70°	69°	69°
<b>F - wheel base</b>	1100 mm	1130 mm	1141,5 mm
<b>G - head tube length</b>	110 mm	110 mm	125 mm
<b>H - fork length</b>	495 mm	495 mm	495 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,25"	2,25"	2,25"





# MUSTANG M3



silver-gray

29"

alu 6061 X-lite

17" / 19" / 21"

18 speed

14,4 kg

## MUSTANG M3

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM RL 100mm

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Altus SL-M2010 2 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M2020

REAR DERAILLEUR Shimano Alivio RD-M3100 SGS Shadow

CRANKSET Shimano FC-MT101 36-22T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2.1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG200 11-34T 9 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,4 kg

COLOURS silver-gray

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M2



gray-red

graphite

29"

alu 6061 X-lite

17" / 19" / 21"

27 speed

14,5 kg

## MUSTANG M2

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M - 17" / L - 19" / XL - 21"

FORK Suntour XCM HLO 100mm

DAMPER —

DRIVETRAIN 3x9

FRONT SHIFTERS Shimano Altus SL-M2010 3 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M2000

REAR DERAILLEUR Shimano Alivio RD-M3100 SGS Shadow

CRANKSET Shimano FC-MT101 40-30-22T 175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG200 11-34T 9 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS gray-red, graphite

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M1



light graphite

black-red

29"

alu 6061X-lite

17" / 19" / 21"

16 speed

14,5 kg

## MUSTANG M1

Technical data

WHEEL SIZE / FRAME 29" / alu 6061 X-lite

SIZE M – 17" / L – 19" / XL – 21"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano SLM-315 2 speed

REAR SHIFTERS Shimano SLM-315 8 speed

FRONT DERAILLEUR Shimano Altus FD-M315

REAR DERAILLEUR Shimano Acera RD-M3020 SGS

CRANKSET Shimano Tourney FC-M315 36-22T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Race'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS black-red, light graphite

Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	432 mm	485 mm	535 mm
B - top tube length	610 mm	630 mm	640 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	69°	69°	69°
E - head tube angle	70°	69°	69°
F - wheel base	1100 mm	1130 mm	1141,5 mm
G - head tube length	110 mm	110 mm	125 mm
H - fork length	495 mm	495 mm	495 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# MUSTANG M7.1



dark blue

27,5"

alu 6061 X-lite

17" / 19" / 21"

16 speed

14,4 kg

## MUSTANG M7.1

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061 X-lite

SIZE M – 17" / L – 19" / XL – 21"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano SLM-315 2 speed

REAR SHIFTERS Shimano SLM-315 8 speed

FRONT DERAILLEUR Shimano Altus FD-M315

REAR DERAILLEUR Shimano Acera RD-M3020 SGS

CRANKSET Shimano Tourney FC-M315 36-22T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,4 kg

COLOURS dark blue

Geometry

	M	L	XL
Tyre size	27,5"	27,5"	27,5"
A - frame size	432 mm	483 mm	533 mm
B - top tube length	585 mm	595 mm	620 mm
C - chainstay length	430 mm	430 mm	430 mm
D - seat tube angle	73,5°	73°	73°
E - head tube angle	70°	70°	70°
F - wheel base	1079 mm	1080 mm	1105,5 mm
G - head tube length	110 mm	110 mm	110 mm
H - fork length	480 mm	480 mm	480 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"



# Recommended accessories **MTB XC**



Front light ALLTY 600  
00-11-27701-01-00004

Rear light SEEMEE 30 TL  
00-11-27701-01-00008

Saddle bag ROMET  
mod. SH8-6702MR-A  
00-00-25850-00-00002



Alloy water bottle cage CL-110  
00-10-10365-04-00018



Water bottle 0,7 l POWERED BY ROMET  
00-20-21750-02-00009



Wireless bicycle computer BKV9100  
00-20-18922-06-00017



Romet Accessories 2024  
See more



**Divertiti in bicicletta, indipendentemente dal terreno.**  
**Piste ciclabili, piste forestali e passi di montagna ti aspettano per essere esplorati.**

La gamma ROMET MTB offre mountain bike versatili per i ciclisti che trascorrono più tempo all'aria aperta che su strade asfaltate.

Queste biciclette a tutto tondo progettate per gli aspiranti fan di mountain bike o di guida nei boschi sono perfette per i giovani grazie all'ampia disponibilità di modelli costruiti attorno a ruote più piccole. Costruite su telai in alluminio dal design classico, le bici della serie MTB sono dotate di componenti collaudati dei migliori produttori per garantire prestazioni affidabili per gli anni a venire.

Le biciclette MTB ROMET offrono un ottimo rapporto qualità prezzo, design raffinato e caratteristiche semplici.

Vale la pena festeggiare l'arrivo di una nuova bicicletta con accessori pratici. Dai caschi per ragazzi alle luci e alle borracce, ogni nuovo accessorio migliora la corsa.



**R  
O  
M  
E  
T**

<b>MTB</b>	.....	134
RAMBLER R9.4 CS	.....	136
RAMBLER R9.3 CS	.....	138
RAMBLER R9.2 CS	.....	140
RAMBLER R7.3 CS	.....	142
RAMBLER R7.2 CS	.....	144
RAMBLER R9.4	.....	146
RAMBLER R9.3	.....	148
RAMBLER R9.1	.....	150
RAMBLER FIT 29	.....	152
RAMBLER R7.4	.....	154
RAMBLER R7.3	.....	156
RAMBLER R7.1	.....	158
RAMBLER FIT 27.5	.....	160
RAMBLER R6.4	.....	162
RAMBLER R6.3	.....	164
RAMBLER R6.2	.....	166
RAMBLER R6.1	.....	168
RAMBLER R6.0	.....	170
RAMBLER JR6.1	.....	172
RAMBLER JR6.0	.....	174
RAMBLER FIT 26	.....	176



# RAMBLER R9.4 CS



black  
-turquoise-gray



graphite-gold



29"

alu 6061

18" / 20"

20 speed

## RAMBLER R9.4 CS

Technical data

WHEEL SIZE / FRAME 29" / alu 6061

SIZE L – 18" / XL – 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000-10R 10 speed

FRONT DERAILLEUR Shimano Cues FD-U4000

REAR DERAILLEUR Shimano Cues RD-U6020-10 SGS

CRANKSET Shimano Cues FC-U4010-2 36-22 T, 170/175mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Race'R 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-10, 11-39T 10 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS graphite-gold, black-turquoise-gray

Geometry

	L	XL
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	619 mm	622 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1119,2 mm	1122,2 mm
G - head tube length	120 mm	120 mm
H - fork length	510 mm	510 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R9.3 CS


blue-white
white-graphite-turquoise
29"
alu 6061
18" / 20"
10 speed
14,8 kg

## RAMBLER R9.3 CS

[Technical data](#)
**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** L - 18" / XL - 20"

**FORK** Suntour XCT HLO 100mm

**DAMPER** —

**DRIVETRAIN** 1x10

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Cues SL-U6000-10R 10 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Cues RD-U6000-10 GS

**CRANKSET** Shimano Cues FC-U6000-1, 30T, 170mm

**FRONT BRAKE** Shimano BR-M200

**REAR BRAKE** Shimano BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Race'R 29"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-LG300-10 11-48T 10 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 30,9mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-971 aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,8 kg

**COLOURS** white-graphite-turquoise, blue-white

## Geometry

	L	XL
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	619 mm	622 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1119,2 mm	1122,2 mm
G - head tube length	120 mm	120 mm
H - fork length	510 mm	510 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R9.2 CS


gray-black  
-orange
gray-green  
-silver
29"
alu 6061
17" / 19" / 21"
18 speed
14,9 kg

## RAMBLER R9.2 CS

[Technical data](#)
**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 17" / L – 19" / XL – 21"

**FORK** Suntour XCE 100 mm

**DAMPER** —

**DRIVETRAIN** 2x9

**FRONT SHIFTERS** Shimano Cues SL-U4000 2 speed

**REAR SHIFTERS** Shimano Cues SL-U4000-9R 9 speed

**FRONT DERAILLEUR** Shimano Cues FD-U4000-M

**REAR DERAILLEUR** Shimano Cues RD-U4020 SGS

**CRANKSET** Shimano Cues FC-U4000-2, 36-22T, 170mm

**FRONT BRAKE** Shimano BL-MT200/BR-M200

**REAR BRAKE** Shimano BL-MT200/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Race'R 29"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-LG300-9 11-36T 9 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 31,6mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,9 kg

**COLOURS** gray-black-orange,  
gray-green-silver

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	430 mm	480 mm	530 mm
B - top tube length	600 mm	605 mm	605 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	74°	74°	74°
E - head tube angle	70°	70°	70°
F - wheel base	1120 mm	1125 mm	1140 mm
G - head tube length	120 mm	120 mm	140 mm
H - fork length	510 mm	510 mm	510 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# RAMBLER R7.3 CS



black  
-turquoise-silver

graphite  
-orange

27,5"

alu 6061

18" / 20"

9 speed

## RAMBLER R7.3 CS

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE L - 18" / XL - 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 1x9

FRONT SHIFTERS —

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Cues RD-U4000

CRANKSET Shimano Cues FC-U4000, 30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Race'R 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano Cues CS-LG300-9, 11-46T 9 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —

REAR LAMP —

WEIGHT —

COLOURS black-turquoise-silver, graphite-orange

## Geometry

	L	XL
Tyre size	27,5"	27,5"

A - frame size	457 mm	508 mm
----------------	--------	--------

B - top tube length	590 mm	594 mm
---------------------	--------	--------

C - chainstay length	435 mm	435 mm
----------------------	--------	--------

D - seat tube angle	73,5°	73,5°
---------------------	-------	-------

E - head tube angle	70,5°	70,5°
---------------------	-------	-------

F - wheel base	1082 mm	1085 mm
----------------	---------	---------

G - head tube length	120 mm	120 mm
----------------------	--------	--------


H - fork length	480 mm	480 mm
-----------------	--------	--------

Stack	—	—
-------	---	---

Reach	—	—
-------	---	---

Standover height	—	—
------------------	---	---

Maximum tyre size	2,25"	2,25"
-------------------	-------	-------





# RAMBLER R7.2 CS



27,5"

alu 6061

17" / 19" / 21"

18 speed

## RAMBLER R7.2 CS

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE M – 17" / L – 19" / XL – 21"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4000-M

REAR DERAILLEUR Shimano Cues RD-U4020 SGS

CRANKSET Shimano Cues FC-U4000-2, 36-22T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES Michelin Country Race'R 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano Cues CS-LG300-9, 11-36T 9 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,9mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS black-gray-yellow, white-red-black

## Geometry

	M	L	XL
Tyre size	27,5"	27,5"	27,5"
A - frame size	432 mm	483 mm	533 mm
B - top tube length	585 mm	610 mm	615 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	69°	69°	69°
F - wheel base	1115 mm	1120 mm	1125 mm
G - head tube length	115 mm	120 mm	120 mm
H - fork length	475 mm	475 mm	475 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# RAMBLER R9.4



graphite

graphite-white

29"

alu 6061

18"/20"

24 speed

14,3 kg

## RAMBLER R9.4

Technical data

WHEEL SIZE / FRAME 29" / alu 6061

SIZE L - 18" / XL - 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 3x8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano Altus FD-M2000

REAR DERAILLEUR Shimano Alivio RD-M3100 SGS Shadow

CRANKSET Shimano FC-MT101 40/30/22T 175mm

FRONT BRAKE Shimano ST-EF505/BR-M200

REAR BRAKE Shimano ST-EF505/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG200-8 11-36T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,3 kg

COLOURS graphite, graphite-white

Geometry

	L	XL
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	619 mm	622 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1119,2 mm	1122,2 mm
G - head tube length	120 mm	120 mm
H - fork length	510 mm	510 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R9.3



navy blue  
graphite-blue

graphite-black



29"



alu 6061



18"/20"



24 speed



13,8 kg

## RAMBLER R9.3

Technical data

WHEEL SIZE / FRAME 29" / alu 6061

SIZE L – 18" / XL – 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano Tourney FD-TY700

REAR DERAILLEUR Shimano Acera RD-M3020 SGS

CRANKSET Shimano FC-TY301 42/34/24T 170mm

FRONT BRAKE Shimano ST-EF505/BR-M200

REAR BRAKE Shimano ST-EF505/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES 29"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13,8 kg

COLOURS navy blue-graphite-blue, graphite-black

Geometry

	L	XL
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	619 mm	622 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1119,2 mm	1122,2 mm
G - head tube length	120 mm	120 mm
H - fork length	510 mm	510 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R9.1


black  
-red-gray
blue  
-white-yellow
29"
alu 6061
17" / 19" / 21"
21 speed
15,2 kg

## RAMBLER R9.1

[Technical data](#)
**WHEEL SIZE / FRAME** 29" / alu 6061

**SIZE** M – 17" / L – 19" / XL – 21"

**FORK** Suntour XCE 100mm

**DAMPER** —

**DRIVETRAIN** 3×7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 29"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano TZ500-7 14-28T 7 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 30,9mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 15,2 kg

**COLOURS** black-red-gray, blue-white-yellow

## Geometry

	M	L	XL
Tyre size	29"	29"	29"
A - frame size	430 mm	480 mm	530 mm
B - top tube length	600 mm	605 mm	605 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	74°	74°	74°
E - head tube angle	70°	70°	70°
F - wheel base	1120 mm	1125 mm	1140 mm
G - head tube length	120 mm	120 mm	140 mm
H - fork length	510 mm	510 mm	510 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# RAMBLER FIT 29



29"

alu 6061

18" / 20"

16 speed

15,4 kg

## RAMBLER FIT 29

Technical data

### WHEEL SIZE / FRAME 29" / alu 6061

SIZE L – 18" / XL – 20"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Acera SL-M315 2 speed

REAR SHIFTERS Shimano Acera SL-M315 8 speed

FRONT DERAILLEUR Shimano Acera FD-M315-TS

REAR DERAILLEUR Shimano Alivio RD-M3100 SGS

CRANKSET Shimano FC-M315-2 36/22T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 29" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,4mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 15,4 kg

COLOURS black-gray

Geometry

	L	XL
Tyre size	29"	29"
A - frame size	457 mm	508 mm
B - top tube length	618 mm	627 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1118 mm	1127 mm
G - head tube length	120 mm	120 mm
H - fork length	510 mm	510 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R7.4


● silver  
-red-graphite

● graphite  
-silver-turquoise

● 27,5"

● alu 6061

● 18" / 20"

● 27 speed

● 15,4 kg

## RAMBLER R7.4

[Technical data](#)
**WHEEL SIZE / FRAME** 27,5" / alu 6061

**SIZE** L - 18" / XL - 20"

**FORK** Suntour XCT HLO 100mm

**DAMPER** —

**DRIVETRAIN** 3x9

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 9 speed

**FRONT DERAILLEUR** Shimano Altus FD-M2000

**REAR DERAILLEUR** Shimano Alivio RD-M3100 SGS

**CRANKSET** Shimano FC-MT101 40/30/22T 175mm

**FRONT BRAKE** Shimano ST-EF505/BR-M200

**REAR BRAKE** Shimano ST-EF505/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Race'R 27,5" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG200-9 11-34T 9 speed

**HANDLEBAR** Romet aluminium 720mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 31,6mm/350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-971 aluminium

**FRONT LAMP** —

**REAR LAMP** —

**WEIGHT** 15,4 kg

**COLOURS** silver-red-graphite,  
graphite-silver-turquoise

## Geometry

**L**      **XL**
**Tyre size** 27,5"      27,5"

**A - frame size** 457 mm      508 mm

**B - top tube length** 590 mm      594 mm

**C - chainstay length** 435 mm      435 mm

**D - seat tube angle** 73,5°      73,5°

**E - head tube angle** 70,5°      70,5°

**F - wheel base** 1082 mm      1085 mm


**G - head tube length** 120 mm      120 mm

**H - fork length** 480 mm      480 mm

**Stack** —      —

**Reach** —      —

**Standover height** —      —

**Maximum tyre size** 2,25"      2,25"




# RAMBLER R7.3



27,5"

alu 6061

18" / 20"

24 speed

15,0 kg

## RAMBLER R7.3

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE L - 18" / XL - 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano Tourney FD-TY700

REAR DERAILLEUR Shimano Acera RD-M3020 SGS

CRANKSET Shimano FC-TY301 42/34/24T 170mm

FRONT BRAKE Shimano ST-EF505/BR-M200

REAR BRAKE Shimano ST-EF505/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Race'R 27,5"×2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 31,6mm/350mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium


FRONT LAMP —


REAR LAMP —

WEIGHT 15,0 kg

COLOURS graphite-orange, blue-yellow

	L	XL
Tyre size	27,5"	27,5"
A - frame size	457 mm	508 mm
B - top tube length	590 mm	594 mm
C - chainstay length	435 mm	435 mm
D - seat tube angle	73,5°	73,5°
E - head tube angle	70,5°	70,5°
F - wheel base	1082 mm	1085 mm
G - head tube length	120 mm	120 mm
H - fork length	480 mm	480 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R7.1


● navy blue

● silver-red-graphite

● 27,5"

● alu 6061

● 17" / 19" / 21"

● 21 speed

● 15,2 kg

## RAMBLER R7.1

[Technical data](#)
**WHEEL SIZE / FRAME** 27,5" / alu 6061

**SIZE** M – 17" / L – 19" / XL – 21"

**FORK** Suntour XCE 100mm

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF500 3 speed

**REAR SHIFTERS** Shimano ST-EF500 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Acera RD-M360

**CRANKSET** Shimano FC-TY301 42/34/24T 170 mm

**FRONT BRAKE** mechanical disc

**REAR BRAKE** mechanical disc

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** 27,5" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500-7 14-28T 7 speed

**HANDLEBAR** Romet aluminium 680mm

**STEM** Romet aluminium 90mm

**SEAT POST** Romet aluminium 31,6mm 350mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 15,2 kg

**COLOURS** silver-red-graphite, navy blue

## Geometry

	M	L	XL
Tyre size	27,5"	27,5"	27,5"
A - frame size	432 mm	483 mm	533 mm
B - top tube length	585 mm	610 mm	615 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	70°	70°	70°
F - wheel base	1115 mm	1120 mm	1125 mm
G - head tube length	115 mm	120 mm	120 mm
H - fork length	475 mm	475 mm	475 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"





# RAMBLER FIT 27.5



graphite  
silver-blue

27,5"

alu 6061

18" / 20"

16 speed

15,3 kg

## RAMBLER FIT 27.5

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE L - 18" / XL - 20"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Acera SLM-315 2 speed

REAR SHIFTERS Shimano Acera SLM-315 8 speed

FRONT DERAILLEUR Shimano Acera FD-M315-TS

REAR DERAILLEUR Shimano Acera RD-M3020 SGS

CRANKSET Shimano FC-M315-2 36/22T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country Grip'R 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 720mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST aluminium 30,4mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 15,3 kg

COLOURS graphite-silver-blue

Geometry

	L	XL
Tyre size	27,5"	27,5"
A - frame size	457 mm	508 mm
B - top tube length	600,5 mm	610,5 mm
C - chainstay length	435 mm	435 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1083 mm	1093 mm
G - head tube length	120 mm	120 mm
H - fork length	485 mm	485 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,25"	2,25"





# RAMBLER R6.4



black-copper

26"

alu 6061

18"/20"

24 speed

14,4 kg

## RAMBLER R6.4

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE L - 18" / XL - 20"

FORK Suntour XCT HLO 100mm

DAMPER —

DRIVETRAIN 3x8

FRONT SHIFTERS Shimano Acera SL-M315 2 speed

REAR SHIFTERS Shimano Acera SL-M315 8 speed

FRONT DERAILLEUR Shimano Tourney FD-TY700

REAR DERAILLEUR Shimano Acera RD-M360

CRANKSET Shimano FCTY-301 42/34/24T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country A.t 26"x2.0"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 680mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT 14,4 kg

COLOURS black-copper

Geometry

	L	XL
Tyre size	26"	26"
A - frame size	457 mm	508 mm
B - top tube length	558 mm	561 mm
C - chainstay length	425 mm	425 mm
D - seat tube angle	73,5°	73,5°
E - head tube angle	69,5°	69,5°
F - wheel base	1055 mm	1058 mm
G - head tube length	120 mm	120 mm
H - fork length	460 mm	460 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,1"	2,1"





# RAMBLER R6.3


● blue  
-red-silver

● white-gold

● 26"

● alu 6061

● 18"/20"

● 24 speed

● 14,4 kg

## RAMBLER R6.3

[Technical data](#)
**WHEEL SIZE / FRAME 26" / alu 6061**
**SIZE** L – 18" / XL – 20"

**FORK** SunTour XCE 100mm

**DAMPER** —

**DRIVETRAIN** 3×8

**FRONT SHIFTERS** Shimano ST-TX800 3 speed

**REAR SHIFTERS** Shimano ST-TX800 8 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY500

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** Shimano Tourney BR-TX805 mechanical disc

**REAR BRAKE** Shimano Tourney BR-TX805 mechanical disc

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Country A.t 26"x2,0"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano CS-HG31-8 11-34T 8 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 14,4 kg

**COLOURS** white-gold, blue-red-silver

**Geometry**

	L	XL
Tyre size	26"	26"
A - frame size	457 mm	508 mm
B - top tube length	560 mm	565 mm
C - chainstay length	425 mm	425 mm
D - seat tube angle	73,5°	73,5°
E - head tube angle	69,5°	69,5°
F - wheel base	1055 mm	1058 mm
G - head tube length	120 mm	120 mm
H - fork length	460 mm	460 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,1"	2,1"





# RAMBLER R6.2


black-yellow
silver-blue
26"
alu 6061
14" / 17" / 19" / 21"
21 speed
14,2 kg

## RAMBLER R6.2

[Technical data](#)
**WHEEL SIZE / FRAME** 26" / alu 6061

**SIZE** S – 14" / M – 17" / L – 19" / XL – 21"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Tourney RD-TY300

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** mechanical disc

**REAR BRAKE** mechanical disc

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Country A.t 26"×2,0"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Atu 120mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,2 kg

**COLOURS** silver-blue, black-yellow

## Geometry

	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>
<b>Tyre size</b>	26"	26"	26"	26"
<b>A - frame size</b>	356 mm	432 mm	483 mm	533 mm
<b>B - top tube length</b>	595 mm	600 mm	605 mm	610 mm
<b>C - chainstay length</b>	430 mm	430 mm	430 mm	430 mm
<b>D - seat tube angle</b>	73°	73°	73°	73°
<b>E - head tube angle</b>	71°	71°	71°	71°
<b>F - wheel base</b>	1030,5 mm	1081,6 mm	1088 mm	1090,6 mm
<b>G - head tube length</b>	120 mm	135 mm	135 mm	135 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—	—
<b>Reach</b>	—	—	—	—
<b>Standover height</b>	—	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"	2,1"





# RAMBLER R6.1


dark blue  
-lime green
red  
-white-gray
26"
alu 6061
14" / 17" / 19" / 21"
21 speed
14,2 kg

## RAMBLER R6.1

[Technical data](#)
**WHEEL SIZE / FRAME** 26" / alu 6061

**SIZE** S – 14" / M – 17" / L – 19" / XL – 21"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Tourney RD-TY300

**CRANKSET** Cyclone CTL-3 42/34/24T 170 mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** Michelin Country A.t 26"×2,0"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Atu 120mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,2 kg

**COLOURS** dark blue-lime green,  
red-white-gray

## Geometry

	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>
<b>Tyre size</b>	26"	26"	26"	26"
<b>A - frame size</b>	356 mm	432 mm	483 mm	533 mm
<b>B - top tube length</b>	595 mm	600 mm	605 mm	610 mm
<b>C - chainstay length</b>	430 mm	430 mm	430 mm	430 mm
<b>D - seat tube angle</b>	73°	73°	73°	73°
<b>E - head tube angle</b>	71°	71°	71°	71°
<b>F - wheel base</b>	1030,5 mm	1077 mm	1083 mm	1090,5 mm
<b>G - head tube length</b>	120 mm	135 mm	135 mm	135 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—	—
<b>Reach</b>	—	—	—	—
<b>Standover height</b>	—	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"	2,1"





# RAMBLER R6.0

PHOTO SOON



26"



alu 6061



14"/17"/19"/21"



21speed



14,5 kg

## RAMBLER R6.0

[Technical data](#)

### WHEEL SIZE / FRAME 26" / alu 6061

**SIZE** S – 14" / M – 17" / L – 19" / XL – 21"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3×7

**FRONT SHIFTERS** Shimano Revoshift RS-35 3 speed

**REAR SHIFTERS** Shimano Revoshift RS-35 7 speed

**FRONT DERAILLEUR** Falcon MF-31D

**REAR DERAILLEUR** Shimano Tourney RD-TY300D

**CRANKSET** Shimano Tourney TY-301 42/34/24T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 26"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** freewheel 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 60mm/90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Karo 90mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 14,5 kg

**COLOURS** black-orange-red, blue-lime green

### Geometry

	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>
<b>Tyre size</b>	26"	26"	26"	26"
<b>A - frame size</b>	356 mm	432 mm	483 mm	533 mm
<b>B - top tube length</b>	595 mm	600 mm	605 mm	610 mm
<b>C - chainstay length</b>	430 mm	430 mm	430 mm	430 mm
<b>D - seat tube angle</b>	73°	73°	73°	73°
<b>E - head tube angle</b>	71°	71°	71°	71°
<b>F - wheel base</b>	1030,5 mm	1077 mm	1083 mm	1090,5 mm
<b>G - head tube length</b>	120 mm	135 mm	135 mm	135 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—	—
<b>Reach</b>	—	—	—	—
<b>Standover height</b>	—	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"	2,1"





# RAMBLER JR6.1


black  
-green-gray
blue  
-green-black


26"



alu 6061



15"/17"/19"



21speed



13,4 kg

## RAMBLER JR6.1

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE S – 15" / M – 17" / L – 19"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Tourney RD-TY300

CRANKSET Shimano Tourney TY-301 42/34/24T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26" x 2,1"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR Romet aluminium 600mm/31,8mm

STEM Romet aluminium 60mm/90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/300mm

GRIPS Brat Karo 120mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —


WEIGHT 13,4 kg

COLOURS black-green-gray, blue-green-black

Geometry

	M	L	XL
Tyre size	26"	26"	26"
A - frame size	381 mm	432 mm	483 mm
B - top tube length	555 mm	570 mm	570 mm
C - chainstay length	425 mm	425 mm	425 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	70°	70°	70°
F - wheel base	1042 mm	1057 mm	1060 mm
G - head tube length	120 mm	120 mm	120 mm
H - fork length	478 mm	478 mm	478 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"





# RAMBLER JR6.0



lime green  
-black-red

black  
-blue-silver

26"

alu 6061

15" / 17" / 19"

21speed

14,5 kg

## RAMBLER JR6.0

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE S – 15" / M – 17" / L – 19"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano Revoshift RS-35 3 speed

REAR SHIFTERS Shimano Revoshift RS-35 7 speed

FRONT DERAILLEUR Falcon MF-31D

REAR DERAILLEUR Shimano Tourney RD-TY300D

CRANKSET Shimano Tourney TY-301 42/34/24T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26" x 2,1"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 7 speed

HANDLEBAR Romet aluminium 600mm/31,8mm

STEM Romet aluminium 60mm/90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/300mm

GRIPS Brat Karo 90mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS lime green-black-red, black-blue-silver

## Geometry

	M	L	XL
Tyre size	26"	26"	26"
A - frame size	381 mm	432 mm	483 mm
B - top tube length	555 mm	570 mm	570 mm
C - chainstay length	425 mm	425 mm	425 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	70°	70°	70°
F - wheel base	1042 mm	1057 mm	1060 mm
G - head tube length	120 mm	120 mm	120 mm
H - fork length	478 mm	478 mm	478 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"





# RAMBLER FIT 26

PHOTO SOON



alu 6061



16 speed



13,4 kg

## RAMBLER FIT 26

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE L – 18" / XL – 20"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Altus SLM-315 2 speed

REAR SHIFTERS Shimano Altus SLM-315 8 speed

FRONT DERAILLEUR Shimano Altus FD-M315

REAR DERAILLEUR Shimano Alivio RD-M3010 SGS

CRANKSET Shimano Altus FCM-315 36/22T 170mm

FRONT BRAKE mechanical disc

REAR BRAKE mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 26" x 2,1"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 600mm/31,8mm

STEM Romet aluminium 90mm/31,8mm

SEAT POST Romet aluminium 30,4mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 13,4 kg

COLOURS black-blue, claret-silver, cherry-silver

Geometry

	L	XL
Tyre size	26"	26"
A - frame size	457 mm	508 mm
B - top tube length	592 mm	599 mm
C - chainstay length	430 mm	430 mm
D - seat tube angle	73°	73°
E - head tube angle	71°	71°
F - wheel base	1072 mm	1080 mm
G - head tube length	120 mm	120 mm
H - fork length	460 mm	460 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	2,1"	2,1"



# Recommended accessories **MTB**



Front light ALLTY mini

00-11-27701-01-00001



Rear light SEEMEE 30 TL

00-11-27701-01-00008



Bicycle gloves Sport Gloves

00-11-18357-01-00102



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV9100

00-20-18922-06-00017

Romet Accessories 2024  
See more



**Divertiti in bicicletta, indipendentemente dal terreno.  
Prendi le scorciatoie e trascorri più tempo all'aria aperta.**

La collezione ROMET MTB LADY offre versatili mountain bike ricreative per le donne che vogliono immergersi nel mondo delle avventure MTB e trascorrere più tempo all'aria aperta e sui sentieri di montagna.

Progettata pensando alle appassionate di mountain bike entry-level e perfetta per le cicliste più giovani grazie alla varietà di modelli disponibili che sono dotati anche di ruote più piccole. Costruite su telai in alluminio con sezione trasversale ribassata per il comfort di salita e discesa, le bici della linea MTB LADY sono dotate di componenti collaudati dei migliori produttori per garantire prestazioni affidabili per gli anni a venire.


Le biciclette ROMET MTB LADY offrono un ottimo rapporto qualità prezzo, design raffinato e caratteristiche semplici.

Vale la pena festeggiare l'arrivo di una nuova bicicletta con accessori pratici. Dai caschi per ragazzi alle luci e alle borracce, ogni nuovo accessorio migliora la corsa.



# MTB LADY

<b>MTB LADY</b>	180
JOLENE 7.3 CS	182
JOLENE 7.2	184
JOLENE 7.1	186
JOLENE 7.0	188
JOLENE 6.3	190
JOLENE 6.2	192
JOLENE 6.1	194
JOLENE 6.0	196



# JOLENE 7.3 CS


● navy blue  
-pink

● white  
-blue

● 27,5"

● alu 6061

● 15" / 17" / 19"

● 18 speed

## JOLENE 7.3 CS

[Technical data](#)
**WHEEL SIZE / FRAME** 27,5" / alu 6061

**SIZE** S – 15" / M – 17" / L – 19"

**FORK** SunTour XCE 100mm

**DAMPER** —

**DRIVETRAIN** 2x9

**FRONT SHIFTERS** Shimano Cues SL-U4000 2 speed

**REAR SHIFTERS** Shimano Cues SL-U4010-9R 9 speed

**FRONT DERAILLEUR** Shimano Cues FD-U4000

**REAR DERAILLEUR** Shimano Cues RD-U4020 SGS

**CRANKSET** Shimano Cues FC-U4000-2, 36-22T, 170mm

**FRONT BRAKE** Shimano BL-MT200/BR-M200

**REAR BRAKE** Shimano BL-MT200/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Race'R 27,5"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-LG300-9, 11-36T 9 speed

**HANDLEBAR** Romet aluminium 680mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-971 aluminium


**FRONT LAMP** —

**REAR LAMP** —

**WEIGHT** —

**COLOURS** navy blue-pink, white-blue

	<b>S</b>	<b>M</b>	<b>L</b>
<b>Tyre size</b>	27,5"	27,5"	27,5"
<b>A - frame size</b>	381 mm	430 mm	483 mm
<b>B - top tube length</b>	565 mm	575 mm	585 mm
<b>C - chainstay length</b>	435 mm	435 mm	435 mm
<b>D - seat tube angle</b>	73°	73°	73°
<b>E - head tube angle</b>	71°	71°	71°
<b>F - wheel base</b>	1050 mm	1070 mm	1085 mm
<b>G - head tube length</b>	120 mm	120 mm	120 mm
<b>H - fork length</b>	475 mm	475 mm	475 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"





# JOLENE 7.2



purple  
orange

27,5"

alu 6061

15" / 17" / 19"

24 speed

14,0 kg

## JOLENE 7.2

Technical data

**WHEEL SIZE / FRAME** 27,5" / alu 6061

**SIZE** S – 15" / M – 17" / L – 19"

**FORK** SunTour XCE 100mm

**DAMPER** —

**DRIVETRAIN** 3×8

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 8 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY700

**REAR DERAILLEUR** Shimano Acera RD-M3020 SGS

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** Shimano ST-EF505/BR-M200

**REAR BRAKE** Shimano ST-EF505/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Country Race'R 27,5"×2,1"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG31-8 11-34T 8 speed

**HANDLEBAR** Romet aluminium 680mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Trefl 130mm

**SADDLE** Romet

**PEDALS** FP-971 aluminium

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 14,0 kg

**COLOURS** purple-orange

## Geometry

	<b>S</b>	<b>M</b>	<b>L</b>
<b>Tyre size</b>	27,5"	27,5"	27,5"
<b>A - frame size</b>	381 mm	430 mm	483 mm
<b>B - top tube length</b>	565 mm	575 mm	585 mm
<b>C - chainstay length</b>	435 mm	435 mm	435 mm
<b>D - seat tube angle</b>	73°	73°	73°
<b>E - head tube angle</b>	71°	71°	71°
<b>F - wheel base</b>	1050 mm	1070 mm	1085 mm
<b>G - head tube length</b>	120 mm	120 mm	120 mm
<b>H - fork length</b>	475 mm	475 mm	475 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"





# JOLENE 7.1



white-blue      turquoise  
-beige

27,5"

alu 6061

15" / 17" / 19"

21speed

15,1kg

## JOLENE 7.1

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE S – 15" / M – 17" / L – 19"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano Tourney FC-TY301 42/34/24T 170mm

FRONT BRAKE Shimano Tourney BR-TX805 mechanical disc

REAR BRAKE Shimano Tourney BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR Romet aluminium 680mm/31,8mm

STEM Romet aluminium 60mm/90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —


WEIGHT 15,1 kg

COLOURS turquoise-beige, white-blue

## Geometry

	<b>S</b>	<b>M</b>	<b>L</b>
Tyre size	27,5"	27,5"	27,5"
A - frame size	390 mm	430 mm	483 mm
B - top tube length	555 mm	575 mm	596 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	71°	71°	71°
F - wheel base	1050 mm	1070 mm	1085 mm
G - head tube length	120 mm	120 mm	125 mm
H - fork length	475 mm	475 mm	475 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"





# JOLENE 7.0


● blue-pink   ○ white

● 27,5"

■ alu 6061

■ 15"/17"/19"

● 21speed

● 15,2 kg

## JOLENE 7.0

Technical data

WHEEL SIZE / FRAME 27,5" / alu 6061

SIZE S – 15" / M – 17" / L – 19"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano Tourney FC-TY301 42/34/24T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 27,5" x 2,1"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE freewheel 14-28T 7 speed

HANDLEBAR Romet aluminium 680mm/31,8mm

STEM Romet aluminium 60mm/90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/300mm

GRIPS Brat Trefl 130mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 15,2 kg

COLOURS blue-pink, white

Geometry

	S	M	L
Tyre size	27,5"	27,5"	27,5"
A - frame size	390 mm	430 mm	483 mm
B - top tube length	555 mm	575 mm	596 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	71°	71°	71°
F - wheel base	1050 mm	1070 mm	1085 mm
G - head tube length	120 mm	120 mm	125 mm
H - fork length	475 mm	475 mm	475 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"





# JOLENE 6.3



26"

alu 6061

17" / 19"

24 speed

15,1kg

## JOLENE 6.3

Technical data

### WHEEL SIZE / FRAME 26" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour XCE 100mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano Tourney FD-TY700

REAR DERAILLEUR Shimano Acera RD-M360 SGS

CRANKSET Shimano FC-TY301 42/34/24T 170mm

FRONT BRAKE Shimano ST-EF505/BR-M200

REAR BRAKE Shimano ST-EF505/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Country A.t 26"×2.0"

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG31-8 11-34T 8 speed

HANDLEBAR Romet aluminium 680mm/31,8mm

STEM Romet aluminium 60mm/90mm/31,8mm

SEAT POST Romet aluminium 27,2mm/350mm

GRIPS Brat Karo 120mm

SADDLE Romet

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 15,1 kg

COLOURS black-pink

### Geometry

	S	M	L
Tyre size	26"	26"	26"
A - frame size	380 mm	430 mm	480 mm
B - top tube length	555 mm	570 mm	590 mm
C - chainstay length	425 mm	425 mm	425 mm
D - seat tube angle	73°	73°	73°
E - head tube angle	70°	70°	70°
F - wheel base	1040 mm	1055 mm	1075 mm
G - head tube length	120 mm	120 mm	120 mm
H - fork length	460 mm	460 mm	460 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"





# JOLENE 6.2


● white-pink-purple

● black-green-purple

26"

alu 6061

17"/19"

21speed

13,8 kg

## JOLENE 6.2

Technical data

**WHEEL SIZE / FRAME** 26" / alu 6061

**SIZE** M – 17" / L – 19"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Tourney RD-TY300D

**CRANKSET** Shimano Tourney FC-TY301 42/34/24T 170mm

**FRONT BRAKE** mechanical disc

**REAR BRAKE** mechanical disc

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** Michelin Country A.t 26"×2.0"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/350mm

**GRIPS** Brat Karo 120mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —


**WEIGHT** 13,8 kg

**COLOURS** white-pink-purple, black-green-purple

## Geometry

	<b>S</b>	<b>M</b>	<b>L</b>
<b>Tyre size</b>	26"	26"	26"
<b>A - frame size</b>	380 mm	430 mm	480 mm
<b>B - top tube length</b>	555 mm	570 mm	590 mm
<b>C - chainstay length</b>	425 mm	425 mm	425 mm
<b>D - seat tube angle</b>	73°	73°	73°
<b>E - head tube angle</b>	70°	70°	70°
<b>F - wheel base</b>	1040 mm	1055 mm	1075 mm
<b>G - head tube length</b>	120 mm	120 mm	120 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"





# JOLENE 6.1


● green  
-purple

● white  
-green-purple

● 26"

● alu 6061

● 15" / 17" / 19"

● 21 speed

● 14,5 kg

## JOLENE 6.1

[Technical data](#)
**WHEEL SIZE / FRAME 26" / alu 6061**
**SIZE** S – 15" / M – 17" / L – 19"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano Tourney FD-TY300

**REAR DERAILLEUR** Shimano Tourney RD-TY300

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 26" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 60mm/90mm/31,8mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Karo 120mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,5 kg

**COLOURS** white-green-purple, green-purple

**Geometry**

	<b>S</b>	<b>M</b>	<b>L</b>
<b>Tyre size</b>	26"	26"	26"
<b>A - frame size</b>	380 mm	430 mm	480 mm
<b>B - top tube length</b>	555 mm	570 mm	590 mm
<b>C - chainstay length</b>	425 mm	425 mm	425 mm
<b>D - seat tube angle</b>	73°	73°	73°
<b>E - head tube angle</b>	70°	70°	70°
<b>F - wheel base</b>	1040 mm	1055 mm	1075 mm
<b>G - head tube length</b>	120 mm	120 mm	120 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"





# JOLENE 6.0


white  
blue-green
black-pink


26"



alu 6061



15" / 17" / 19"



21speed



14,6 kg

## JOLENE 6.0

Technical data

### WHEEL SIZE / FRAME 26" / alu 6061

**SIZE** S – 15" / M – 17" / L – 19"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano Revoshift RS-35 3 speed

**REAR SHIFTERS** Shimano Revoshift RS-35 7 speed

**FRONT DERAILLEUR** Falcon MF-31D

**REAR DERAILLEUR** Shimano Tourney RD-TY300D

**CRANKSET** Shimano FC-TY301 42/34/24T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 26" x 2,1"

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** freewheel 14-28T 7 speed

**HANDLEBAR** Romet aluminium 600mm/31,8mm

**STEM** Romet aluminium 60mm/90mm

**SEAT POST** Romet aluminium 27,2mm/300mm

**GRIPS** Brat Karo 120mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,6 kg

**COLOURS** white-blue-green, black-pink

### Geometry

	S	M	L
<b>Tyre size</b>	26"	26"	26"
<b>A - frame size</b>	380 mm	430 mm	480 mm
<b>B - top tube length</b>	555 mm	570 mm	590 mm
<b>C - chainstay length</b>	425 mm	425 mm	425 mm
<b>D - seat tube angle</b>	73°	73°	73°
<b>E - head tube angle</b>	70°	70°	70°
<b>F - wheel base</b>	1040 mm	1055 mm	1075 mm
<b>G - head tube length</b>	120 mm	120 mm	120 mm
<b>H - fork length</b>	460 mm	460 mm	460 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	2,1"	2,1"	2,1"



# Recommended accessories **MTB LADY**



Front light ALLTY 600

00-11-27701-01-00004

Set of lights front + rear 1 LED  
model R-6003

00-11-19004-01-00079

Adjustable kickstand  
AL CL-KA-69 24-29

00-01-10365-05-00036



Water bottle cage plast. CL-093

00-10-10365-04-00011



Water bottle 0,6 l Big Mouth

00-20-17186-02-00015



Bicycle helmet ROMET 109

00-00-19107-00-00113

Romet Accessories 2024  
See more



Sperimenta la velocità, assapora la libertà e trasforma i chilometri in sorrisi.  
Attingi alle radici del ciclismo con un tocco moderno.

La gamma ROMET ROAD è una collezione di bici da strada moderne che ti permettono di goderti velocità e comfort su percorsi asfaltati, indipendentemente dalla distanza. Pneumatici stretti, moderni telai in alluminio e fibra di carbonio, compresi telai aerodinamici, componenti collaudati di noti produttori e trasmissioni stradali avanzate interesseranno una vasta gamma di appassionati della strada per i quali la velocità e la sensazione di libertà ad essa associata contano di più.

Una moltitudine di specifiche e caratteristiche, una varietà di trasmissioni e componenti che vanno dal livello base al premium compongono una gamma completa progettata per ciclisti di tutti i livelli di esperienza, preferenze e budget. Tutte le bici da strada Romet offrono un ottimo rapporto qualità-prezzo e sono pronte a progredire con il proprietario, offrendo ampio spazio per aggiornamenti e personalizzazioni.

Vuoi ottenere di più dalle tue pedalate su strada? Scegli gli accessori giusti che ti garantiranno sicurezza e ti faranno divertire di più durante le lunghe ore in sella. Li abbiamo selezionati con cura affinché chiunque possa completare il proprio set di accessori indispensabili per i viaggi verso l'ignoto, più lunghi e più brevi.



# ROAD

ROAD .....	200
JAGUAR 2.....	202
JAGUAR DISC 1.....	204
HURAGAN CRD.....	206
HURAGAN DISC .....	208
HURAGAN 4.....	210
HURAGAN 3.....	212
HURAGAN 2.....	214
HURAGAN 1.....	216



# JAGUAR 2



700C

carbon Aero

50/53/55/57 cm

24 speed

7,9 kg

## JAGUAR 2

Technical data

WHEEL SIZE / FRAME 700C / carbon Aero

SIZE 50cm / 53cm / 55cm / 57cm

FORK Full Carbon Tapered Aero

DAMPER —

DRIVETRAIN 2x12

FRONT SHIFTERS Shimano Ultegra ST-R8170 Di2 2 speed

REAR SHIFTERS Shimano Ultegra ST-R8170 Di2 12 speed

FRONT DERAILLEUR Shimano Ultegra FD-R8150 Di2

REAR DERAILLEUR Shimano Ultegra RD-R8150 Di2

CRANKSET Shimano Ultegra FC-R8100 52/36T 170/172,5/175mm

FRONT BRAKE Shimano Ultegra BR-R8170

REAR BRAKE Shimano Ultegra BR-R8170

FRONT BRAKE DISC Shimano SM-RT800 140mm

REAR BRAKE DISC Shimano SM-RT800 140mm

TYRES Michelin Power Time Trial TS 700x25C

RIMS Token Konax Pro

FRONT HUB Token Konax Pro 12mm / 100mm

REAR HUB Token Konax Pro 12mm / 142mm

CASSETTE Shimano Ultegra CS-R8100 11-30T 12 speed

HANDLEBAR Romet Carbon integrated 400/420/440mm

STEM Romet Carbon integrated 400/420/440mm

SEAT POST Carbon Aero

GRIPS —

SADDLE Fizik Antares R5 EVO

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 7,9 kg

COLOURS navy blue-black

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	460 mm	500 mm	520 mm	540 mm
B - top tube length	500 mm	530 mm	550 mm	570 mm
C - chainstay length	405 mm	405 mm	405 mm	405 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	71°	71°	71°	71°
F - wheel base	965 mm	973 mm	984 mm	999 mm
G - head tube length	110 mm	125 mm	140 mm	150 mm
H - fork length	358 mm	358 mm	358 mm	358 mm
Stack	507 mm	524 mm	540 mm	561 mm
Reach	364 mm	379 mm	389 mm	403 mm
Standover height	—	—	—	—
Maximum tyre size	700x28	700x28	700x28	700x28





# JAGUAR DISC1



700C

carbon Aero

49/52/55/58 cm

22 speed

7,9 kg

## JAGUAR DISC1

Technical data

WHEEL SIZE / FRAME 700C / carbon Aero

SIZE 49cm / 52cm / 55cm / 58cm

FORK Full Carbon Tapered Aero

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Ultegra ST-R8020 2 speed

REAR SHIFTERS Shimano Ultegra ST-R8200 11 speed

FRONT DERAILLEUR Shimano Ultegra FD-R8000

REAR DERAILLEUR Shimano Ultegra RD-R8000

CRANKSET Shimano Ultegra FC-R8000 52/36T 170/172,5/175mm

FRONT BRAKE Shimano Ultegra BR-R8070

REAR BRAKE Shimano Ultegra BR-R8070

FRONT BRAKE DISC Shimano SM-RT800 140mm

REAR BRAKE DISC Shimano SM-RT800 140mm

TYRES Michelin Power Road TS 700x25C

RIMS Ursus Orion 32 mm Disc

FRONT HUB Ursus 12mm / 100mm

REAR HUB Ursus 12mm / 142mm

CASSETTE Shimano Ultegra CS-R8000 11-28 T 11 speed

HANDLEBAR Romet Carbon 400/420/440mm

STEM Romet aluminium 90/100/110mm

SEAT POST Carbon Aero

GRIPS —

SADDLE Fizik Antares R5 EVO

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 7,9 kg

COLOURS gray-black

## Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	460 mm	500 mm	520 mm	540 mm
B - top tube length	500 mm	530 mm	550 mm	570 mm
C - chainstay length	405 mm	405 mm	405 mm	405 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	71°	71°	71°	71°
F - wheel base	965 mm	973 mm	984 mm	999 mm
G - head tube length	110 mm	125 mm	140 mm	150 mm
H - fork length	358 mm	358 mm	358 mm	358 mm
Stack	507 mm	524 mm	540 mm	561 mm
Reach	364 mm	379 mm	389 mm	403 mm
Standover height	—	—	—	—
Maximum tyre size	700x28	700x28	700x28	700x28





# HURAGAN CRD



black-graphite

700C

carbon

49/51/54/57 cm

22 speed

7,6 kg

## HURAGAN CRD

Technical data

WHEEL SIZE / FRAME 700C / carbon

SIZE 49cm / 51cm / 54cm / 57cm

FORK Full Carbon Tapered

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano 105 ST-R7000 2 speed

REAR SHIFTERS Shimano 105 ST-R7000 11 speed

FRONT DERAILLEUR Shimano 105 FD-R7000

REAR DERAILLEUR Shimano 105 RD-R7000

CRANKSET Shimano 105 FC-R7000 52/36T 170/172,5/175mm

FRONT BRAKE Shimano 105 BR-R7000

REAR BRAKE Shimano 105 BR-R7000

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES Michelin Lithion 3, 700x25C

RIMS Rodi Airline EVO 30mm

FRONT HUB QR 20 spokes

REAR HUB QR 24 spokes

CASSETTE Shimano 105 CS-R7000 11-30T 11 speed

HANDLEBAR Fizik Cyrano R5 420/440mm

STEM Fizik Cyrano R5 +/-7° 80/90/100mm

SEAT POST Carbon 31,6 mm 350mm

GRIPS —

SADDLE Fizik Taiga

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 7,6 kg

COLOURS black-graphite

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	490 mm	510 mm	540 mm	570 mm
B - top tube length	522 mm	542 mm	543 mm	560 mm
C - chainstay length	408 mm	408 mm	408 mm	410 mm
D - seat tube angle	73,5°	73°	73,5°	73°
E - head tube angle	71,5°	73°	73°	73°
F - wheel base	982 mm	983 mm	989 mm	1000 mm
G - head tube length	120 mm	130 mm	155 mm	175 mm
H - fork length	374 mm	374 mm	374 mm	374 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x25C	700x25C	700x25C	700x25C





# HURAGAN DISC



black

700C

carbon Aero

49/52/55/58 cm

22 speed

8,3 kg

## HURAGAN DISC

Technical data

WHEEL SIZE / FRAME 700C / carbon Aero

SIZE 49cm / 52cm / 55cm / 58cm

FORK Full Carbon Tapered Aero

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano 105 ST-R7020 2 speed

REAR SHIFTERS Shimano 105 ST-R7020 11 speed

FRONT DERAILLEUR Shimano 105 FD-R7000

REAR DERAILLEUR Shimano 105 RD-R7000

CRANKSET Shimano 105 FC-R7000 52/36T 170/172,5/175mm

FRONT BRAKE Shimano 105 BR-R7070

REAR BRAKE Shimano 105 BR-R7070

FRONT BRAKE DISC Shimano SM-RT800 140mm

REAR BRAKE DISC Shimano SM-RT800 140mm

TYRES Michelin Power All Season 700×25C

RIMS Ursus Orion DISC RD40

FRONT HUB Ursus Orion 12mm / 100mm

REAR HUB Ursus Orion 12mm / 142mm

CASSETTE Shimano CS-R7000-11 11-30T 11 speed

HANDLEBAR Romet Carbon 400/420/440mm

STEM Romet aluminium 90/100/110mm

SEAT POST Carbon Aero 355 mm

GRIPS —

SADDLE Fizik Antares R5 EVO

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 8,3 kg

COLOURS black

## Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	490 mm	520 mm	550 mm	580 mm
B - top tube length	529 mm	549 mm	569 mm	579 mm
C - chainstay length	408 mm	408 mm	408 mm	408 mm
D - seat tube angle	74°	73°	72,5°	72°
E - head tube angle	72°	72,5°	73°	73°
F - wheel base	976 mm	982 mm	992 mm	1006 mm
G - head tube length	135 mm	145 mm	160 mm	185 mm
H - fork length	369 mm	369 mm	369 mm	369 mm
Stack	—	—	—	—
Reach	375 mm	382 mm	382 mm	398 mm
Standover height	—	—	—	—
Maximum tyre size	700×25	700×25	700×25	700×25





# HURAGAN 4



700C

alu 6061X-lite

49/51/54/57 cm

20 speed

10,0 kg

## HURAGAN 4

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 49cm / 51cm / 54cm / 57cm

FORK Full Carbon Tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Tiagra ST-4700 2 speed

REAR SHIFTERS Shimano Tiagra ST-4700 10 speed

FRONT DERAILLEUR Shimano Tiagra FD-4700

REAR DERAILLEUR Shimano Tiagra RD-4700

CRANKSET Shimano Tiagra FC-4700 52/36T 170/172,5/175mm

FRONT BRAKE Shimano BR-RS305

REAR BRAKE Shimano BR-RS305

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Dynamic Sport 700×28C

RIMS Ryde DP16

FRONT HUB Shimano HB-RS470 12mm / 100mm

REAR HUB Shimano FH-RS470 12mm / 142mm

CASSETTE Shimano CS-HG500-10 12-28T 10 speed

HANDLEBAR Romet aluminium 420mm

STEM Romet aluminium 100mm

SEAT POST Romet aluminium 27,2 mm 350 mm

GRIPS —

SADDLE Fizik Taiga

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 10 kg

COLOURS green-white-graphite

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	520 mm	560 mm	560 mm	580 mm
B - top tube length	545 mm	554 mm	562 mm	578 mm
C - chainstay length	425 mm	425 mm	425 mm	425 mm
D - seat tube angle	74°	73,5°	73,5°	73°
E - head tube angle	62,4°	62,2°	62°	61,9°
F - wheel base	1033 mm	1034 mm	1040 mm	1045 mm
G - head tube length	140 mm	160 mm	180 mm	200 mm
H - fork length	371 mm	371 mm	371 mm	371 mm
Stack	536 mm	557,7 mm	578 mm	599 mm
Reach	399 mm	401 mm	404 mm	406 mm
Standover height	—	—	—	—
Maximum tyre size	700×28	700×28	700×28	700×28





# HURAGAN 3



red-silver-graphite

graphite-grey



700C



alu 6061 X-lite



47/50/53/56 cm



18 speed



9,6 kg

## HURAGAN 3

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 47cm / 50cm / 53cm / 56cm

FORK Full Carbon Tapered

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Sora ST-R3000 2 speed

REAR SHIFTERS Shimano Sora ST-R3000 9 speed

FRONT DERAILLEUR Shimano Sora FD-3000

REAR DERAILLEUR Shimano Sora RD-R3000

CRANKSET Shimano Sora FC-R3000 50/34T 165/170mm

FRONT BRAKE Shimano Sora BR-R3000

REAR BRAKE Shimano Sora BR-R3000

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES Michelin Lithion 3 700x25C

RIMS Ryde DP16

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG400 11-28T 9 speed

HANDLEBAR Romet aluminium 420mm

STEM Romet aluminium 90/100/110mm

SEAT POST Romet aluminium 27,2 mm 300/350/400mm

GRIPS —

SADDLE Vader

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 9,6 kg

COLOURS red-silver-graphite, graphite-grey

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	470 mm	500 mm	530 mm	560 mm
B - top tube length	521 mm	550 mm	570 mm	590 mm
C - chainstay length	410 mm	410 mm	410 mm	410 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	61°	60°	60°	61°
F - wheel base	996 mm	990 mm	1006 mm	1020 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	367 mm	367 mm	367 mm	367 mm
Stack	520 mm	543 mm	562 mm	584 mm
Reach	388 mm	389 mm	403 mm	411 mm
Standover height	—	—	—	—
Maximum tyre size	700x25C	700x25C	700x25C	700x25C





# HURAGAN 2



black-mustard



700C



alu 6061X-lite



47/50/53/56 cm



16 speed



9,8 kg

## HURAGAN 2

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 47cm / 50cm / 53cm / 56cm

FORK Full Carbon Tapered

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Claris ST-R2000 2 speed

REAR SHIFTERS Shimano Claris ST-R2000 8 speed

FRONT DERAILLEUR Shimano Claris FD-R2000

REAR DERAILLEUR Shimano Claris RD-R2000

CRANKSET Shimano Claris R2000 50/34T 165/170mm

FRONT BRAKE Shimano Claris BR-R2000

REAR BRAKE Shimano Claris BR-R2000

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES Michelin Dynamic Sport 700x25C

RIMS Ryde DP16

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG51 11-28T 8 speed

HANDLEBAR Romet aluminium 420mm

STEM Romet aluminium 90/100/110mm

SEAT POST Romet aluminium 27,2 mm 300/350/400mm

GRIPS —

SADDLE Vader

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 9,8 kg

COLOURS black-mustard

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	470 mm	500 mm	530 mm	560 mm
B - top tube length	521 mm	550 mm	570 mm	590 mm
C - chainstay length	410 mm	410 mm	410 mm	410 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	61°	60°	60°	61°
F - wheel base	996 mm	990 mm	1006 mm	1020 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	367 mm	367 mm	367 mm	367 mm
Stack	520 mm	543 mm	562 mm	584 mm
Reach	388 mm	389 mm	403 mm	411 mm
Standover height	—	—	—	—
Maximum tyre size	700x25C	700x25C	700x25C	700x25C





# HURAGAN 1



700C

alu 6061X-lite

47/50/53/56 cm

14 speed

9,8 kg

## HURAGAN 1

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 47cm / 50cm / 53cm / 56cm

FORK Full Carbon Tapered

DAMPER —

DRIVETRAIN 2x7

FRONT SHIFTERS Shimano Tourney ST-A070 2 speed

REAR SHIFTERS Shimano Tourney ST-A070 7 speed

FRONT DERAILLEUR Shimano Tourney FD-A070

REAR DERAILLEUR Shimano Tourney RD-A070

CRANKSET Shimano Tourney RD-A070 50/34T 165/170mm

FRONT BRAKE Promax RC-481 aluminium

REAR BRAKE Promax RC-481 aluminium

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x23C

RIMS Ryde DP16

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano TZ500-7 14-28T 7 speed

HANDLEBAR Romet aluminium 420mm

STEM Romet aluminium 90/100/110mm

SEAT POST Romet aluminium 27,2 mm 300/350/400mm

GRIPS —

SADDLE Vader

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 9,8 kg

COLOURS red-black, celadon-black

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	470 mm	500 mm	530 mm	560 mm
B - top tube length	550 mm	549 mm	570 mm	579 mm
C - chainstay length	410 mm	410 mm	410 mm	410 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	71°	70°	70°	70°
F - wheel base	995 mm	995 mm	1005 mm	1016 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	367 mm	367 mm	367 mm	367 mm
Stack	524 mm	543 mm	565 mm	581 mm
Reach	395 mm	389 mm	402 mm	406 mm
Standover height	—	—	—	—
Maximum tyre size	700x23C	700x23C	700x23C	700x23C



# Recommended accessories

# ROAD



Front light ALLTY 600

00-11-27701-01-00004

Rear light SEEMEE 30 TL

00-11-27701-01-00008

Saddle bag ROMET  
model SH8-6702MR-A

00-00-25850-00-00002



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009

Wireless bicycle computer BKV6500  
Solar

00-20-18922-06-00028





**Veloce non solo su strada!**

Amici, avventure, bikepacking: i tuoi desideri possono realizzarsi!

La gamma ROMET GRAVEL offre un'intera linea di possibilità per guidare su piste sterminate e strade battute e dimenticate dalla civiltà: dai semplici modelli in alluminio ai design avanzati in carbonio dotati di componenti di fascia alta. Le nostre bici gravel sono un omaggio all'avventura, alla libertà, all'esplorazione e all'integrazione nella comunità gravel. Le biciclette della gamma Romet Gravel sono perfette per il bikepacking, le corse su ghiaia e per la guida quotidiana.

La gamma delle nostre bici moderne fuoristrada con manubrio abbassato viene ampliata per il 2024 con il modello aggiornato Nyk in carbonio dotato di trasmissione elettronica e forcella ammortizzata.

La disciplina gravel è indissolubilmente legata all'avventura, per questo abbiamo messo insieme una collezione di accessori che ti torneranno utili durante le tue escursioni fuoristrada, tra cui borse da bikepacking, luci e molto altro.



# GRAVEL

<b>GRAVEL</b>	.....	220
NYK 3.0 GRX DI2	.....	222
NYK 3.0 RIVAL AXS	.....	224
NYK	.....	226
BOREAS 2	.....	228
BOREAS 1 Lite	.....	230
ASPRE 2	.....	232
ASPRE 1	.....	234
FINALE	.....	236



# NYK 3.0 GRX DI2



black-blue

700C

carbon

49/51/53/56 cm

22 speed

8,6 kg

## NYK 3.0 GRX DI2

Technical data

WHEEL SIZE / FRAME 700C / carbon

SIZE 49cm / 51cm / 53cm / 56cm

FORK Carbon

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano GRX ST-RX815 DI2 2 speed

REAR SHIFTERS Shimano GRX ST-RX815 DI2 11 speed

FRONT DERAILLEUR Shimano GRX FD-RX815 DI2

REAR DERAILLEUR Shimano GRX RD-RX815 DI2

CRANKSET Shimano GRX FC-RX810 48/31 170mm/172,5mm

FRONT BRAKE Shimano GRX BR-RX810

REAR BRAKE Shimano GRX BR-RX810

FRONT BRAKE DISC Shimano SM-RT800 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT800 centerlock 160mm

TYRES Schwalbe G-One RS 700x45C

RIMS Carbon 24h

FRONT HUB Novatec D411 24h straightpull

REAR HUB Novatec D411 24h straightpull

CASSETTE Shimano CS-HG800 11-32 11 speed

HANDLEBAR Carbon aero Internal cable routing 400/420mm

STEM Carbon aero Internal cable routing 120/130mm

SEAT POST Carbon 27,2mm / 300mm

GRIPS —

SADDLE Fizik Argo X5 150mm

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 8,6 kg

COLOURS black-blue

Geometry

	S	M	L	XL
Rozmiar opon	28"	28"	28"	28"
A - długość rury podsiodłowej	490 mm	510 mm	530 mm	560 mm
B - długość górnej rury	532 mm	556 mm	571 mm	595 mm
C - długość tylnego widelca	425 mm	425 mm	425 mm	425 mm
D - kąt rury podsiodłowej	74,5°	73,5°	73,5°	73,5°
E - kąt głowki	71°	71°	71°	71°
F - baza kół	1017 mm	1032 mm	1043 mm	1057 mm
G - wysokość głowki ramy	135 mm	155 mm	170 mm	190 mm
H - długość widelca	425 mm	425 mm	425 mm	425 mm
Stack	560 mm	579 mm	595 mm	614 mm
Reach	376 mm	385 mm	395 mm	403 mm
Przekrok	—	—	—	—
Maksymalny rozmiar opony	700x45C	700x45C	700x45C	700x45C





# NYK 3.0 RIVAL AXS



black-red

700C

carbon

49/51/53/56 cm

12 speed

9,9 kg

## NYK 3.0 RIVAL AXS

Technical data

WHEEL SIZE / FRAME 700C / carbon

SIZE 49cm / 51cm / 53cm / 56cm

FORK Sram Rock Shox Rudy tapered 30mm

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS Sram Rival AXS

REAR SHIFTERS Sram Rival AXS 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Sram Rival AXS

CRANKSET Sram Rival 40T 170mm/172.5mm

FRONT BRAKE Sram Apex Hydraulic

REAR BRAKE Sram Apex Hydraulic

FRONT BRAKE DISC Sram Centerline 140mm

REAR BRAKE DISC Sram Centerline 140mm

TYRES Schwalbe G-One R 700x45C

RIMS Carbon 24h

FRONT HUB Novatec D411 24h straightpull

REAR HUB Novatec D411 24h straightpull

CASSETTE Sram Rival 1251 10-44t 12 speed

HANDLEBAR Carbon aero Internal cable routing 400/420mm

STEM Carbon aero Internal cable routing 120/130mm

SEAT POST Sram Reverb 27,5 / 350mm / 50 mm

GRIPS —

SADDLE Fizik Argo X5 150mm

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 9,9 kg

COLOURS black-red

Geometry

	S	M	L	XL
Rozmiar opon	28"	28"	28"	28"
A - długość rury podsiodłowej	490 mm	510 mm	530 mm	560 mm
B - długość górnej rury	536 mm	561 mm	576 mm	589 mm
C - długość tylnego widelca	425 mm	425 mm	425 mm	425 mm
D - kąt rury podsiodłowej	73°	72°	72°	72°
E - kąt główki	70°	70°	70°	70°
F - baza kół	1019 mm	1034 mm	1045 mm	1059 mm
G - wysokość główki ramy	135 mm	155 mm	170 mm	190 mm
H - długość widelca	425 mm	425 mm	425 mm	425 mm
Stack	569 mm	588 mm	605 mm	624 mm
Reach	362 mm	371 mm	380 mm	388 mm
Przekrok	—	—	—	—
Maksymalny rozmiar opony	700x45C	700x45C	700x45C	700x45C





## NYK



brown-beige

700C

carbon

54/56/58 cm

11 speed

8,5 kg

## NYK

## Technical data

WHEEL SIZE / FRAME 700C / carbon

SIZE 54cm / 56cm / 58cm

FORK Carbon

DAMPER —

DRIVETRAIN 1x11

FRONT SHIFTERS Brake lever Sram Apex

REAR SHIFTERS Sram Apex 11 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Sram Apex 11 speed

CRANKSET Sram FC-S350 40T 170mm/175mm

FRONT BRAKE Sram Apex Hydraulic

REAR BRAKE Sram Apex Hydraulic

FRONT BRAKE DISC Sram Centerline 140mm

REAR BRAKE DISC Sram Centerline 140mm

TYRES WTB Resolute 700x42C

RIMS Ursus Orion Disc RD40

FRONT HUB Front wheel Ursus Orion Disc RD40

REAR HUB Rear wheel Ursus Orion Disc aluminium RD40

CASSETTE Sram PG 1130 11-42T 11 speed

HANDLEBAR Romet Carbon 420mm

STEM Fizik Cyrano 90mm/100mm/110mm aluminium

SEAT POST Romet Carbon 27.2mm / 350mm

GRIPS —

SADDLE Fizik Antares R5 EVO

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 8,5 kg

COLOURS brown-beige

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	540 mm	560 mm	580 mm
B - top tube length	545 mm	560 mm	575 mm
C - chainstay length	435 mm	435 mm	435 mm
D - seat tube angle	73,5°	73°	72,5°
E - head tube angle	71,5°	72°	72°
F - wheel base	1026,8 mm	1031,8 mm	1041,1 mm
G - head tube length	150 mm	170 mm	190 mm
H - fork length	395 mm	395 mm	395 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x45C	700x45C	700x45C





# BOREAS 2



green  
graphite

light graphite  
-claret



700C



alu 6061X-lite



48/52/54/56 cm



12 speed



10,4 kg

## BOREAS 2

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 48cm / 52cm / 54cm / 56cm

FORK Carbon Tapered

DAMPER —

DRIVETRAIN 1x12

FRONT SHIFTERS Brake lever Sram Apex

REAR SHIFTERS Sram Apex 12 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Sram Apex 12 speed

CRANKSET Sram FC-S350 40T 170mm/175mm

FRONT BRAKE Sram Apex Hydraulic

REAR BRAKE Sram Apex Hydraulic

FRONT BRAKE DISC Sram Centerline 160mm

REAR BRAKE DISC Sram Centerline 160mm

TYRES Schwalbe G-One 700x38

RIMS Ryde DP19

FRONT HUB Joytech D981-12 12mm / 100mm

REAR HUB Joytech D982TSE X12-11 12mm / 142mm

CASSETTE Sram PG 1130 11-42T 11 speed

HANDLEBAR Romet Gravel aluminum 420mm / 440mm FLARE

STEM Romet aluminium 70mm/90mm/100mm

SEAT POST Romet aluminium 27,2mm / 350mm

GRIPS —

SADDLE Fizik Taiga

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 10,4 kg

COLOURS green-graphite, light graphite-claret

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	480 mm	520 mm	540 mm	560 mm
B - top tube length	566.9 mm	580 mm	592 mm	600 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm
D - seat tube angle	64.1°	63.3°	63.3°	63.3°
E - head tube angle	71.4°	71.5°	71.5°	71.5°
F - wheel base	1050.4 mm	1054.8 mm	1067.3 mm	1075.9 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	392 mm	392 mm	392 mm	392 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x40C	700x40C	700x40C	700x40C





# BOREAS 1 Lite



claret-graphite

graphite-gray



700C



alu 6061 X-lite



52/54/56/58 cm



10 speed



10,6 kg

## BOREAS 1 Lite

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 52cm / 54cm / 56cm / 58cm

FORK Carbon Tapered

DAMPER —

DRIVETRAIN 1x10

FRONT SHIFTERS Brake lever Sram Apex

REAR SHIFTERS Sram Apex 10 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Sram Apex 10 speed

CRANKSET Sram FC S350-1 40T 175mm

FRONT BRAKE Sram mechanical

REAR BRAKE Sram mechanical

FRONT BRAKE DISC Schimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Schimano SM-RT10 centerlock 160mm

TYRES Schwalbe G-ONE 700x38C

RIMS Ryde DP19

FRONT HUB aluminium GL-B57F

REAR HUB aluminium GL-B57R

CASSETTE Shimano HG-500 11-34T 10 speed

HANDLEBAR Romet Gravel aluminium 420mm

STEM Romet aluminium 90/100/110mm

SEAT POST Romet aluminium 27,2mm / 300/350/400mm

GRIPS —

SADDLE Romet Vader

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT —

COLOURS graphite-gray, claret-graphite

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	520 mm	540 mm	560 mm	580 mm
B - top tube length	538 mm	550 mm	560 mm	580 mm
C - chainstay length	430 mm	430 mm	430 mm	430 mm
D - seat tube angle	66.5°	65.5°	65.5°	65°
E - head tube angle	70.5°	70.5°	71°	71°
F - wheel base	1026.1 mm	1029.1 mm	1035.2 mm	1050.5 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	378 mm	378 mm	378 mm	378 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x40C	700x40C	700x40C	700x40C





# ASPRE 2

dark yellow  
-blackbeige  
-green

700C

alu 6061X-lite

48/52/54/56 cm

20 speed

11kg

## ASPRE 2

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 48cm / 52cm / 54cm / 56cm

FORK Carbon Tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Brake lever Shimano GRX

REAR SHIFTERS Brake lever Shimano GRX

FRONT DERAILLEUR Shimano FD-RX400

REAR DERAILLEUR Shimano FD-RX400

CRANKSET Shimano GRX FC-RX600 46/30T 170mm/172,5mm

FRONT BRAKE Shimano GRX FD-RX400

REAR BRAKE Shimano GRX FD-RX400

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Schwalbe G-ONE 700x38C

RIMS Ryde DP19

FRONT HUB Shimano HB-RS470

REAR HUB Shimano FH-RS470

CASSETTE Shimano HG500-10 11-34T 10 speed

HANDLEBAR Romet Gravel aluminium 420mm

STEM Romet aluminium 70/90/100mm

SEAT POST Romet aluminium 27,2mm 350mm

GRIPS —

SADDLE Fizik Taiga

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT —

COLOURS beige-green, dark yellow-black

## Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	480 mm	520 mm	540 mm	560 mm
B - top tube length	544.9 mm	566.9 mm	580 mm	592 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm
D - seat tube angle	65°	64.1°	63.3°	63.3°
E - head tube angle	70°	71.4°	71.5°	71.5°
F - wheel base	1050.4 mm	1050.4 mm	1054.8 mm	1067.3 mm
G - head tube length	125 mm	130 mm	150 mm	170 mm
H - fork length	392 mm	392 mm	392 mm	392 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x40C	700x40C	700x40C	700x40C





# ASPRE 1



700C

alu 6061X-lite

52/54/56/58 cm

16 speed

11,2 kg

## ASPRE 1

Technical data

WHEEL SIZE / FRAME 700C / alu 6061 X-lite

SIZE 52cm / 54cm / 56cm / 58cm

FORK Carbon Tapered

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Claris ST-R2000 2 speed

REAR SHIFTERS Shimano Claris ST-R2000 8 speed

FRONT DERAILLEUR Shimano Claris FD-R2000

REAR DERAILLEUR Shimano Claris RD-R2000

CRANKSET Shimano Claris FC-RS200 46/34T 170mm/175mm

FRONT BRAKE Shimano BR-RS305 Flat Mount

REAR BRAKE Shimano BR-RS305 Flat Mount

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Schwalbe G-ONE 700x38C

RIMS Ryde DP19

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano HG200-8 12-32T 8 speed

HANDLEBAR Romet Gravel aluminium 420mm Flare

STEM Romet aluminium 90mm/100mm/110mm

SEAT POST Romet aluminium 27,2mm 300mm/350mm/400mm

GRIPS —

SADDLE Romet Vader

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —


WEIGHT 11,2 kg

COLOURS silver-red, blue-black

## Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	520 mm	540 mm	560 mm	580 mm
B - top tube length	538 mm	550 mm	560 mm	580 mm
C - chainstay length	430 mm	430 mm	430 mm	430 mm
D - seat tube angle	65.2°	64.2°	64.2°	63.7°
E - head tube angle	70.5°	70.5°	71°	71°
F - wheel base	1026.1 mm	1029.1 mm	1035.2 mm	1050.5 mm
G - head tube length	130 mm	150 mm	170 mm	190 mm
H - fork length	378 mm	378 mm	378 mm	378 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x40C	700x40C	700x40C	700x40C





# FINALE



700C

Cr-Mo

48/52/56/58 cm

16 speed

13 kg

## FINALE

Technical data

WHEEL SIZE / FRAME 700C / Cr-Mo

SIZE 48cm / 52cm / 56cm / 58cm

FORK Cr-Mo

DAMPER —

DRIVETRAIN 2x8

FRONT SHIFTERS Shimano Claris ST-R2000 2 speed

REAR SHIFTERS Shimano Claris ST-R2000 8 speed

FRONT DERAILLEUR Shimano Claris FD-R2000

REAR DERAILLEUR Shimano Claris RD-R2000

CRANKSET Shimano Claris FC-RS200 46/34T 170mm

FRONT BRAKE Shimano BR-RS317

REAR BRAKE Shimano BR-RS317

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Schwalbe G-ONE 700x38C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano HG-200-8 12-32T 8 speed

HANDLEBAR Romet Gravel aluminium 420mm / 440mm Flare

STEM Romet aluminium 90mm/100mm/110mm

SEAT POST Romet aluminium 27,2 mm 300mm

GRIPS —

SADDLE Selle Italia X-Base

PEDALS FP-971 aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13 kg

COLOURS claret, yellow

Geometry

	S	M	L	XL
Tyre size	28"	28"	28"	28"
A - frame size	480 mm	520 mm	560 mm	580 mm
B - top tube length	540 mm	553 mm	585 mm	605 mm
C - chainstay length	445 mm	445 mm	445 mm	445 mm
D - seat tube angle	74°	73.5°	72.5°	72°
E - head tube angle	71°	71°	71°	71°
F - wheel base	1038.6 mm	1047 mm	1070 mm	1084 mm
G - head tube length	105 mm	115 mm	170 mm	190 mm
H - fork length	415 mm	415 mm	415 mm	415 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	700x40C	700x40C	700x40C	700x40C



# Recommended accessories **GRAVEL**



Front light ALLTY 600

00-11-27701-01-00004

Frame bag ROMET TH10-11W

00-00-25850-00-00016

Big saddle bag ROMET

00-00-25850-00-00004



Handlebar bag ROMET TH8-6411

00-00-25850-00-00006



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009



Water bottle cage CL-078

00-10-10365-04-00008

Romet Accessories 2024  
See more



Mantieniti in forma, schiarisciti le idee, vai dove devi andare. Scegli comfort, velocità e semplicità tutto in una bici.

La collezione ROMET CROSS comprende biciclette da uomo e da donna progettate per la guida ricreativa su qualsiasi terreno. Geometria confortevole e forcelle ammortizzate abbinate a ruote di grandi dimensioni con pneumatici fuoristrada le rendono bici polivalenti ideali, dove la velocità di movimento è stata abbinata al comfort di guida e di utilizzo.

The completely redesigned frames of 2024 ROMET CROSS bicycles are equipped with drivetrains with a large number and range of gears to make pedaling both uphill and downhill easy and more efficient.

Abbiamo aggiunto attacchi manubrio regolabili in altezza e selle comode ai modelli in alluminio con due design del telaio: classico e con tubo orizzontale leggermente ribassato e piegato per salire e scendere comodamente, così puoi percorrere più chilometri su terreni diversi nel modo più confortevole possibile.

Le biciclette ROMET CROSS sono veloci e versatili sia su strade asfaltate che su terreni facili fuori asfalto, e il manubrio dritto garantisce una manovrabilità facile e sicura.

Vuoi ottenere ancora di più dalla tua bici ROMET CROSS? Completala con accessori utili e coordinati: dai caschi alle luci fino ai portaborraccia e agli strumenti.



# CROSS

CROSS .....	240
ORKAN 7 CS M .....	242
ORKAN 7 CS D .....	244
ORKAN 6 CS M .....	246
ORKAN 6 CS D .....	248
ORKAN 5 CS M .....	250
ORKAN 5 CS D .....	252
ORKAN 9 M .....	254
ORKAN 8 M .....	256
ORKAN 8 D .....	258
ORKAN 7 M .....	260
ORKAN 7 D .....	262
ORKAN 6 M .....	264
ORKAN 6 D .....	266
ORKAN 5 M .....	268
ORKAN 5 D .....	270
ORKAN 4 M .....	272
ORKAN 4 D .....	274
ORKAN 3 M .....	276
ORKAN 3 D .....	278
ORKAN 2 M .....	280
ORKAN 2 D .....	282
ORKAN 1 M .....	284
ORKAN 1 D .....	286
ORKAN M .....	288
ORKAN D .....	290



# ORKAN 7 CSM

graphite  
silver

28"

alu 6061

18" / 20"

22 speed

15,4 kg

## ORKAN 7 CSM

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Cues SL-U8000 2 speed

REAR SHIFTERS Shimano Cues SL-U8000 11 speed

FRONT DERAILLEUR Shimano Cues FD-U8100

REAR DERAILLEUR Shimano Cues RD-U8020 SGS

CRANKSET Shimano Cues FC-U6010-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT401, BR-MT410

REAR BRAKE Shimano BL-MT401, BR-MT410

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Schwalbe Marathon Performance 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-11, 11-42T, 11 speed

HANDLEBAR RMT Components aluminium 680mm/318mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal VIVO Gents 1216 HRN

PEDALS FP-920B

FRONT LAMP —


REAR LAMP —

WEIGHT 15,4 kg

COLOURS graphite-silver

Geometry

	M	L
Tyre size	28"	28"
A - frame size	510 mm	530 mm
B - top tube length	580 mm	585 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1083 mm	1083 mm
G - head tube length	135 mm	145 mm
H - fork length	450 mm	450 mm
Stack	604 mm	614 mm
Reach	401 mm	403 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 7 CSD



white  
graphite

28"

alu 6061

18" / 20"

22 speed

15,4 kg

## ORKAN 7 CSD

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Cues SL-U8000 2 speed

REAR SHIFTERS Shimano Cues SL-U8000 11 speed

FRONT DERAILLEUR Shimano Cues FD-U8100

REAR DERAILLEUR Shimano Cues RD-U8020 SGS

CRANKSET Shimano Cues FC-U6010-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT401, BR-MT410

REAR BRAKE Shimano BL-MT401, BR-MT410

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Schwalbe Marathon Performance 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-11, 11-45T, 11 speed

HANDLEBAR RMT Components aluminium 680mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal VIVO Ladies 1216 DRN

PEDALS FP-920B

FRONT LAMP —


REAR LAMP —

WEIGHT 15,4 kg

COLOURS white-graphite

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	510 mm
B - top tube length	566 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1069 mm	1083 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	613 mm	632 mm
Reach	384,5 mm	392 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 6 CSM


● red-white

● graphite-black

● 28"

● alu 6061

● 18"/20"

● 20 speed

● 15,6 kg

## ORKAN 6 CSM

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX E-25 NLO 75mm tapered

**DAMPER** —

**DRIVETRAIN** 2x10

**FRONT SHIFTERS** Shimano Cues SL-U6000 2 speed

**REAR SHIFTERS** Shimano Cues SL-U6000 10 speed

**FRONT DERAILLEUR** Shimano Cues FD-U6010

**REAR DERAILLEUR** Shimano Cues RD-U6020 SGS

**CRANKSET** Shimano Cues FC-U6000-2, 46-30T 170mm

**FRONT BRAKE** Shimano BL-MT200/BR-M200

**REAR BRAKE** Shimano BL-MT200/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** VeeTire Speedster 700x44C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-LG400 11-39T, 10 speed

**HANDLEBAR** RMT Comp. aluminium 680mm/31,8mm

**STEM** RMT Comp. adj. 85mm Internal cable routing

**SEAT POST** RMT Components 27,2mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Royal Ariel 8058 HR

**PEDALS** FP-920B

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 15,6 kg

**COLOURS** red-white, graphite-black

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	510 mm	530 mm
B - top tube length	580 mm	585 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1083 mm	1083 mm
G - head tube length	135 mm	145 mm
H - fork length	450 mm	450 mm
Stack	604 mm	614 mm
Reach	401 mm	403 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 6 CSD



28"

alu 6061

18"/20"

20 speed

15,6 kg

## ORKAN 6 CSD

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000 10 speed

FRONT DERAILLEUR Shimano Cues FD-U6010

REAR DERAILLEUR Shimano Cues RD-U6020 SGS

CRANKSET Shimano Cues FC-U6000-2, 46-30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700x44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400 11-39T, 10 speed

HANDLEBAR RMT Components aluminium 680mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal Ariel 8058 DR

PEDALS FP-920B

FRONT LAMP —


REAR LAMP —

WEIGHT 15,6 kg

COLOURS purple-white, silver-green

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	510 mm
B - top tube length	566 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1069 mm	1083 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	613 mm	632 mm
Reach	384,5 mm	392 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 5 CSM



yellow  
-graphite

black  
-red

28"

alu 6061

18"/20"

18 speed

15,8 kg

## ORKAN 5 CSM

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4010

REAR DERAILLEUR Shimano Cues RD-U4020 SGS

CRANKSET Shimano Cues FC-U4010-2, 46-30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700x44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-9.11-36T 9 speed

HANDLEBAR RMT Components aluminium 680mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal Ariel 8058 HR

PEDALS FP-920B

FRONT LAMP —


REAR LAMP —

WEIGHT 15,8 kg

COLOURS yellow-graphite, black-red

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	510 mm	530 mm
B - top tube length	580 mm	585 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1083 mm	1083 mm
G - head tube length	135 mm	145 mm
H - fork length	450 mm	450 mm
Stack	604 mm	614 mm
Reach	401 mm	403 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 5 CSD



turquoise  
-lime green

white  
-champagne



28"



alu 6061



18" / 20"



18 speed



15,8 kg

## ORKAN 5 CSD

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4010

REAR DERAILLEUR Shimano Cues RD-U4020 SGS

CRANKSET Shimano Cues FC-U4010-2, 46-30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700x44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-9,11-36T 9 speed

HANDLEBAR RMT Components aluminium 680mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT components 27,2mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Royal Ariel 8058 DR

PEDALS FP-920B

FRONT LAMP —


REAR LAMP —

WEIGHT 15,8 kg

COLOURS white-champagne, turquoise-lime green

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	510 mm
B - top tube length	566 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68°	68°
E - head tube angle	71°	71°
F - wheel base	1069 mm	1083 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	613 mm	632 mm
Reach	384,5 mm	392 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 9M

graphite  
-light graphite

28"

alu 6061

19"/21"

30 speed

13,8 kg

## ORKAN 9M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M - 19" / L - 21"

FORK Suntour NCX RL Air 50mm

DAMPER —

DRIVETRAIN 3x10

FRONT SHIFTERS Shimano Deore XT SL-T8000 3 speed

REAR SHIFTERS Shimano Deore XT SL-T8000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore XT T8000

CRANKSET Shimano Deore FC-T6010 48/36/26T 170mm/175mm

FRONT BRAKE Shimano BL-MT501 / BR-MT500

REAR BRAKE Shimano BL-MT501 / BR-MT500

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Protek Cross Max BR 700x40C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Bassano

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13,8 kg

COLOURS graphite-light graphite

Geometry

	M	L
Tyre size	28"	28"
A - frame size	483 mm	533 mm
B - top tube length	570 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1073 mm	1083 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 8M


● navy blue  
silver

○ 28"

○ alu 6061

○ 19" / 21"

○ 30 speed

○ 13,8 kg

## ORKAN 8M

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 19" / L – 21"

**FORK** Suntour NX 1 Coil RL 63mm

**DAMPER** —

**DRIVETRAIN** 3×10

**FRONT SHIFTERS** Shimano Deore SL-T6000 3 speed

**REAR SHIFTERS** Shimano Deore SL-T6000 10 speed

**FRONT DERAILLEUR** Shimano Deore FD-T6000

**REAR DERAILLEUR** Shimano Deore XT RD-M781

**CRANKSET** Shimano Deore FC-T6010 48/36/26T 170mm

**FRONT BRAKE** Shimano BL-MT410 / BR-MT410

**REAR BRAKE** Shimano BL-MT410 / BR-MT410

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** Michelin Protek Cross 700×40C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG500 11-32T 10 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** adjustable TDS-D299 N-8 31,8mm 105mm/125mm

**SEAT POST** aluminium 30,9mm/350mm

**GRIPS** Wittkop Medicus Sport

**SADDLE** Selle Bassano

**PEDALS** FP-920B aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 13,8 kg

**COLOURS** navy blue-silver

[Geometry](#)

	M	L
Tyre size	28"	28"
A - frame size	483 mm	533 mm
B - top tube length	570 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1073 mm	1083 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 8D



28"

alu 6061

17" / 19"

30 speed

13,9 kg

## ORKAN 8D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour NX 1 Coil RL 63mm

DAMPER —

DRIVETRAIN 3x10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore XT RD-M781

CRANKSET Shimano Deore FC-T6010 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT410 / BR-MT410

REAR BRAKE Shimano BL-MT410 / BR-MT410

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES Michelin Protek Cross BR 700x40C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Wittkop Medicus Sport

SADDLE Selle Bassano

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13,9 kg

COLOURS claret-graphite-red

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	556 mm	566 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1059 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"



— SS —

# ORKAN 7M



28"

alu 6061

19" / 21"

30 speed

14,5 kg

## ORKAN 7M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21"

FORK Suntour NEX RL 63mm

DAMPER —

DRIVETRAIN 3×10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore RD-T6000

CRANKSET Shimano Deore FC-T521 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700×44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Selle Royal

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS graphite-black

Geometry

	M	L
Tyre size	28"	28"
A - frame size	483 mm	533 mm
B - top tube length	570 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1073 mm	1083 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 7D

graphite  
-silver-copper

28"

alu 6061

17" / 19"

30 speed

14,3 kg

## ORKAN 7D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour NEX RL 63mm

DAMPER —

DRIVETRAIN 3×10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore RD-T6000

CRANKSET Shimano Deore FC-T521 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700×44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Selle Royal

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,3 kg

COLOURS graphite-silver-copper

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	556 mm	566 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1059 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 6M


● blue-black-gray

● silver-graphite

● graphite-blue

● 28"

● alu 6061

● 19" / 21"

● 27 speed

● 14,7 kg

## ORKAN 6M

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 19" / L – 21"

**FORK** Suntour NEX RL 63mm

**DAMPER** —

**DRIVETRAIN** 3×9

**FRONT SHIFTERS** Shimano Alivio SL-M3100 3 speed

**REAR SHIFTERS** Shimano Alivio SL-M3100 9 speed

**FRONT DERAILLEUR** Shimano Altus FD-M370

**REAR DERAILLEUR** Shimano Alivio RD-T4000

**CRANKSET** Shimano FC-MT210-3 44/32/22T 170mm

**FRONT BRAKE** Shimano BL-MT200/BR-MT200

**REAR BRAKE** Shimano BL-MT200/BR-MT200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** VeeTire Speedster 700×44C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG201 11-32T 9 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** adjustable TDS-D299 N-8 31,8mm/105mm

**SEAT POST** aluminium 30,9mm/350mm

**GRIPS** Brat Kier 138mm

**SADDLE** Selle Royal

**PEDALS** FP-920B aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,7 kg

**COLOURS** blue-black-gray, silver-graphite,  
graphite-blue

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	483 mm	533 mm
B - top tube length	570 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1073 mm	1083 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 6 D



blue  
-black-gray

silver  
-graphite

28"

alu 6061

17" / 19"

27 speed

14,5 kg

## ORKAN 6 D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour NEX RL 63mm

DAMPER —

DRIVETRAIN 3×9

FRONT SHIFTERS Shimano Alivio SL-M3100 3 speed

REAR SHIFTERS Shimano Alivio SL-M3100 9 speed

FRONT DERAILLEUR Shimano Altus FD-M370

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano FC-MT210-3 44/32/22T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700×44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG201 11-32T 9 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Selle Royal

PEDALS FP-920B aluminium

FRONT LAMP —

REAR LAMP —

WEIGHT 14,5 kg

COLOURS blue-black-gray, silver-graphite

## Geometry

	M	L
--	---	---

Tyre size 28" 28"

A - frame size 432 mm 483 mm

B - top tube length 556 mm 566 mm

C - chainstay length 460 mm 460 mm

D - seat tube angle 66° 66°

E - head tube angle 71° 71°

F - wheel base 1059 mm 1069 mm

G - head tube length 150 mm 150 mm


H - fork length 450 mm 450 mm

Stack — —

Reach — —

Standover height — —

Maximum tyre size 1,75" 1,75"





# ORKAN 5M

navy blue  
-blue-silversilver  
-graphite-copper

28"



alu 6061



19" / 21"



27 speed



14,8 kg

## ORKAN 5M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21"

FORK Suntour NEX HLO 63mm

DAMPER —

DRIVETRAIN 3×9

FRONT SHIFTERS Shimano Altus SL-M2010 3 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M370

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano FC-M371 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700×44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG201 11-32T 9 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm 350mm

GRIPS Brat Kier 138mm

SADDLE Selle Royal

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 14,8 kg

COLOURS navy blue-blue-silver, silver-graphite-copper

Geometry

	M	L
Tyre size	28"	28"
A - frame size	483 mm	533 mm
B - top tube length	570 mm	580 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1073 mm	1083 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 5 D



graphite  
-silver-pink

olive  
-gray-green

28"

alu 6061

17" / 19"

27 speed

13,9 kg

## ORKAN 5 D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M - 17" / L - 19"

FORK Suntour NEX HLO 63mm

DAMPER —

DRIVETRAIN 3x9

FRONT SHIFTERS Shimano Altus SL-M2010 3 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M370

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano FC-M371 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire Speedster 700x44C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG201 11-32T 9 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Selle Royal

PEDALS FP-920B aluminium

FRONT LAMP —


REAR LAMP —

WEIGHT 13,9 kg

COLOURS graphite-silver-pink, olive-gray-green

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	556 mm	566 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66°	66°
E - head tube angle	71°	71°
F - wheel base	1059 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 4M


● champagne  
-black-silver

● graphite  
-silver-champagne

● black-red

○ 28"

○ alu 6061

○ 18" / 20"

○ 27 speed

○ 14,5 kg

## ORKAN 4M

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3×9

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 9 speed

**FRONT DERAILLEUR** Shimano FD-TY710

**REAR DERAILLEUR** Shimano Alivio RD-T4000

**CRANKSET** Shimano FC-M371 48/36/26T 170mm

**FRONT BRAKE** Shimano ST-EF505/BR-M200

**REAR BRAKE** Shimano ST-EF505/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** 700×42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG201 11-32T 9 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** adjustable TDS-D299 N-8 31,8mm/105mm

**SEAT POST** aluminium 30,9mm/350mm

**GRIPS** Brat Kier 138mm

**SADDLE** Romet

**PEDALS** FP-920B aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 14,5 kg

**COLOURS** champagne-black-silver,  
graphite-silver-champagne, black-red

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	580 mm	605 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1125 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	389 mm	413 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 4D


● blue  
-navy blue-silver

● champagne  
-black-silver

● 28"

● alu 6061

■ 18"/20"

■ 27 speed

● 13,9 kg

## ORKAN 4D

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** SunTour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3×9

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 9 speed

**FRONT DERAILLEUR** Shimano FD-TY710

**REAR DERAILLEUR** Shimano Alivio RD-T4000

**CRANKSET** Shimano FC-M371 48/36/26T 170mm

**FRONT BRAKE** Shimano ST-EF505/BR-M200

**REAR BRAKE** Shimano ST-EF505/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** 700×42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano HB-TX505

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG201 11-32T 9 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** adjustable TDS-D299 N-8 31,8mm/105mm

**SEAT POST** aluminium 30,9mm/350mm

**GRIPS** Brat Kier 138mm

**SADDLE** Romet

**PEDALS** FP-920B aluminium

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 13,9 kg

**COLOURS** champagne-black-silver, blue-navy blue-silver

[Geometry](#)

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	69°	69°
F - wheel base	1096 mm	1121 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	375 mm	400 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 3M

graphite  
-black-coppernavy blue  
-light graphite-blue

## ORKAN 3M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 8 speed

FRONT DERAILLEUR Shimano FD-TY710

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 700×42C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG200 12-32T 8 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS navy blue-light graphite-blue,  
graphite-black-copper

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	580 mm	605 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1125 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	389 mm	413 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# ORKAN 3D



turquoise  
-white-silver

graphite  
-black-copper

black

28"

alu 6061

18"/20"

24 speed

14,3 kg

## ORKAN 3D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 8 speed

FRONT DERAILLEUR Shimano FD-TY710

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 700×42C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano CS-HG200 12-32T 8 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM adjustable TDS-D299 N-8 31,8mm/105mm

SEAT POST aluminium 30,9mm/350mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,3 kg

COLOURS turquoise-white-silver,  
graphite-black-copper, black

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	69°	69°
F - wheel base	1096 mm	1121 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	375 mm	400 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 2M


● silver-black

● black  
-light graphite-blue

● 28"

● alu 6061

● 18" / 20"

● 21 speed

● 13,9 kg

## ORKAN 2M

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

**FRONT BRAKE** Shimano BR-TX805 mechanical disc

**REAR BRAKE** Shimano BR-TX805 mechanical disc

**FRONT BRAKE DISC** 160mm

**REAR BRAKE DISC** 160mm

**TYRES** 700x42C

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** aluminium 90mm/31,8mm

**SEAT POST** aluminium 30,9mm/300mm

**GRIPS** Brat Kier 138mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —


**REAR LAMP** —

**WEIGHT** 13,9 kg

**COLOURS** black-light graphite-blue,  
silver-black

[Geometry](#)

	<b>M</b>	<b>L</b>
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	580 mm	605 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1125 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	389 mm	413 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 2D



white  
-graphite-celadon

pink  
-white-light graphite



alu 6061



21 speed



## ORKAN 2D

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 700x42C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM aluminium 90mm/31,8mm

SEAT POST aluminium 30,9mm/300mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 13,7 kg

COLOURS pink-white-light graphite,  
white-graphite-celadon

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	69°	69°
F - wheel base	1096 mm	1121 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	375 mm	400 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 1M



silver-light graphite-red

black-gray-celadon

silver-blue

28"

alu 6061

18" / 20"

21 speed

13,9 kg

## ORKAN 1M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x42C

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR aluminium 680mm/15°/31,8mm

STEM aluminium 90mm/31,8mm

SEAT POST aluminium 30,9mm/300mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 13,9 kg

COLOURS silver-light graphite-red,  
black-gray-celadon, silver-blue

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	580 mm	605 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1125 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	389 mm	413 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# ORKAN 1D


● white  
-graphite-pink

● purple  
-white-pink

● deep pink

● 28"

● alu 6061

● 18"/20"

● 21 speed

● 13,5 kg

## ORKAN 1D

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 700x42C

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** aluminium 680mm/15°/31,8mm

**STEM** aluminium 90mm/31,8mm

**SEAT POST** aluminium 30,9mm/300mm

**GRIPS** Brat Kier 138mm

**SADDLE** Romet

**PEDALS** FP-804

**FRONT LAMP** —

**REAR LAMP** —

**WEIGHT** 13,5 kg

**COLOURS** white-graphite-pink, purple-white-pink, deep pink

## Geometry

	M	L
--	---	---

Tyre size 28" 28"

A - frame size 460 mm 500 mm

B - top tube length 565 mm 590 mm

C - chainstay length 450 mm 450 mm

D - seat tube angle 66° 66°

E - head tube angle 69° 69°

F - wheel base 1096 mm 1121 mm

G - head tube length 150 mm 150 mm


H - fork length 490 mm 490 mm

Stack — —

Reach 375 mm 400 mm

Standover height — —

Maximum tyre size 1,75" 1,75"





# ORKAN M



black  
-yellow

graphite  
-red



28"  
alu 6061



18"/20"  
21 speed



14,5 kg

## ORKAN M

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M310

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x42C

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR aluminium 680mm 15° 31,8mm

STEM aluminium 90mm/31,8mm

SEAT POST aluminium 30,9mm/300mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS black-yellow, graphite-red

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	580 mm	605 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	66°	66°
E - head tube angle	70°	70°
F - wheel base	1100 mm	1125 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	389 mm	413 mm
Standover height	—	—
Maximum tyre size	1,75"	1,75"



— SS —

# ORKAN D



white  
-violet

violet  
-pink

28"

alu 6061

15" / 17" / 19"

21 speed

14,5 kg

## ORKAN D

### Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE S – 15" / M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M310

CRANKSET Shimano Tourney FC-TY301 48/38/28T 170mm/175mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x42C

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR aluminium 680mm 15° 31,8mm

STEM aluminium 90mm/31,8mm

SEAT POST aluminium 30,9mm/300mm

GRIPS Brat Kier 138mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —


REAR LAMP —

WEIGHT 14,5 kg

COLOURS white-violet, violet-pink

### Geometry

	S	M	L
Tyre size	28"	28"	28"
A - frame size	385 mm	430 mm	480 mm
B - top tube length	550 mm	565 mm	565 mm
C - chainstay length	445 mm	445 mm	445 mm
D - seat tube angle	65,8°	65,8°	65,8°
E - head tube angle	70,5°	70,5°	70,5°
F - wheel base	1060 mm	1075 mm	1076 mm
G - head tube length	150 mm	150 mm	150 mm
H - fork length	465 mm	465 mm	465 mm
Stack	—	—	—
Reach	350 mm	375 mm	400 mm
Standover height	—	—	—
Maximum tyre size	1,75"	1,75"	1,75"



# Recommended accessories

# CROSS



Front light JY-7067 2-LED XPG

00-11-19004-01-00075

Rear light SEEMEE 30 TL

00-11-27701-01-00008

Frame bag ROMET

00-00-25850-00-00011



Alloy water bottle cage CL-053

00-10-10365-04-00001



Water bottle 0,6 l Big Mouth

00-20-17186-02-00015



Bicycle helmet ROMET 105

00-00-19107-00-00115

Romet Accessories 2024  
See more



**Esplora il mondo in bicicletta con tutto ciò di cui hai bisogno a portata di mano.  
Regalati comfort, sicurezza e il piacere di macinare chilometri.**

La collezione TREKKING di ROMET sono biciclette progettate per i viaggi a lunga distanza, pronte a trasportare il tuo carico, illuminare il tuo cammino, proteggerti dalle intemperie e, soprattutto, offrirti il massimo comfort senza compromessi.

These women's and men's comfortable and versatile touring bicycle models are designed not only for long hauls with cargo, but also for everyday transportation. The 2024 collection includes the redesigned Wagant and Gazeta models, with the top versions featuring integrated cockpits, internal cable routing and a completely new minimalist aesthetic.

Questi modelli di biciclette da turismo da donna e da uomo, comodi e versatili, sono progettati non solo per lunghi viaggi con carico, ma anche per il trasporto quotidiano. La collezione 2024 comprende i modelli ridisegnati Wagant e Gazeta, con le versioni top dotate di abitacoli integrati, passaggio cavi interno e un'estetica minimalista completamente nuova.

Per rendere la strada agibile e senza problemi, i modelli ROMET TREKKING sono dotati di attacchi manubrio regolabili, in modo che la posizione di guida garantisca il miglior comfort. Le trasmissioni collaudate con un gran numero di marce rendono la guida leggera e piacevole, anche quando la strada si snoda in salita.

Quando si percorrono lunghe distanze, l'attrezzatura giusta è importante tanto quanto la bicicletta. Dai un'occhiata ai nostri consigli per viaggi lunghi e di successo. Scegli borse laterali spaziose per il portapacchi posteriore, borse da bicicletta più piccole, bottiglie d'acqua grandi o guanti speciali con imbottitura in gel per il massimo comfort delle tue mani.



TREKKING .....	294
WAGANT 7 CS .....	296
GAZELA 7 CS .....	298
WAGANT 6 CS .....	300
GAZELA 6 CS .....	302
WAGANT 5 CS .....	304
GAZELA 5 CS .....	306
WAGANT 10 .....	308
WAGANT 9 .....	310
GAZELA 9 .....	312
WAGANT 8 .....	314
GAZELA 8 .....	316
WAGANT 7 .....	318
GAZELA 7 .....	320
WAGANT 6 .....	322
GAZELA 6 .....	324
WAGANT 5 .....	326
GAZELA 5 .....	328
WAGANT 4 .....	330
GAZELA 4 .....	332
WAGANT 3 .....	334
GAZELA 3 .....	336
WAGANT 2 .....	338
GAZELA 2 .....	340
WAGANT 1 .....	342
GAZELA 1 .....	344
WAGANT .....	346
GAZELA .....	348
GAZELA 26 3 CS .....	350
GAZELA 26 2 .....	352
GAZELA 26 1 .....	354

**TREKKING**



# WAGANT 7 CS



graphite

28"

alu 6061

19"/21"/23"

22 speed

18,2 kg

## WAGANT 7 CS

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Cues SL-U8000 2 speed

REAR SHIFTERS Shimano Cues SL-U8000 11 speed

FRONT DERAILLEUR Shimano Cues FD-U8010

REAR DERAILLEUR Shimano Cues RD-U8020 SGS

CRANKSET Shimano Cues FC-U6010-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT401, BR-MT410

REAR BRAKE Shimano BL-MT401, BR-MT410

FRONT BRAKE DISC Shimano SM-RT54 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT54 centerlock 160mm

TYRES Schwalbe Marathon 28x1,75

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-11, 11-45T, 11 speed

HANDLEBAR RMT Components aluminium 660mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Ego

SADDLE Selle Royal Essenza Plus

PEDALS FP-920

FRONT LAMP Spanninga X&amp;O


REAR LAMP Spanninga Pimento

WEIGHT 18,2 kg

COLOURS graphite

Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	530 mm	580 mm
B - top tube length	553 mm	563 mm	579 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	67,7°	67,7°	67,7°
E - head tube angle	72°	72°	73°
F - wheel base	1071 mm	1082 mm	1097,8 mm
G - head tube length	114 mm	145 mm	175 mm
H - fork length	485 mm	485 mm	485 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x45	700x45	700x45





# GAZELA 7 CS



28"

alu 6061

19" / 21"

22 speed

18,2 kg

## GAZELA 7 CS

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x11

FRONT SHIFTERS Shimano Cues SL-U8000 2 speed

REAR SHIFTERS Shimano Cues SL-U8000 11 speed

FRONT DERAILLEUR Shimano Cues FD-U8010

REAR DERAILLEUR Shimano Cues RD-U8020 SGS

CRANKSET Shimano Cues FC-U6010-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT401, BR-MT410

REAR BRAKE Shimano BL-MT401, BR-MT410

FRONT BRAKE DISC Shimano SM-RT54 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT54 centerlock 160mm

TYRES Schwalbe Marathon 28x1,75

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-11, 11-45T, 11 speed

HANDLEBAR RMT Components aluminium 640mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Ego

SADDLE Selle Royal Essenza Plus

PEDALS FP-920

FRONT LAMP Spanninga X&amp;O


REAR LAMP Spanninga Pimento

WEIGHT 18,2 kg

COLOURS navy blue-beige

Geometry

	M	L
Tyre size	28"	28"
A - frame size	435 mm	485 mm
B - top tube length	557 mm	559 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68,6°	67,7°
E - head tube angle	74°	74,6°
F - wheel base	1072 mm	1077 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700x45	700x45





# WAGANT 6 CS



purple  
-graphite

brown  
-silver

28"

alu 6061

19" / 21" / 23"

20 speed

18,4 kg

## WAGANT 6 CS

Technical data

WHEEL SIZE / FRAME 28" alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000 10 speed

FRONT DERAILLEUR Shimano Cues FD-U6010

REAR DERAILLEUR Shimano Cues RD-U6020 SGS

CRANKSET Shimano Cues FC-U6000-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT30 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT30 centerlock 160mm

TYRES VeeTire City Tour 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-10, 11-39T, 10 speed

HANDLEBAR RMT Components aluminium 660mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Ego

SADDLE Selle Royal Essenza Plus

PEDALS FP-920

FRONT LAMP Spanninga X&O


REAR LAMP Spanninga Pimento

WEIGHT 18,4 kg

COLOURS brown-silver, purple-graphite

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	530 mm	580 mm
B - top tube length	553 mm	563 mm	579 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	67,7°	67,7°	67,7°
E - head tube angle	72°	72°	73°
F - wheel base	1071 mm	1082 mm	1097,8 mm
G - head tube length	114 mm	145 mm	175 mm
H - fork length	485 mm	485 mm	485 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x45	700x45	700x45





# GAZELA 6 CS



claret-blue    silver-orange

28"

alu 6061

19" / 21"

20 speed

18,4 kg

## GAZELA 6 CS

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x10

FRONT SHIFTERS Shimano Cues SL-U6000 2 speed

REAR SHIFTERS Shimano Cues SL-U6000 10 speed

FRONT DERAILLEUR Shimano Cues FD-U6010

REAR DERAILLEUR Shimano Cues RD-U6020 SGS

CRANKSET Shimano Cues FC-U6000-2, 46-32T 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT30 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT30 centerlock 160mm

TYRES VeeTire City Tour 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG400-10, 11-39T, 10 speed

HANDLEBAR RMT Components aluminium 640mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Ego

SADDLE Selle Royal Essenza Plus

PEDALS FP-920

FRONT LAMP Spanninga X&O


REAR LAMP Spanninga Pimento

WEIGHT 18,4 kg

COLOURS claret-blue, silver-orange

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	435 mm	485 mm
B - top tube length	557 mm	559 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68,6°	67,7°
E - head tube angle	74°	74,6°
F - wheel base	1072 mm	1077 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700x45	700x45





# WAGANT 5 CS


● navy blue -silver

● black -champagne

○ 28"

○ alu 6061

○ 19" / 21" / 23"

○ 18 speed

○ 18,6 kg

## WAGANT 5 CS

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 19" / L – 21" / XL – 23"

**FORK** Suntour NEX E-25 NLO 75mm tapered

**DAMPER** —

**DRIVETRAIN** 2x9

**FRONT SHIFTERS** Shimano Cues SL-U4000 2 speed

**REAR SHIFTERS** Shimano Cues SL-U4010-9R 9 speed

**FRONT DERAILLEUR** Shimano Cues FD-U4010

**REAR DERAILLEUR** Shimano Cues RD-U4020 SGS

**CRANKSET** Shimano Cues FC-U4010-2, 46-30T, 170mm

**FRONT BRAKE** Shimano BL-MT200/BR-M200

**REAR BRAKE** Shimano BL-MT200/BR-M200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** VeeTire City Tour 700x42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-3D37

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-LG300-9, 11-36T, 9 speed

**HANDLEBAR** RMT Components aluminium 660mm/31,8mm

**STEM** RMT Comp. adj. 85mm Internal cable routing

**SEAT POST** RMT Components 27,2mm/350mm

**GRIPS** Wittkop Medicus Ego

**SADDLE** Selle Royal Essenza Plus

**PEDALS** FP-920

**FRONT LAMP** Spanninga X&O


**REAR LAMP** Spanninga Pimento

**WEIGHT** 18,6 kg

**COLOURS** navy blue-silver, black-champagne

## Geometry

	<b>M</b>	<b>L</b>	<b>XL</b>
Tyre size	28"	28"	28"
<b>A</b> - frame size	480 mm	530 mm	580 mm
<b>B</b> - top tube length	553 mm	563 mm	579 mm
<b>C</b> - chainstay length	460 mm	460 mm	460 mm
<b>D</b> - seat tube angle	67,7°	67,7°	67,7°
<b>E</b> - head tube angle	72°	72°	73°
<b>F</b> - wheel base	1071 mm	1082 mm	1097,8 mm
<b>G</b> - head tube length	114 mm	145 mm	175 mm
<b>H</b> - fork length	485 mm	485 mm	485 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x45	700x45	700x45





# GAZELA 5 CS

orange  
-blackwhite  
-graphite

28"

alu 6061

19" / 21"

18 speed

18,6 kg

## GAZELA 5 CS

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M - 17" / L - 19"

FORK Suntour NEX E-25 NLO 75mm tapered

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4010-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4010

REAR DERAILLEUR Shimano Cues RD-U4020 SGS

CRANKSET Shimano Cues FC-U4010-2, 46-30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-9, 11-36T, 9 speed

HANDLEBAR RMT Components aluminium 640mm/31,8mm

STEM RMT Comp. adj. 85mm Internal cable routing

SEAT POST RMT Components 27,2mm/350mm

GRIPS Wittkop Medicus Ego

SADDLE Selle Royal Essenza Plus

PEDALS FP-920

FRONT LAMP Spanninga X&amp;O


REAR LAMP Spanninga Pimento

WEIGHT 18,6 kg

COLOURS orange-black, white-graphite

Geometry

	M	L
Tyre size	28"	28"
A - frame size	435 mm	485 mm
B - top tube length	557 mm	559 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	68,6°	67,7°
E - head tube angle	74°	74,6°
F - wheel base	1072 mm	1077 mm
G - head tube length	145 mm	165 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700x45	700x45





# WAGANT 10



28"

alu 6061

19"/21"/23"

30 speed

17,4 kg

## WAGANT 10

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NCX RL Air 63mm

DAMPER —

DRIVETRAIN 3x10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore XT RD-T8000

CRANKSET Shimano Deore FC-T6010 48/36/26T 170mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700x42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium suspension SP-405 30,9x300mm

GRIPS Herrmans DD14

SADDLE Selle Royal Moderate

PEDALS FP-820

FRONT LAMP JY-7090


REAR LAMP JY-539

WEIGHT 17,4 kg

COLOURS graphite-dark gold

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x42C	700x42C	700x42C





# WAGANT 9



light graphite  
-dark gold

28"

alu 6061

19"/21"/23"

30 speed

17,6 kg

## WAGANT 9

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NX 1 Coil RL 63mm

DAMPER —

DRIVETRAIN 3×10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore RD-T6000

CRANKSET Shimano FC-T521 48/36/26T 175mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium suspension SP-405 30,9×300mm

GRIPS Herrmans DD14

SADDLE Selle Royal Moderate

PEDALS FP-920

FRONT LAMP JY-7090


REAR LAMP JY-539

WEIGHT 17,6 kg

COLOURS light graphite-dark gold

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 9



purple-gold

28"

alu 6061

18"/20"

30 speed

17,6 kg

## GAZELA 9

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NX 1 Coil RL 63mm

DAMPER —

DRIVETRAIN 3×10

FRONT SHIFTERS Shimano Deore SL-T6000 3 speed

REAR SHIFTERS Shimano Deore SL-T6000 10 speed

FRONT DERAILLEUR Shimano Deore FD-T6000

REAR DERAILLEUR Shimano Deore RD-T6000

CRANKSET Shimano FC-T521 48/36/26T 175mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG500 11-32T 10 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium suspension SP-405 30,9×300mm

GRIPS Herrmans DD14

SADDLE Selle Royal Moderate

PEDALS FP-920

FRONT LAMP JY-7090


REAR LAMP JY-539

WEIGHT 17,6 kg

COLOURS purple-gold

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	535 mm	542 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66,6°	66,6°
E - head tube angle	73,9°	74,6°
F - wheel base	1058,9 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 8



gold-claret    black-graphite

28"

alu 6061

19" / 21" / 23"

27 speed

18,2 kg

## WAGANT 8

Technical data

**WHEEL SIZE / FRAME** 28" alu 6061

**SIZE** M – 19" / L – 21" / XL – 23"

**FORK** Suntour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3x9

**FRONT SHIFTERS** Shimano Altus SL-M2010 3 speed

**REAR SHIFTERS** Shimano Altus SL-M2010 9 speed

**FRONT DERAILLEUR** Shimano Altus FD-M370

**REAR DERAILLEUR** Shimano Alivio RD-T4000

**CRANKSET** Shimano FC-M371 48/36/26T 170 mm

**FRONT BRAKE** Shimano BL-MT200/BR-MT200

**REAR BRAKE** Shimano BL-MT200/BR-MT200

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** VeeTire City Tour 700x42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-3D37

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG201 11-32T 9 speed

**HANDLEBAR** aluminium 640mm 15° 31,8 mm

**STEM** adjustable TDS-D299 N-8 31,8mm 105mm/125mm

**SEAT POST** aluminium suspension SP-405 30,9x300mm

**GRIPS** Herrmans DD14

**SADDLE** Selle Royal Moderate

**PEDALS** FP-920

**FRONT LAMP** JY-7070


**REAR LAMP** JY-539

**WEIGHT** 18,2 kg

**COLOURS** gold-claret, black-graphite

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x42C	700x42C	700x42C





# GAZELA 8



graphite  
-dark turquoise

28"

alu 6061

18" / 20"

27 speed

18,2 kg

## GAZELA 8

Technical data

### WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×9

FRONT SHIFTERS Shimano Altus SL-M2010 3 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M370

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano FC-M371 48/36/26T 170 mm

FRONT BRAKE Shimano BL-MT200/BR-MT200

REAR BRAKE Shimano BL-MT200/BR-MT200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG201 11-32T 9 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM adjustable TDS-D299 N-8 31,8mm 105mm/125mm

SEAT POST aluminium suspension SP-405 30,9×300mm

GRIPS Herrmans DD14

SADDLE Selle Royal Moderate

PEDALS FP-920

FRONT LAMP JY-7070


REAR LAMP JY-539

WEIGHT 18,2 kg

COLOURS graphite-dark turquoise

### Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	535 mm	542 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66,6°	66,6°
E - head tube angle	73,9°	74,6°
F - wheel base	1058,9 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 7



claret-gray    dark brown-gray



28"



alu 6061



19"/21"/23"



27 speed



18 kg

## WAGANT 7

[Technical data](#)
**WHEEL SIZE / FRAME** 28" alu 6061

**SIZE** M – 19" / L – 21" / XL – 23"

**FORK** SunTour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3×9

**FRONT SHIFTERS** Shimano Altus SL-M2010 3 speed

**REAR SHIFTERS** Shimano Altus SL-M2010 9 speed

**FRONT DERAILLEUR** Shimano Altus FD-M370

**REAR DERAILLEUR** Shimano Alivio RD-T4000

**CRANKSET** Shimano FC-M371 48/36/26T 170mm

**FRONT BRAKE** V-brake Shimano BR-RT4000

**REAR BRAKE** V-brake Shimano BR-RT4000

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** VeeTire City Tour 700×42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-C3000

**REAR HUB** Shimano FH-TX500

**CASSETTE** Shimano CS-HG201 11-32T 9 speed

**HANDLEBAR** aluminium 640mm 15° 31,8 mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium suspension SP-372 30,9×300mm

**GRIPS** Westphal Elipsis

**SADDLE** Selle Royal Moderate

**PEDALS** FP-920

**FRONT LAMP** JY-7070


**REAR LAMP** JY-539

**WEIGHT** 18 kg

**COLOURS** dark brown-gray, claret-gray

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 7



dark brown-gray

white-gold



28"



alu 6061



18"/20"



27 speed



18 kg

## GAZELA 7

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×9

FRONT SHIFTERS Shimano Altus SL-M2010 3 speed

REAR SHIFTERS Shimano Altus SL-M2010 9 speed

FRONT DERAILLEUR Shimano Altus FD-M370

REAR DERAILLEUR Shimano Alivio RD-T4000

CRANKSET Shimano FC-M371 48/36/26T 170mm

FRONT BRAKE V-brake Shimano BR-RT4000

REAR BRAKE V-brake Shimano BR-RT4000

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano FH-TX500

CASSETTE Shimano CS-HG201 11-32T 9 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9×300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal Moderate

PEDALS FP-920

FRONT LAMP JY-7070


REAR LAMP JY-539

WEIGHT 18 kg

COLOURS dark brown-gray, white-gold

Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	535 mm	542 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66,6°	66,6°
E - head tube angle	73,9°	74,6°
F - wheel base	1058,9 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 6



brown-black

black-champagne

28"

alu 6061

19" / 21" / 23"

24 speed

18,2 kg

## WAGANT 6

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK SunTour NEX 63mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M3020

CRANKSET Shimano FC-TY301 48/38/28T 170 mm

FRONT BRAKE Shimano BR-MT200 hydraulic

REAR BRAKE Shimano BR-MT200 hydraulic

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-HG200 12-32T 8 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9×300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-920

FRONT LAMP JY-7070


REAR LAMP JY-539

WEIGHT 18,2 kg

COLOURS brown-black, black-champagne

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 6


brown  
-black
purple  
-champagne
28"
alu 6061
18" / 20"
24 speed
18,2 kg

## GAZELA 6

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3×8

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 8 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Acera RD-M3020

**CRANKSET** Shimano FC-TY301 48/38/28T 170 mm

**FRONT BRAKE** Shimano BR-MT200 hydraulic

**REAR BRAKE** Shimano BR-MT200 hydraulic

**FRONT BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**REAR BRAKE DISC** Shimano SM-RT10 centerlock 160mm

**TYRES** VeeTire City Tour 700×42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-3D37

**REAR HUB** Shimano FH-TX505

**CASSETTE** Shimano CS-HG200 12-32T 8 speed

**HANDLEBAR** aluminium 640mm 15° 31,8 mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium suspension SP-372 30,9×300mm

**GRIPS** Westphal Elipsis

**SADDLE** Selle Royal 5094

**PEDALS** FP-920

**FRONT LAMP** JY-7070


**REAR LAMP** JY-539

**WEIGHT** 18,2 kg

**COLOURS** brown-black, purple-champagne

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	535 mm	542 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66,6°	66,6°
E - head tube angle	73,9°	74,6°
F - wheel base	1058,9 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 5



brown-white silver-gray

28"

alu 6061

19"/21"/23"

24 speed

18,4 kg

## WAGANT 5

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×8

FRONT SHIFTERS Shimano ST-EF505 3 speed

REAR SHIFTERS Shimano ST-EF505 8 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M3020

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano FH-TX500

CASSETTE Shimano CS-HG200 12-32T 8 speed

HANDLEBAR aluminium 640mm 15° 31,8 mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9×300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-920

FRONT LAMP JY-7070


REAR LAMP JY-397

WEIGHT 18,4 kg

COLOURS silver-gray, brown-white

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	483 mm	533 mm	584 mm
B - top tube length	570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm	460 mm
D - seat tube angle	66,6°	66,6°	66,6°
E - head tube angle	74,9°	75,6°	76,3°
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm	450 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 5


● white-gold

● silver-gray

○ 28"

○ alu 6061

○ 18"/20"

○ 24 speed

○ 18,4 kg

## GAZELA 5

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** Suntour NEX 63mm

**DAMPER** —

**DRIVETRAIN** 3×8

**FRONT SHIFTERS** Shimano ST-EF505 3 speed

**REAR SHIFTERS** Shimano ST-EF505 8 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Acera RD-M3020

**CRANKSET** Shimano FC-TY301 48/38/28T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** VeeTire City Tour 700×42C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-C3000

**REAR HUB** Shimano FH-TX500

**CASSETTE** Shimano CS-HG200 12-32T 8 speed

**HANDLEBAR** aluminium 640mm 15° 31,8 mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium suspension SP-372 30,9×300mm

**GRIPS** Westphal Elipsis

**SADDLE** Selle Royal 5094

**PEDALS** FP-920

**FRONT LAMP** JY-7070


**REAR LAMP** JY-397

**WEIGHT** 18,4 kg

**COLOURS** white-gold, silver-gray

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	432 mm	483 mm
B - top tube length	535 mm	542 mm
C - chainstay length	460 mm	460 mm
D - seat tube angle	66,6°	66,6°
E - head tube angle	73,9°	74,6°
F - wheel base	1058,9 mm	1069 mm
G - head tube length	150 mm	150 mm
H - fork length	450 mm	450 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 4



silver-black

graphite-white



28"



alu 6061



19"/21"/23"



21speed



18,4 kg

## WAGANT 4

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M3020

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D32

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9×300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-920

FRONT LAMP JY-7093


REAR LAMP JY-397

WEIGHT 18,4 kg

COLOURS silver-black, graphite-white

Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	520 mm	560 mm
B - top tube length	560 mm	605 mm	630 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	65,9°	65,9°	65,8°
E - head tube angle	70°	70°	70°
F - wheel base	1099,8 mm	1124,8 mm	1145 mm
G - head tube length	150 mm	150 mm	170 mm
H - fork length	490 mm	490 mm	490 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 4



black-gray

graphite-white



28"



alu 6061



18" / 20"



21speed



18,4 kg

## GAZELA 4

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK Suntour NEX 63mm

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M3020

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES VeeTire City Tour 700×42C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D32

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9×300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-920

FRONT LAMP JY-7093


REAR LAMP JY-397

WEIGHT 18,4 kg

COLOURS black-gray, graphite-white

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	65,9°	65,9°
E - head tube angle	69°	69°
F - wheel base	1096,4 mm	1096,4 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 3



dark gold      blue-navy blue

28"

alu 6061

19" / 21" / 23"

21 speed

17,3 kg

## WAGANT 3

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK SR Suntour 3010

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Acera RD-M3020

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES Mitas Hook 700x40C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium suspension SP-372 30,9x300mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP JY-7093


REAR LAMP Buchel Edge

WEIGHT 17,3 kg

COLOURS blue-navy blue, dark gold

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	520 mm	560 mm
B - top tube length	560 mm	605 mm	630 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	65,9°	65,9°	65,8°
E - head tube angle	70°	70°	70°
F - wheel base	1099,8 mm	1124,8 mm	1145 mm
G - head tube length	150 mm	150 mm	170 mm
H - fork length	490 mm	490 mm	490 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x42C	700x42C	700x42C





# GAZELA 3


● blue -navy blue

● white-silver

● 28"

● alu 6061

■ 18" / 20"

■ 21 speed

■ 17,3 kg

## GAZELA 3

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** SR Suntour 3010

**DAMPER** —

**DRIVETRAIN** 3×7

**FRONT SHIFTERS** Shimano ST-EF500 3 speed

**REAR SHIFTERS** Shimano ST-EF500 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Acera RD-M3020

**CRANKSET** Shimano FC-TY301 48/38/28T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** Mitas Hook 700×40C

**RIMS** aluminium doublewall

**FRONT HUB** Shimano dynamo DH-C3000

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** steel 610mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium suspension SP-372 30,9×300mm

**GRIPS** Westphal Elipsis

**SADDLE** Selle Royal 5094

**PEDALS** FP-804

**FRONT LAMP** JY-7093


**REAR LAMP** Buchel Edge

**WEIGHT** 17,3 kg

**COLOURS** white-silver, blue-navy blue

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	65,9°	65,9°
E - head tube angle	69°	69°
F - wheel base	1096,4 mm	1096,4 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT 2



gray-graphite

black-silver

28"

alu 6061

19"/21"/23"

21speed

17 kg

## WAGANT 2

Technical data

**WHEEL SIZE / FRAME 28" alu 6061**

SIZE M – 19" / L – 21" / XL – 23"

FORK suspension

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE disc

REAR BRAKE disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES Mitas Hook 700×40C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 30,9 mm 350 mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP Buchel France battery


REAR LAMP Buchel Tivoli battery

WEIGHT 17 kg

COLOURS gray-graphite, black-silver

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	520 mm	560 mm
B - top tube length	560 mm	605 mm	630 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	65,9°	65,9°	65,8°
E - head tube angle	70°	70°	70°
F - wheel base	1099,8 mm	1124,8 mm	1145 mm
G - head tube length	150 mm	150 mm	170 mm
H - fork length	490 mm	490 mm	490 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700×42C	700×42C	700×42C





# GAZELA 2

navy blue  
-blue

gray-purple



28"



alu 6061



18" / 20"



21speed



17 kg

## GAZELA 2

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M - 18" / L - 20"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE disc

REAR BRAKE disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES Mitas Hook 700x40C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 30,9 mm 350 mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP Buchel France battery


REAR LAMP Buchel Tivoli battery

WEIGHT 17 kg

COLOURS navy blue-blue, gray-purple

Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	65,9°	65,9°
E - head tube angle	69°	69°
F - wheel base	1096,4 mm	1096,4 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700x42	700x42





# WAGANT 1



28"

alu 6061

19"/21"/23"

21speed

17 kg

## WAGANT 1

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21" / XL – 23"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF500 3 speed

REAR SHIFTERS Shimano ST-EF500 7 speed

FRONT DERAILLEUR Shimano FD-TY510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Shimano FC-TY301 48/38/28T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES Mitas Hook 700x40C

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 30,9 mm 350 mm

GRIPS Westphal Elipsis

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP Buchel France battery


REAR LAMP Buchel Tivoli battery

WEIGHT 17 kg

COLOURS black-red, silver-blue

## Geometry

	M	L	XL
Tyre size	28"	28"	28"
A - frame size	480 mm	520 mm	560 mm
B - top tube length	560 mm	605 mm	630 mm
C - chainstay length	450 mm	450 mm	450 mm
D - seat tube angle	65,9°	65,9°	65,8°
E - head tube angle	70°	70°	70°
F - wheel base	1099,8 mm	1124,8 mm	1145 mm
G - head tube length	150 mm	150 mm	170 mm
H - fork length	490 mm	490 mm	490 mm
Stack	—	—	—
Reach	—	—	—
Standover height	—	—	—
Maximum tyre size	700x42C	700x42C	700x42C





# GAZELA 1


● white-purple

● navy blue -silver

● white

● 28"

● alu 6061

● 18" / 20"

● 21 speed

● 17 kg

## GAZELA 1

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3×7

**FRONT SHIFTERS** Shimano ST-EF500 3 speed

**REAR SHIFTERS** Shimano ST-EF500 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano FC-TY301 48/38/28T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** Mitas Hook 700×40C

**RIMS** aluminium doublewall

**FRONT HUB** aluminium

**REAR HUB** aluminium

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** steel 610mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium 30,9 mm 350 mm

**GRIPS** Westphal Elipsis

**SADDLE** Selle Royal 5094

**PEDALS** FP-804

**FRONT LAMP** Buchel France battery


**REAR LAMP** Buchel Tivoli battery

**WEIGHT** 17 kg

**COLOURS** white-purple, navy blue-silver, white

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	65,9°	65,9°
E - head tube angle	69°	69°
F - wheel base	1096,4 mm	1096,4 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# WAGANT


● dark turquoise -gold

● light graphite -green

● 28"

● alu 6061

● 18" / 20"

● 21 speed

● 17 kg

## WAGANT

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3x7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano FC-TY301 48/38/28T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 700x35C

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** steel 610mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium 30,9 mm 350 mm

**GRIPS** Brat Kier

**SADDLE** Selle Royal 6420

**PEDALS** FP-804

**FRONT LAMP** Battery


**REAR LAMP** Battery

**WEIGHT** 17 kg

**COLOURS** light graphite-green, dark turquoise-gold

## Geometry

	<b>M</b>	<b>L</b>	<b>XL</b>
<b>Tyre size</b>	28"	28"	28"
<b>A - frame size</b>	480 mm	520 mm	560 mm
<b>B - top tube length</b>	560 mm	605 mm	630 mm
<b>C - chainstay length</b>	450 mm	450 mm	450 mm
<b>D - seat tube angle</b>	65,9°	65,9°	65,8°
<b>E - head tube angle</b>	70°	70°	70°
<b>F - wheel base</b>	1099,8 mm	1124,8 mm	1145 mm
<b>G - head tube length</b>	150 mm	150 mm	170 mm
<b>H - fork length</b>	490 mm	490 mm	490 mm
<b>Stack</b>	—	—	—
<b>Reach</b>	—	—	—
<b>Standover height</b>	—	—	—
<b>Maximum tyre size</b>	700x42C	700x42C	700x42C





# GAZELA


light graphite  
-green
dark turquoise  
-gold
black-yellow  
-gold
white-violet
28"
alu 6061
18" / 20"
21 speed
17 kg

## GAZELA

[Technical data](#)
**WHEEL SIZE / FRAME** 28" / alu 6061

**SIZE** M – 18" / L – 20"

**FORK** suspension

**DAMPER** —

**DRIVETRAIN** 3×7

**FRONT SHIFTERS** Shimano ST-EF41 3 speed

**REAR SHIFTERS** Shimano ST-EF41 7 speed

**FRONT DERAILLEUR** Shimano FD-TY510

**REAR DERAILLEUR** Shimano Altus RD-M310

**CRANKSET** Shimano FC-TY301 48/38/28T 170mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 700×35C

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** Shimano MF-TZ500 14-28T 7 speed

**HANDLEBAR** steel 610mm

**STEM** MTS-C297 90mm/180mm

**SEAT POST** aluminium 30,9 mm 350 mm

**GRIPS** Brat Kier

**SADDLE** Selle Royal 6420

**PEDALS** FP-804

**FRONT LAMP** Battery


**REAR LAMP** Battery

**WEIGHT** 17 kg

**COLOURS** light graphite-green, dark turquoise-gold,  
black-yellow-gold, white-violet

## Geometry

	M	L
Tyre size	28"	28"
A - frame size	460 mm	500 mm
B - top tube length	565 mm	590 mm
C - chainstay length	450 mm	450 mm
D - seat tube angle	65,9°	65,9°
E - head tube angle	69°	69°
F - wheel base	1096,4 mm	1096,4 mm
G - head tube length	150 mm	150 mm
H - fork length	490 mm	490 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	700×42	700×42





# GAZELA 26 3 CS



26"

alu 6061

15" / 17"

18 speed

## GAZELA 26 3 CS

Technical data

**WHEEL SIZE / FRAME** 26" / alu 6061

SIZE S – 15" / M – 17"

FORK Suntour 26" NEX 63mm

DAMPER —

DRIVETRAIN 2x9

FRONT SHIFTERS Shimano Cues SL-U4000 2 speed

REAR SHIFTERS Shimano Cues SL-U4000-9R 9 speed

FRONT DERAILLEUR Shimano Cues FD-U4010

REAR DERAILLEUR Shimano Cues RD-U3020

CRANKSET Shimano Cues FC-U4010-2, 46-30T, 170mm

FRONT BRAKE Shimano BL-MT200/BR-M200

REAR BRAKE Shimano BL-MT200/BR-M200

FRONT BRAKE DISC Shimano SM-RT10 centerlock 160mm

REAR BRAKE DISC Shimano SM-RT10 centerlock 160mm

TYRES 26" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-3D37

REAR HUB Shimano FH-TX505

CASSETTE Shimano CS-LG300-9,11-36T 9 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 27,2 mm 300 mm

GRIPS Brat Kier

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP JY-7093


REAR LAMP JY-397

WEIGHT —

COLOURS white-gold, dark-lightgold

## Geometry

	S	M
Tyre size	26"	26"
A - frame size	381 mm	432 mm
B - top tube length	555 mm	552 mm
C - chainstay length	435 mm	435 mm
D - seat tube angle	72°	72°
E - head tube angle	69°	69°
F - wheel base	1080 mm	1080 mm
G - head tube length	150 mm	150 mm
H - fork length	465 mm	465 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# GAZELA 262


● white-pink

● green-creamy


26"



alu 6061



15" / 17"



21 speed



16,9 kg

## GAZELA 262

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE S – 15" / M – 17"

FORK Suntour 3010

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TZ510

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Cyclone CTL3 42/34/42T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26"×1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 27,2 mm 300 mm

GRIPS Brat Kier

SADDLE Selle Royal 5094

PEDALS FP-804

FRONT LAMP JY-7093


REAR LAMP JY-397

WEIGHT 16,9 kg

COLOURS white-pink, green-creamy

Geometry

	S	M
Tyre size	26"	26"
A - frame size	381 mm	432 mm
B - top tube length	555 mm	552 mm
C - chainstay length	435 mm	435 mm
D - seat tube angle	72°	72°
E - head tube angle	69°	69°
F - wheel base	1080 mm	1080 mm
G - head tube length	150 mm	150 mm
H - fork length	465 mm	465 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"





# GAZELA 261

mint  
-greenpurple  
-pink

26"



alu 6061



15" / 17"



21speed



17 kg

## GAZELA 261

Technical data

### WHEEL SIZE / FRAME 26" / alu 6061

SIZE S – 15" / M – 17"

FORK suspension

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano FD-TY500

REAR DERAILLEUR Shimano Altus RD-M310

CRANKSET Cyclone CTL3 42/34/42T 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26"×1,75"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 610mm

STEM MTS-C297 90mm/180mm

SEAT POST aluminium 27,2mm 300 mm

GRIPS Brat Kier

SADDLE Selle Royal 6420

PEDALS FP-804

FRONT LAMP Buchel France battery


REAR LAMP Buchel Tivoli battery

WEIGHT 17 kg

COLOURS mint-green, purple-pink

Geometry

	S	M
Tyre size	26"	26"
A - frame size	381 mm	432 mm
B - top tube length	555 mm	552 mm
C - chainstay length	435 mm	435 mm
D - seat tube angle	72°	72°
E - head tube angle	69°	69°
F - wheel base	1080 mm	1080 mm
G - head tube length	150 mm	150 mm
H - fork length	465 mm	465 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"



# Recommended accessories **TREKKING**



Bicycle pump model AS-06 mini  
DV/AV/FV aluminium

00-20-31083-16-00013



Two-chamber carrier bag ROMET

00-00-25850-00-00008



Frame bag ROMET

00-00-25850-00-00011



Alloy water bottle cage CL-053

00-10-10365-04-00001



Water bottle 0,7 l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV9100

00-20-18922-06-00017






**La bicicletta da città per molte persone in tutto il mondo è stata la risposta agli ingorghi, alla crisi energetica, ai prezzi elevati del carburante e ai cambiamenti ambientali. Oltre a risparmiare tempo, denaro e a proteggere il pianeta, è anche una scelta consapevole per uno stile di vita meno frettoloso e più rispettoso del mondo che ci circonda. Andare in bicicletta in città ti permette di goderti la vita urbana. Al tuo ritmo!**

Le biciclette della gamma 2024 ROMET CITY per il ciclismo in città di tutti i giorni si adattano al ritmo urbano moderno. È il tragitto mattutino per andare al lavoro, le escursioni veloci per il pranzo, le riunioni, lo shopping e molteplici commissioni. Abbiamo curato i più piccoli dettagli per rendere gli spostamenti in città in sella alla bici ROMET CITY sicuri, comodi e divertenti. Le nostre biciclette sono dotate di parafanghi, portapacchi, illuminazione e tanti accorgimenti che ne aumentano il comfort e la funzionalità.

L'intera gamma ROMET CITY è costruita su componenti collaudati in condizioni urbane, tra cui cambi al mozzo affidabili, pneumatici ad alto volume, selle comode e manopole.

La collezione ROMET CITY è completata da una selezione di accessori urbani che ti aiuteranno a ottenere di più dalle tue pedalate e a proteggere o dotare la tua bici di accessori attraenti che si adattano alle tue esigenze individuali.



CITY .....	358
ART DECO LUX .....	360
ART DECO CLASSIC .....	362
ART DECO ECO .....	364
POP ART LUX .....	366
POP ART CLASSIC .....	368
POP ART CLASSIC 26 .....	370
POP ART ECO .....	372
SONATA CLASSIC .....	374
SONATA CLASSIC 26 .....	376
SONATA ECO .....	378
SONATA ECO 26 .....	380
LUIZA LUX .....	382
LUIZA LUX 26 .....	384
LUIZA CLASSIC .....	386
LUIZA CLASSIC 26 .....	388
LUIZA ECO .....	390
LUIZA ECO 26 .....	392
VINTAGE LTD D .....	394
VINTAGE LTD M .....	396
VINTAGE CLASSIC D .....	398
VINTAGE CLASSIC M .....	400
VINTAGE ECO D .....	402
VINTAGE ECO M .....	404
JUBILAT .....	406
JUBILAT CLASSIC .....	408
JUBILAT ECO .....	410
WICHER SKID .....	412
MISTRAL 2 D .....	414
MISTRAL 2 M .....	416
MISTRAL 1 D .....	418
MISTRAL 1 M .....	420
WIGRY .....	422
WIGRY CLASSIC .....	424
WIGRY ECO .....	426

# ART DECO LUX



28"

alu 6061

18" / 20"

7 speed

17,2 kg

## ART DECO LUX

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 1x7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 19T

HANDLEBAR aluminium 595mm

STEM aluminium adjustable 90mm/100mm

SEAT POST aluminium 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-833

FRONT LAMP 3-LED

REAR LAMP 3-LED

WEIGHT 17,2 kg

COLOURS navy blue, black

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



navy blue



black

# ART DECO CLASSIC



28"

alu 6061

18"/20"

3 speed

16,5 kg

## ART DECO CLASSIC

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 18T

HANDLEBAR aluminium 595mm

STEM aluminium adjustable 90mm/100mm

SEAT POST aluminium 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-833

FRONT LAMP 3-LED

REAR LAMP 3-LED

WEIGHT 16,5 kg

COLOURS champagne, gray

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



champagne



gray

# ART DECO ECO



28"

alu 6061

18" / 20"

3 speed

16,0 kg

## ART DECO ECO

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK suspension

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Shimano Nexus 3 speed

CASSETTE 18T

HANDLEBAR aluminium 595mm

STEM aluminium

SEAT POST aluminium 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-833

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 16,0 kg

COLOURS white, pink

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder


Colours



white



pink



# POP ART LUX



28"

alu 6061

18" / 20"

7 speed

17,2 kg

## POP ART LUX

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 20T

HANDLEBAR aluminium 595mm

STEM aluminium

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 3-LED

REAR LAMP 3-LED

WEIGHT 17,2 kg

COLOURS claret, gray

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



claret



gray

# POP ART CLASSIC



28"

alu 6061

18" / 20"

3 speed

16,5 kg

## POP ART CLASSIC

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 16,5 kg

COLOURS navy blue, white

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



white



navy blue

# POP ART CLASSIC 26



26"

alu 6061

18"

3 speed

14,0 kg

## POP ART CLASSIC 26

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE M - 18"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 14,0 kg

COLOURS navy blue, white

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



navy blue



white



# POP ART ECO



28"

alu 6061

18" / 20"

3 speed

15,3 kg

## POP ART ECO

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 15,3 kg

COLOURS black, heather, blue

ACCESSORIES INCLUDED handlebar basket with a basket liner, stylish bell, cup holder

Colours



heather



black

# SONATA CLASSIC



28"

alu 6061

18" / 20"

3 speed

15,8 kg

## SONATA CLASSIC

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 15,8 kg

COLOURS pink, graphite, white

ACCESSORIES INCLUDED stylish bell, cup holder

Colours



white

graphite

pink

# SONATA CLASSIC 26



26"

alu 6061

18" / 20"

3 speed

14,0 kg

## SONATA CLASSIC 26

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 14,0 kg

COLOURS pink, graphite, white

ACCESSORIES INCLUDED stylish bell, cup holder

Colours



pink

white

graphite

# SONATA ECO



28"

alu 6061

18" / 20"

6 speed

15,0 kg

## SONATA ECO

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1×6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28"×1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 595mm

STEM aluminium

SEAT POST aluminium 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 15,0 kg

COLOURS purple, gray, mint

ACCESSORIES INCLUDED stylish bell, cup holder

Colours



mint

purple

beige

# SONATA ECO 26



26"

alu 6061

18"

6 speed

14,3 kg

## SONATA ECO 26

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE M - 18"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26" x 1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 595mm

STEM aluminium

SEAT POST aluminium 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 14,3 kg

COLOURS purple, gray, mint

ACCESSORIES INCLUDED stylish bell, cup holder


Colours



beige

mint

purple



# LUIZA LUX



28"

alu 6061

19" / 21"

7 speed

17,7 kg

## LUIZA LUX

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 19T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 17,7 kg

COLOURS black, beige

ACCESSORIES INCLUDED stylish bell, cup holder


Colours



black



beige



# LUIZA LUX 26



26"

alu 6061

18"

7 speed

16,4 kg

## LUIZA LUX 26

Technical data

WHEEL SIZE / FRAME 26" / alu 6061

SIZE M – 18"

FORK rigid steel

DAMPER —

DRIVETRAIN 1×7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26"×1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 19T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 16,4 kg

COLOURS black, beige

ACCESSORIES INCLUDED stylish bell, cup holder

Colours



beige



black



# LUIZA CLASSIC



28"

alu 6061

19" / 21"

3 speed

15,4 kg

## LUIZA CLASSIC

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 19" / L – 21"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 18T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 15,4 kg

COLOURS green, white

Colours



white



green

# LUIZA CLASSIC 26



26"

alu 6061

18"

3 speed

14,6 kg

## LUIZA CLASSIC 26

Technical data

**WHEEL SIZE / FRAME** 26" / alu 6061
**SIZE** M – 18"**FORK** rigid steel**DAMPER** —**DRIVETRAIN** 1x3**FRONT SHIFTERS** —**REAR SHIFTERS** Shimano Nexus 3 speed**FRONT DERAILLEUR** —**REAR DERAILLEUR** Shimano Nexus 3 speed**CRANKSET** Cyclone CTL-3-101 38T / 170mm**FRONT BRAKE** V-brake**REAR BRAKE** Torpedo**FRONT BRAKE DISC** —**REAR BRAKE DISC** —**TYRES** 26" x 1,75"**RIMS** aluminium doublewall**FRONT HUB** Shimano dynamo DH-C3000**REAR HUB** Shimano Nexus 3 speed**CASSETTE** 18T**HANDLEBAR** steel 595mm**STEM** steel**SEAT POST** steel 27,2mm/300mm**GRIPS** —**SADDLE** Romet city**PEDALS** FP-804**FRONT LAMP** 1-LED**REAR LAMP** 3-LED**WEIGHT** 14,6 kg**COLOURS** green, white


Colours



green



white



# LUIZA ECO



28"

alu 6061

18"

6 speed

14,8 kg

## LUIZA ECO

Technical data

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M - 18"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 28" x 1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 14,8 kg

COLOURS pink, gray

ACCESSORIES INCLUDED stylish bell, cup holder

Colours



gray



pink



# LUIZA ECO 26



26"

alu 6061

18"

6 speed

14,0 kg

## LUIZA ECO 26

Technical data

## WHEEL SIZE / FRAME 26" / alu 6061

SIZE M – 18"

FORK rigid steel

DAMPER —

DRIVETRAIN 1×6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 26"×1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 595mm

STEM steel

SEAT POST steel 27,2mm/300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 14,0 kg

COLOURS pink, gray


Colours



pink



gray



# VINTAGE LTD D



28"

stal

18" / 20"

7 speed

17,2 kg

## VINTAGE LTD D

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x35C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 20T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4 mm 300 mm

GRIPS —

SADDLE Romet city

PEDALS FP-920B

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 17,2 kg

COLOURS yellow

Colours



yellow



# VINTAGE LTD M



28"

stal

18" / 20"

7 speed

17,2 kg

## VINTAGE LTD M

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x7

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brak

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x35C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 7 speed

CASSETTE 20T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4 mm 300 mm

GRIPS —

SADDLE Romet city

PEDALS FP-920B

FRONT LAMP LED 100LUX

REAR LAMP LED


WEIGHT 17,2 kg

COLOURS green

Colours



green



# VINTAGE CLASSIC D



28"

stal

18" / 20"

3 speed

16,0 kg

## VINTAGE CLASSIC D

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x40C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4 mm 300 mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 16,0 kg

COLOURS turquoise, black


Colours



turquoise



black



# VINTAGE CLASSIC M



28"

stal

18" / 20"

3 speed

16,0 kg

## VINTAGE CLASSIC M

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x40C

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4mm / 300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 16,0 kg

COLOURS red, turquoise

Colours



red



turquoise



# VINTAGE ECO D



28"

stal

18" / 20"

6 speed

15,3 kg

## VINTAGE ECO D

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x35C

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4mm / 300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 15,3 kg

COLOURS red, white

Colours



white



red



# VINTAGE ECO M



28"

stal

18" / 20"

6 speed

15,3 kg

## VINTAGE ECO M

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE M – 18" / L – 20"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x35C

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 570mm

STEM aluminium

SEAT POST steel 25,4mm / 300mm

GRIPS —

SADDLE Romet city

PEDALS FP-804

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 15,3 kg

COLOURS green


Colours



gray



green



# JUBILAT



24"

alu 6061

15"

1speed

## JUBILAT

Technical data

## WHEEL SIZE / FRAME 24" / alu 6061

SIZE 15" foldable

FORK rigid steel

DAMPER —

DRIVETRAIN 1x1

FRONT SHIFTERS —

REAR SHIFTERS —

FRONT DERAILLEUR —

REAR DERAILLEUR —

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24x1,75"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE 20T

HANDLEBAR steel 600mm

STEM aluminium foldable

SEAT POST aluminium 28,6mm / 400mm

GRIPS —

SADDLE Romet city

PEDALS VP-F55 foldable

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT —

COLOURS claret, olive

Colours



claret



olive

# JUBILAT CLASSIC



24"

alu 6061

15"

3 speed

15,8 kg

## JUBILAT CLASSIC

Technical data

WHEEL SIZE / FRAME 24" / alu 6061

SIZE 15" foldable

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24" x 1.75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 600mm

STEM aluminium foldable

SEAT POST aluminium 27,2mm / 450mm

GRIPS —

SADDLE Selle Basano

PEDALS VP-F55 foldable

FRONT LAMP 1-LED

REAR LAMP 3-LED

WEIGHT 15,8 kg

COLOURS green

Colours



green



# JUBILAT ECO



24"

alu 6061

15"

6 speed

16,6 kg

## JUBILAT ECO

Technical data

WHEEL SIZE / FRAME 24" / alu 6061

SIZE 15" foldable

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake Alhonga

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24" x 1.75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel 600mm

STEM aluminium foldable

SEAT POST aluminium 28,6mm / 400mm

GRIPS —

SADDLE Selle Basano

PEDALS VP-F55 foldable

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 16,6 kg

COLOURS black, blue


Colours



blue



black



# WICHER SKID



28"

stal

21"

1speed

10,4 kg

## WICHER SKID

Technical data

WHEEL SIZE / FRAME 28" / steel

SIZE L - 21"

FORK rigid steel

DAMPER —

DRIVETRAIN 1x1

FRONT SHIFTERS —

REAR SHIFTERS —

FRONT DERAILLEUR —

REAR DERAILLEUR —

CRANKSET aluminium 46T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 700x28C

RIMS aluminium doublewall

FRONT HUB aluminium GL-B32F

REAR HUB aluminium GL-B32R

CASSETTE freewheel 1 speed

HANDLEBAR aluminium 560mm

STEM aluminium

SEAT POST aluminium 27,2mm/ 350mm

GRIPS —

SADDLE Velo

PEDALS FP-971

FRONT LAMP —

REAR LAMP —


WEIGHT 10,4 kg

COLOURS dark blue

Colours



dark blue



# MISTRAL 2D



28"

alu 6061

44 / 48 / 52 cm

7 speed

12,8 kg

## MISTRAL 2D

Technical data

## WHEEL SIZE / FRAME 28" alu 6061

SIZE S – 44 cm / M – 48 cm / L – 52 cm

FORK rigid aluminium

DAMPER —

DRIVETRAIN 1x7, drive belt

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus SLC-30007 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Gates S150 46T / 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC Shimano SM-RT10 160mm

REAR BRAKE DISC Shimano SM-RT10 160mm

TYRES 700x47C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano Nexus SG-C3017 7 speed

CASSETTE Gates 24T

HANDLEBAR aluminium 660mm

STEM aluminium

SEAT POST aluminium 27,2mm / 350mm

GRIPS —

SADDLE Romet city

PEDALS FP-971

FRONT LAMP —

REAR LAMP —

WEIGHT 12,8 kg

COLOURS dark pink

Colours



dark pink



# MISTRAL 2M



28"

alu 6061

48/52/56 cm

7 speed

12,8 kg

## MISTRAL 2M

Technical data

## WHEEL SIZE / FRAME 28"/ alu 6061

SIZE S – 48 cm / M – 52 cm / L – 56 cm

FORK rigid aluminium

DAMPER —

DRIVETRAIN 1x7, drive belt

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus SLC-30007 7 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 7 speed

CRANKSET Gates S150 46T / 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC Shimano SM-RT10 160mm

REAR BRAKE DISC Shimano SM-RT10 160mm

TYRES 700x47C

RIMS aluminium doublewall

FRONT HUB Shimano HB-TX505

REAR HUB Shimano Nexus SG-C3017 7 speed

CASSETTE Gates 24T

HANDLEBAR aluminium 660mm

STEM aluminium

SEAT POST aluminium 27,2mm / 350mm

GRIPS —

SADDLE Romet city

PEDALS FP-971

FRONT LAMP —

REAR LAMP —

WEIGHT 12,8 kg

COLOURS blue

Colours



blue



# MISTRAL 1D



28"

alu 6061

44/48/52 cm

8 speed

11,7 kg

## MISTRAL 1D

Technical data

WHEEL SIZE / FRAME 28" alu 6061

SIZE S – 44 cm / M – 48 cm / L – 52 cm

FORK rigid aluminium

DAMPER —

DRIVETRAIN 1x8

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-M315 8 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Acera RD-M3020 8 speed

CRANKSET Cyclone CTL-3 42T / 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160 mm

REAR BRAKE DISC 160 mm

TYRES 28"×1,75"

RIMS aluminium doublewall

FRONT HUB aluminium GL-B43F

REAR HUB aluminium GL-B43R

CASSETTE Shimano HG200 12-32T

HANDLEBAR aluminium 660mm

STEM aluminium

SEAT POST aluminium 27,2mm / 350mm

GRIPS —

SADDLE Romet city

PEDALS FP-971

FRONT LAMP —

REAR LAMP —

WEIGHT 11,7 kg

COLOURS gray

Colours



gray



# MISTRAL 1M



28"

alu 6061

48/52/56 cm

8 speed

11,7 kg

## MISTRAL 1M

Technical data

## WHEEL SIZE / FRAME 28" alu 6061

SIZE S – 48 cm / M – 52 cm / L – 56 cm

FORK rigid aluminium

DAMPER —

DRIVETRAIN 1x8

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-M315 8 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Acera RD-M3020 8 speed

CRANKSET Cyclone CTL-3 42T / 170mm

FRONT BRAKE Shimano BR-TX805 mechanical disc

REAR BRAKE Shimano BR-TX805 mechanical disc

FRONT BRAKE DISC 160 mm

REAR BRAKE DISC 160 mm

TYRES 28"×1,75"

RIMS aluminium doublewall

FRONT HUB aluminium GL-B43F

REAR HUB aluminium GL-B43R

CASSETTE Shimano HG200 12-32T

HANDLEBAR aluminium 660mm

STEM aluminium

SEAT POST aluminium 27,2mm / 350mm

GRIPS —

SADDLE Romet city

PEDALS FP-971

FRONT LAMP —

REAR LAMP —


WEIGHT 11,7 kg

COLOURS black

Colours



black



# WIGRY



20"

steel

13"

1 speed

## WIGRY

Technical data

WHEEL SIZE / FRAME	20" / steel
SIZE	13" foldable
FORK	rigid steel
DAMPER	1x1
DRIVETRAIN	—
FRONT SHIFTERS	—
REAR SHIFTERS	—
FRONT DERAILLEUR	—
REAR DERAILLEUR	—
CRANKSET	Cyclone AL-4-101S-7 38T / 170mm
FRONT BRAKE	V-brake
REAR BRAKE	Torpedo
FRONT BRAKE DISC	—
REAR BRAKE DISC	—
TYRES	20x1.75"

RIMS	aluminium doublewall
FRONT HUB	steel
REAR HUB	steel
CASSETTE	20T
HANDLEBAR	steel 600mm
STEM	aluminium foldable
SEAT POST	aluminium 27.2mm / 400mm
GRIPS	—
SADDLE	Romet city
PEDALS	VP-F55 foldable
FRONT LAMP	1-LED battery
REAR LAMP	3-LED battery
WEIGHT	—
COLOURS	khaki, red

Colours



red



# WIGRY CLASSIC



20"

alu 6061

13"

3 speed

13,0 kg

## WIGRY CLASSIC

Technical data

WHEEL SIZE / FRAME 20" / alu 6061

SIZE 13" foldable

FORK rigid steel

DAMPER —

DRIVETRAIN 1x3

FRONT SHIFTERS —

REAR SHIFTERS Shimano Nexus 3 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Nexus 3 speed

CRANKSET Cyclone AL-4-101S-7 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE Torpedo

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 20"×1,75"

RIMS aluminium doublewall

FRONT HUB Shimano dynamo DH-C3000

REAR HUB Shimano Nexus 3 speed

CASSETTE 20T

HANDLEBAR steel 600mm

STEM aluminium foldable

SEAT POST aluminium 27,2mm / 400mm

GRIPS —

SADDLE Romet city

PEDALS VP-F55 foldable

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery


WEIGHT 13,0 kg

COLOURS gray

Colours



gray



# WIGRY ECO



20"

stal

13"

6 speed

12,6 kg

## WIGRY ECO

Technical data

WHEEL SIZE / FRAME 20" / steel

SIZE 13" foldable

FORK rigid steel

DAMPER —

DRIVETRAIN 1x6

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-RS35 - 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD TY21 - 6 speed

CRANKSET Cyclone CTL-3-101 38T / 170mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 20" x 1,75"

RIMS aluminium doublewall

FRONT HUB Joytech 433

REAR HUB Joytech 434

CASSETTE 6 speed 14-28T

HANDLEBAR steel

STEM aluminium foldable

SEAT POST aluminium 28,6mm / 400mm

GRIPS —

SADDLE Romet City

PEDALS VP-F55 foldable

FRONT LAMP 1-LED battery

REAR LAMP 3-LED battery

WEIGHT 12,6 kg

COLOURS white, black

Colours



white



black

# Recommended accessories

# CITY



Front light 300 lumens USB ROMET

00-11-25770-01-00004



Rear light SEEMEE 30 TL

00-11-27701-01-00008

Saddle bag ROMET  
model SH8-6702MR-A

00-00-25850-00-00002



Alloy water bottle cage CL-110

00-10-10365-04-00018



Water bottle 0,7l POWERED BY ROMET

00-20-21750-02-00009



Wireless bicycle computer BKV1557

00-20-18922-06-00034

Romet Accessories 2024  
See more



Ogni passione inizia con il primo piccolo successo.  
Regala a tuo figlio il miglior compagno per i suoi primi chilometri.

Le linee ROMET JUNIOR sono biciclette destinate ai ciclisti più giovani, che si differenziano per taglia di telaio, ruote ed equipaggiamento. Adattate per i più piccoli la cui forza e dimensione ridotte richiedono soluzioni speciali.

Dalle biciclette con ruote da 12", a quelle più grandi da 16" e 20", fino alle versioni quasi per adulti con ruote da 24", i colori dei modelli per bambini sono così variegate che ogni giovane rider troverà il suo preferito.

In tutta la gamma delle biciclette JUNIOR/KIDS la moltitudine di taglie e le geometrie opportunamente studiate permettono di scegliere la bicicletta in base all'età e all'altezza del bambino in modo da sensibilizzare fin da tenera età sulle corrette abitudini e posizioni.

Le linee ROMET RAMBLER e ROMET JOLENE sono pronte per le sfide date dalla passione e dall'energia dei bambini. I componenti che abbiamo utilizzato per realizzare queste biciclette hanno la qualità delle prestazioni conosciuta dalle loro controparti a grandezza naturale e consentono ai giovani utenti di imparare, giocare e conquistare nuovi territori.

Il RAMBLER DIRT 24 supporterà lo stile sportivo di tuo figlio. È un modello che soddisfa le aspettative di molti piloti junior: forcella ammortizzata per aumentare il comfort e freni a disco per prendersi cura della sicurezza e consentire il divertimento sul pump track e i primi giri di prova con gli amici.

Più divertimento e avventura? Preferibilmente con gli accessori giusti. Abbiamo preparato una proposta di gadget che permetteranno ai giovani di 'potenziare' il proprio modello secondo i propri gusti.



JUNIOR / KIDS .....	430
RAMBLER DIRT 24.....	432
RAMBLER FIT 24 .....	434
RAMBLER 24.....	436
JOLENE 24.....	438
RAMBLER FIT 20 .....	440
RAMBLER 20 KID 2.....	442
RAMBLER 20 KID 1.....	444
JOLENE 20 KID 2 .....	446
JOLENE 20 KID 1 .....	448
PANDA 2.....	450
PANDA 1 .....	452
TOM 20.....	454
TOLA 20 .....	455
TOM 16 .....	456
TOLA 16.....	457
TOM 12.....	458
TOLA 12.....	459



# RAMBLER DIRT 24

yellow  
-orange-graphitesilver  
-orange-graphiteblack  
-blue-silver

24"



alu 6061



12"



21speed



13,6 kg

## RAMBLER DIRT 24

Technical data

### WHEEL SIZE / FRAME 24" alu 6061

SIZE S - 12"

FORK suspension

DAMPER —

DRIVETRAIN 3×7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Tourney RD-TY300

CRANKSET Cyclone CTL-3-324 42/34/24T 152mm

FRONT BRAKE mechanical disc

REAR BRAKE mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 24"×1,90"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR aluminium 60mm

STEM aluminium 60mm

SEAT POST aluminium 27,2mm/300mm

GRIPS Brat Karo 120mm

SADDLE Romet Kid

PEDALS FP-804

FRONT LAMP —

REAR LAMP —

WEIGHT 13,6 kg

COLOURS silver-orange-graphite, yellow-orange-graphite,  
black-blue-silver

Geometry

### S

Tyre size 24"

A - frame size 327 mm

B - top tube length 481 mm

C - chainstay length 410 mm

D - seat tube angle 67,5°

E - head tube angle 71°

F - wheel base 955 mm

G - head tube length 105 mm


H - fork length 410 mm

Stack —

Reach —

Standover height —

Maximum tyre size 2,0"





# RAMBLER FIT 24

graphite  
- turquoise-silverorange  
- silver-graphite

24"



alu 6061



12"



21speed



14,3 kg

## RAMBLER FIT 24

Technical data

WHEEL SIZE / FRAME 24" / alu 6061

SIZE S - 12"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano ST-EF41 3 speed

REAR SHIFTERS Shimano ST-EF41 7 speed

FRONT DERAILLEUR Shimano Tourney TY300

REAR DERAILLEUR Shimano Tourney RD-TZ500

CRANKSET Cyclone CTL-3-324 42/34/24T 152mm

FRONT BRAKE mechanical disc

REAR BRAKE mechanical disc

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES 24" x 1,90"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 7 speed

HANDLEBAR steel 560mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/300mm

GRIPS Brat Karo 120mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —

REAR LAMP —

WEIGHT 14,3 kg

COLOURS orange-silver-graphite,  
graphite- turquoise-silver

Geometry

S

Tyre size 24"

A - frame size 305 mm

B - top tube length 501 mm

C - chainstay length 415 mm

D - seat tube angle 68°

E - head tube angle 71°

F - wheel base —

G - head tube length 110 mm


H - fork length 410 mm

Stack —

Reach —

Standover height —

Maximum tyre size 2,0"





# RAMBLER 24



24"

alu 6061

13"

21 speed

13,2 kg

## RAMBLER 24

Technical data

**WHEEL SIZE / FRAME 24" / alu 6061**

SIZE S - 13"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano Revoshift RS-36 3 speed

REAR SHIFTERS Shimano Revoshift RS-36 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Tourney RD-TY300

CRANKSET Shimano Tourney FC-TY301 42/34/24T 150mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24" x 1,90"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 7 speed

HANDLEBAR steel 560mm

STEM steel 60/180mm

SEAT POST aluminium 27,2mm/300mm

GRIPS Brat Karo 120mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —

REAR LAMP —

WEIGHT 13,2 kg

COLOURS green-graphite, red-graphite

## Geometry

**S**

Tyre size 24"

A - frame size 327 mm

B - top tube length 520 mm

C - chainstay length 410 mm

D - seat tube angle 68°

E - head tube angle 70°

F - wheel base 994 mm

G - head tube length 120 mm


H - fork length 413 mm

Stack —

Reach —

Standover height —

Maximum tyre size 20"





# JOLENE 24

turquoise  
-pink

white-pink

24"

alu 6061

13"

21 speed

13,4 kg

## JOLENE 24

Technical data

### WHEEL SIZE / FRAME 24" alu 6061

SIZE S - 13"

FORK suspension

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano Revoshift RS-36 3 speed

REAR SHIFTERS Shimano Revoshift RS-36 7 speed

FRONT DERAILLEUR Shimano Tourney FD-TY300

REAR DERAILLEUR Shimano Tourney RD-TY300

CRANKSET Shimano Tourney FC-TY301 42/34/24T 150mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24" x 1.90"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 7 speed

HANDLEBAR steel 560mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/300mm

GRIPS Brat Karo 120mm

SADDLE Romet

PEDALS FP-804

FRONT LAMP —

REAR LAMP —

WEIGHT 13,4 kg

COLOURS white-pink, turquoise-pink

### Geometry

S

Tyre size 24"

A - frame size 327 mm

B - top tube length 520 mm

C - chainstay length 410 mm

D - seat tube angle 68°

E - head tube angle 70°

F - wheel base 994 mm

G - head tube length 120 mm


H - fork length 413 mm

Stack —

Reach —

Standover height —

Maximum tyre size 20"





# RAMBLER FIT 20

celadon  
-blue-graphiteblue  
-celadon-silver

20"

alu 6061

10"

6 speed

11,9 kg

## RAMBLER FIT 20

Technical data

WHEEL SIZE / FRAME 20" / alu 6061

SIZE S – 10"

FORK suspension

DAMPER —

DRIVETRAIN 1×6

FRONT SHIFTERS —

REAR SHIFTERS Shimano Revoshift RS-35 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano RD-FT35

CRANKSET Cyclone CTL-3-101 36T 127mm

FRONT BRAKE mechanical disc

REAR BRAKE mechanical disc

FRONT BRAKE DISC 140mm

REAR BRAKE DISC 140mm

TYRES 20"×1,90"

RIMS aluminium doublewall

FRONT HUB aluminium

REAR HUB aluminium

CASSETTE Shimano MF-TZ500 14-28T 6 speed

HANDLEBAR steel 540mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/250mm

GRIPS Westphal Profiler 92mm/122mm

SADDLE Romet

PEDALS SP-690

FRONT LAMP —

REAR LAMP —

WEIGHT 11,9 kg

COLOURS celadon-blue-graphite, blue-celadon-silver

Geometry

S

Tyre size 20"

A - frame size 234 mm

B - top tube length 429 mm

C - chainstay length 360 mm

D - seat tube angle 69°

E - head tube angle 70°

F - wheel base 851 mm

G - head tube length 110 mm


H - fork length 370 mm

Stack —

Reach —

Standover height —

Maximum tyre size 20,"





# RAMBLER 20 KID 2

## RAMBLER 20 KID 2

Technical data



20"

alu 6061

10"

6 speed

11,5 kg

**WHEEL SIZE / FRAME 20" / alu 6061**

SIZE	S – 10"
FORK	suspension
DAMPER	—
DRIVETRAIN	1×6
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Revoshift SL-RV400 6 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Tourney RD-FT35
CRANKSET	Cyclone CTL-3 36T 127mm
FRONT BRAKE	V-brake
REAR BRAKE	V-brake
FRONT BRAKE DISC	—
REAR BRAKE DISC	—
TYRES	20"×1,90"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 6 speed

HANDLEBAR steel 540mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/250mm

GRIPS Westphal Profiler 92mm/122mm

SADDLE Romet

PEDALS SP-690

FRONT LAMP —


REAR LAMP —

WEIGHT 11,5 kg

COLOURS turquoise-blue, yellow-gray

## Geometry

S	
Tyre size	20"
A - frame size	275 mm
B - top tube length	422 mm
C - chainstay length	350 mm
D - seat tube angle	73°
E - head tube angle	71°
F - wheel base	841 mm
G - head tube length	120 mm
H - fork length	352 mm
Stack	—
Reach	—
Standover height	—
Maximum tyre size	2,0"





# RAMBLER 20 KID1

RAMBLER 20 KID1

Technical data



szaro -grafitowy

turkusowo -seledynowy

czarno -czterwony

20"

alu 6061

10"

6 speed

10,3 kg

## WHEEL SIZE / FRAME 20" / alu 6061

**SIZE** S – 10"

**FORK** steel

**DAMPER** —

**DRIVETRAIN** 1×6

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Revoshift RS-35 6 speed

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Tourney RD-FT35

**CRANKSET** Cyclone CTL-3 36T 127mm

**FRONT BRAKE** V-brake

**REAR BRAKE** V-brake

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 20"×1,90"

**RIMS** aluminium doublewall

**FRONT HUB** steel

**REAR HUB** steel

**CASSETTE** freewheel 14-28T 6 speed

**HANDLEBAR** steel 540mm

**STEM** steel 60mm/180mm

**SEAT POST** aluminium 27,2mm/250mm

**GRIPS** Westphal Profiler 92mm/122mm

**SADDLE** Romet

**PEDALS** SP-690

**FRONT LAMP** —

**REAR LAMP** —

**WEIGHT** 10,3 kg

**COLOURS** white-blue, lime green-gray

## Geometry

### S

Tyre size 20"

A - frame size 275 mm

B - top tube length 422 mm

C - chainstay length 350 mm

D - seat tube angle 73°

E - head tube angle 71°

F - wheel base 841 mm

G - head tube length 120 mm


H - fork length 352 mm

Stack —

Reach —

Standover height —

Maximum tyre size 2,0"





# JOLENE 20 KID 2

white  
-blue-pink

gray-pink

20"

alu 6061

10"

6 speed

11,4 kg

## JOLENE 20 KID 2

Technical data

### WHEEL SIZE / FRAME 20" / alu 6061

SIZE	S – 10"
FORK	suspension
DAMPER	—
DRIVETRAIN	1×6
FRONT SHIFTERS	—
REAR SHIFTERS	Shimano Revoshift SL-RV400 6 speed
FRONT DERAILLEUR	—
REAR DERAILLEUR	Shimano Tourney RD-FT35
CRANKSET	Cyclone CTL-3 36T 127mm
FRONT BRAKE	V-brake
REAR BRAKE	V-brake
FRONT BRAKE DISC	—
REAR BRAKE DISC	—
TYRES	20"×1,90"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 6 speed

HANDLEBAR steel 540mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/250mm

GRIPS Westphal Profiler 92mm/122mm

SADDLE Romet

PEDALS SP-690

FRONT LAMP —


REAR LAMP —

WEIGHT 11,4 kg

COLOURS gray-pink, white-blue-pink

Geometry

S
Tyre size 20"
A - frame size 275 mm
B - top tube length 422 mm
C - chainstay length 350 mm
D - seat tube angle 73°
E - head tube angle 71°
F - wheel base 841 mm
G - head tube length 120 mm
H - fork length 352 mm
Stack —
Reach —
Standover height —
Maximum tyre size 2,0"





# JOLENE 20 KID1



20"

alu 6061

10"

6 speed

10,4 kg

## JOLENE 20 KID1

Technical data

WHEEL SIZE / FRAME 20" / alu 6061

SIZE S – 10"

FORK steel

DAMPER —

DRIVETRAIN 1×6

FRONT SHIFTERS —

REAR SHIFTERS Shimano Revoshift SL-RV400 6 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Tourney RD-FT35

CRANKSET Cyclone CTL-3 36T 127mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 20"×1,90"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 6 speed

HANDLEBAR steel 540mm

STEM steel 60mm/180mm

SEAT POST aluminium 27,2mm/250mm

GRIPS Westphal Profiler 92mm/122mm

SADDLE Romet

PEDALS SP-690

FRONT LAMP —

REAR LAMP —

WEIGHT 10,4 kg

COLOURS coral-white, white-purple

Geometry

S

Tyre size 20"

A - frame size 275 mm

B - top tube length 422 mm

C - chainstay length 350 mm

D - seat tube angle 73°

E - head tube angle 71°

F - wheel base 841 mm

G - head tube length 120 mm


H - fork length 352 mm

Stack —

Reach —

Standover height —

Maximum tyre size 2,0"





# PANDA 2

PHOTO SOON



24"



alu 6061



14"



3 speed

## PANDA 2

Technical data

**WHEEL SIZE / FRAME** 24" / alu 6061

**SIZE** M – 14"

**FORK** rigid

**DAMPER** —

**DRIVETRAIN** 1x3

**FRONT SHIFTERS** —

**REAR SHIFTERS** Shimano Nexus 3

**FRONT DERAILLEUR** —

**REAR DERAILLEUR** Shimano Nexus 3

**CRANKSET** —

**FRONT BRAKE** V-brake

**REAR BRAKE** Torpedo

**FRONT BRAKE DISC** —

**REAR BRAKE DISC** —

**TYRES** 24"×1.75"

**RIMS** aluminium doublewall

**FRONT HUB** Shimano Nexus DH-C3000-3N-NT dynamo

**REAR HUB** Shimano Nexus SG-3C41

**CASSETTE** 19T

**HANDLEBAR** steel 570mm

**STEM** steel 40mm

**SEAT POST** steel 27,2mm/300mm

**GRIPS** Brat Pik 90/120mm

**SADDLE** Romet Kid

**PEDALS** FP-804

**FRONT LAMP** Buchel Retro Sportled

**REAR LAMP** Spaninga Pixeo

**WEIGHT** —

**COLOURS** pink, white-beige

Geometry

**S**

Tyre size 24"

A - frame size 340 mm

B - top tube length 523 mm

C - chainstay length 420 mm

D - seat tube angle 66°

E - head tube angle 69°

F - wheel base 1000 mm

G - head tube length 175 mm


H - fork length 330 mm

Stack —

Reach —

Standover height —

Maximum tyre size 1,75"





# PANDA 1



heather-white   white-blue

24"

alu 6061

14"

21speed

## PANDA 1

Technical data

### WHEEL SIZE / FRAME 24" / alu 6061

SIZE 14"

FORK rigid

DAMPER —

DRIVETRAIN 3x7

FRONT SHIFTERS Shimano Revoshift RS-35 3 speed

REAR SHIFTERS Shimano Revoshift RS-35 7 speed

FRONT DERAILLEUR Shimano Tourney TY500

REAR DERAILLEUR Shimano Tourney RD-TZ500

CRANKSET Cyclone CTL-3-324 42/34/24T 152mm

FRONT BRAKE V-brake

REAR BRAKE V-brake

FRONT BRAKE DISC —

REAR BRAKE DISC —

TYRES 24"×1.75"

RIMS aluminium doublewall

FRONT HUB steel

REAR HUB steel

CASSETTE freewheel 14-28T 7 speed

HANDLEBAR steel 570mm

STEM steel 40mm

SEAT POST steel 27,2mm/300mm

GRIPS Brat Pik 90mm

SADDLE Romet Kid

PEDALS FP-804

FRONT LAMP LED battery

REAR LAMP LED battery

WEIGHT —

COLOURS white-blue, heather-white

### Geometry

#### S

Tyre size 24"

A - frame size 340 mm

B - top tube length 523 mm

C - chainstay length 420 mm

D - seat tube angle 66°

E - head tube angle 69°

F - wheel base 1000 mm

G - head tube length 175 mm


H - fork length 330 mm

Stack —

Reach —

Standover height —

Maximum tyre size 1,75"





# TOM 20



black-blue



blue-green

[Technical data](#)

WHEEL SIZE / FRAME	20" / steel	FRONT HUB	steel
SIZE	10"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 36T	SEAT POST	steel
FRONT BRAKE	V-brake	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	20x1.95	WEIGHT	11,5 kg
RIMS	steel	COLOURS	blue-green, black-blue

# TOLA 20



white-blue



turquoise-purple

[Technical data](#)

WHEEL SIZE / FRAME	20" / steel	FRONT HUB	steel
SIZE	10"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 36T	SEAT POST	steel
FRONT BRAKE	V-brake	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	20x1.95	WEIGHT	11,5 kg
RIMS	steel	COLOURS	turquoise-purple, white-blue



# TOM 16



blue-white



green-blue

[Technical data](#)

WHEEL SIZE / FRAME	16" / steel	FRONT HUB	steel
SIZE	9"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 32T	SEAT POST	steel
FRONT BRAKE	Caliper	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	16x1.95	WEIGHT	10 kg
RIMS	steel	COLOURS	blue-green, green-blue

# TOLA 16



pink-turquoise



turquoise-white

[Technical data](#)

WHEEL SIZE / FRAME	16" / steel	FRONT HUB	steel
SIZE	9"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 32T	SEAT POST	steel
FRONT BRAKE	Caliper	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	16x1.95	WEIGHT	10 kg
RIMS	steel	COLOURS	pink-turquoise, turquoise-white



# TOM 12



yellow-blue



blue-yellow

[Technical data](#)

WHEEL SIZE / FRAME	12" / steel	FRONT HUB	steel
SIZE	7"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 28T	SEAT POST	steel
FRONT BRAKE	Caliper	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	12x1.95	WEIGHT	9 kg
RIMS	steel	COLOURS	blue-yellow, yellow-blue



white -turquoise



pink-white

[Technical data](#)

WHEEL SIZE / FRAME	12" / steel	FRONT HUB	steel
SIZE	7"	REAR HUB	steel
FORK	steel	HANDLEBAR	steel
DRIVETRAIN	1 speed	STEM	steel
CRANKSET	1-sp. 28T	SEAT POST	steel
FRONT BRAKE	Caliper	SADDLE	Romet
REAR BRAKE	Torpedo	PEDALS	plastic
TYRES	12x1.95	WEIGHT	9 kg
RIMS	steel	COLOURS	white-turquoise, pink-white

# Recommended accessories **JUNIOR / KIDS**

Front light  
JY-7067 2-LED XPGRear light  
SEEMEE 30 TLBicycle pump  
RGP93

Front light JY-7067 2-LED XPG

00-11-19004-01-00075



Rear light SEEMEE 30 TL

00-11-27701-01-00008

Bicycle pump model RGP93 DV/AV/FV  
aluminium

00-20-19007-16-00008



Water bottle cage plastic CL-087

00-10-10365-04-00006



Child bicycle gloves ROMET

00-11-18357-01-00165



Child bicycle helmet ROMET 509

00-00-19046-01-00007

Romet Accessories 2024  
See more



BIKE  
ACCESSORIES

BIKE  
ACCESSORIES



Bicycle helmet ROMET 103

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 24  
**Certificate:** compliant with CE EN1078  
**Size:** L (58 – 61 cm)  
**Colour:** white-gray-red  
**Weight:** 242 g

00-00-19046-01-00011



Bicycle helmet ROMET 103

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 24  
**Certificate:** compliant with CE EN1078  
**Size:** L (58 – 61 cm)  
**Colour:** black-white matt  
**Weight:** 261 g

00-00-19046-01-00013



Bicycle helmet ROMET 105

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 24  
**Certificate:** compliant with CE EN1078  
**Size:** L (58 – 61 cm)  
**Colour:** black matt  
**Weight:** 257 g

00-00-19046-01-00017



Bicycle helmet ROMET 143

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 36  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** blue gloss  
**Weight:** 217 g

00-00-19107-00-00064



Bicycle helmet ROMET 143

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 36  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** white gloss  
**Weight:** 217 g

00-00-19107-00-00062



Bicycle helmet ROMET 143

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 36  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** black gloss  
**Weight:** 217 g

00-00-19107-00-00060



Bicycle helmet ROMET 105

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 24  
**Certificate:** compliant with CE EN1078  
**Size:** M (55 – 58 cm)  
**Colour:** black matt  
**Weight:** 255 g

00-00-19107-00-00116



Bicycle helmet ROMET 143

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 36  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** red gloss  
**Weight:** 217 g

00-00-19107-00-00066



Bicycle helmet ROMET 143

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 36  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** orange gloss  
**Weight:** 217 g

00-00-19107-00-00068



Bicycle helmet ROMET 151

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 18  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** red  
**Weight:** 235 g

00-00-19107-00-00072



Bicycle helmet ROMET 151

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 18  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** blue-orange  
**Weight:** 235 g

00-00-19107-00-00071



Bicycle helmet ROMET 151

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 18  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** green  
**Weight:** 235 g

00-00-19107-00-00073



Bicycle helmet ROMET 109

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 25  
**Certificate:** compliant with CE EN1078  
**Size:** L (58 - 61 cm)  
**Colour:** white-red  
**Weight:** 250 g

00-00-19107-00-00028



Bicycle helmet ROMET 192

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 20  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** white matt  
**Weight:** 245 g

00-00-19107-00-00070



Bicycle helmet ROMET 192

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 20  
**Certificate:** compliant with CE EN1078  
**Size:** M/L  
**Colour:** black matt  
**Weight:** 245 g

00-00-19107-00-00069



Child bicycle helmet ROMET 509

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 16  
**Certificate:** compliant with CE EN1078  
**Size:** L (56 - 58 cm)  
**Colour:** pink  
**Weight:** 250 g

00-00-19107-00-00034



Child bicycle helmet ROMET 509-1

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 16  
**Certificate:** compliant with CE EN1078  
**Size:** L (56 - 58 cm)  
**Colour:** green matt  
**Weight:** 267 g

00-00-19046-01-00001



Child bicycle helmet ROMET 510

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 16  
**Certificate:** compliant with CE EN1078  
**Size:** M (52 - 56 cm)  
**Colour:** blue matt  
**Weight:** 201 g

00-00-19046-01-00010



Bicycle helmet ROMET 405

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 23  
**Certificate:** compliant with CE EN1078  
**Size:** L/XL  
**Colour:** blue  
**Weight:** 255 g

00-00-19107-00-00075



Bicycle helmet ROMET 405

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 23  
**Certificate:** compliant with CE EN1078  
**Size:** L/XL  
**Colour:** black  
**Weight:** 255 g

00-00-19107-00-00077



Child bicycle helmet ROMET 509

**Construction:** In-mold  
**Material:** PC+EPS  
**Number of vents:** 16  
**Certificate:** compliant with CE EN1078  
**Size:** L (56 - 58 cm)  
**Colour:** gray-orange  
**Weight:** 250 g

00-00-19107-00-00035



Long sleeve cycling jersey ROMET size "L" women's winter

**Material:** antibacterial, breathable, elastic material  
**Size:** S, M, L  
**Colour:** navy blue-red

00-18-27764-00-00018



Long sleeve cycling jersey ROMET size "L" men's winter

**Material:** antibacterial, breathable, elastic material  
**Size:** S, M, L, XL, XXL  
**Colour:** navy blue-red

00-18-27764-00-00003



Short sleeve cycling jersey ROMET size "M" women's

**Material:** antibacterial, breathable, elastic material  
**Size:** S, M, L  
**Colour:** navy blue-red

00-18-27764-00-00020



**Short sleeve cycling jersey ROMET size "M" men's**

**Material:** antibacterial, breathable, elastic material  
**Size:** S, M, L, XL, XXL  
**Colour:** navy blue-red



**Cycling shorts BIB-SHORTS with braces size "L" women's**

**Material:** Latest generation materials that eliminate wrinkles, flat seams, firm fit to the body  
**Size:** S, L, M  
**Colour:** black-red



**Cycling shorts BIB-SHORTS with braces size "L" men's**

**Material:** Latest generation materials that eliminate wrinkles, flat seams, firm fit to the body  
**Size:** S, M, L, XL, XXL  
**Colour:** black-red



**Water bottle 0,7 l POWERED BY ROMET**

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** transparent  
**Weight:** 81 g



**Water bottle 0,6 l Big Mouth**

**Material:** non-toxic plastic  
**Capacity:** 0,6 l  
**Colour:** black, red, transparent  
**Weight:** 86 g



**Water bottle 0,6 l MAX**

**Material:** non-toxic plastic  
**Capacity:** 0,6 l  
**Colour:** transparent  
**Weight:** 73 g

00-18-27764-00-00007

00-18-27764-00-00026

00-18-27764-00-00013

00-20-21750-02-00009

00-20-17186-02-00015

00-20-17186-02-00020



**Thermal water bottle 0,5 l ELITE DEBOYO THERMAL**

**Material:** stainless steel  
**Capacity:** 0,5 l  
**Colour:** silver  
**Weight:** 417 g



**Thermal water bottle 0,65 l ELITE THERMAL MIA COCA-COLA**

**Material:** stainless steel  
**Capacity:** 0,65 l  
**Colour:** red-silver  
**Weight:** 213 g



**Thermal water bottle 0,65 l ELITE THERMAL MIA COCA-COLA**

**Material:** stainless steel  
**Capacity:** 0,65 l  
**Colour:** silver  
**Weight:** 206 g



**Water bottle 1,0 l Sport**

**Material:** non-toxic plastic  
**Capacity:** 1 l  
**Colour:** transparent  
**Weight:** 109 g



**Water bottle 0,7 l**

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** transparent-red  
**Weight:** 72 g



**Water bottle 0,7 l**

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** white-red  
**Weight:** 72 g

00-20-34351-02-00005

00-20-34351-02-00009

00-20-34351-02-00010

00-20-17186-02-00021

00-20-21750-02-00002

00-20-21750-02-00003



Water bottle 0,7 l

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** red-white  
**Weight:** 72 g

00-20-21750-02-00005



Water bottle 0,7 l

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** transparent-black  
**Weight:** 72 g

00-20-21750-02-00001



Water bottle 0,7 l

**Material:** non-toxic plastic  
**Capacity:** 0,7 l  
**Colour:** white-black  
**Weight:** 72 g

00-20-21750-02-00004



Alloy water bottle cage CL-053

**Material:** aluminium  
**Colour:** silver  
**Weight:** 46 g

00-10-10365-04-00017



Plastic water bottle cage CL-093

**Material:** PVC  
**Colour:** white  
**Weight:** 41 g

00-10-10365-04-00011



Plastic water bottle cage CL-093

**Material:** PVC  
**Colour:** black  
**Weight:** 45 g

00-10-10365-04-00010



Child water bottle 0,5 l

**Material:** non-toxic plastic  
**Capacity:** 0,5 l  
**Colour:** white-orange with decorative design  
**Weight:** 66 g

00-20-21750-02-00007



Water bottle cage PCV CL-111

**Material:** PVC  
**Colour:** black  
**Weight:** 41 g

00-10-10365-04-00021



Alloy water bottle cage CL-053

**Material:** aluminium  
**Colour:** black  
**Weight:** 46 g

00-10-10365-04-00001



Alloy water bottle cage CL-079

**Material:** aluminium  
**Colour:** black  
**Weight:** 26 g

00-10-10365-04-00003



Alloy water bottle cage CL-080

**Material:** aluminium  
**Colour:** black  
**Weight:** 26 g

00-10-10365-04-00004



Plastic water bottle cage CL-078

**Material:** PVC  
**Colour:** black  
**Weight:** 28 g

00-10-10365-04-00008



Plastic water bottle cage CL-078

**Material:** PVC  
**Colour:** white  
**Weight:** 28 g

00-10-10365-04-00009



Plastic water bottle cage CL-087

**Material:** PVC  
**Colour:** black  
**Weight:** 35 g

00-10-10365-04-00005



Plastic water bottle cage CL-087

**Material:** PVC  
**Colour:** white  
**Weight:** 35 g

00-10-10365-04-00006



Metal basket mounted over carrier CL-03

**Dimensions:** 400×300×180 mm  
**Assembly:** carrier  
**Material:** steel  
**Colour:** black  
**Weight:** 760 g

00-12-01699-09-00112



Metal basket mounted over handlebar CL-01

**Dimensions:** 340×250×260 mm  
**Assembly:** handlebar + fork  
**Material:** steel, PVC  
**Colour:** black  
**Weight:** 840 g

00-12-01699-09-00006



Metal basket mounted over handlebar HB-026

**Dimensions:** 340×250×260 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** steel, PVC  
**Colour:** white  
**Weight:** 960 g

00-12-19578-09-00003



Plastic water bottle cage CL-110

**Material:** PVC / Carbon  
**Colour:** red-black  
**Weight:** 30 g

00-10-10365-04-00020



Alloy water bottle cage CL-110

**Material:** PVC / Carbon  
**Colour:** blue-black  
**Weight:** 35 g

00-10-10365-04-00019



Alloy water bottle cage CL-110

**Material:** PVC / Carbon  
**Colour:** white-black  
**Weight:** 30 g

00-10-10365-04-00018



Wicker basket mounted over handlebar HB-075

**Dimensions:** 360×260×220 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** wicker  
**Colour:** yellow  
**Weight:** 860 g

00-12-19578-09-00005



Wicker basket mounted over handlebar HB-092

**Dimensions:** 300×220×220 mm  
**Assembly:** handlebar  
**Material:** wicker  
**Colour:** yellow  
**Weight:** 328 g

00-12-19578-09-00006



Metal basket mounted over handlebar HB-286

**Dimensions:** 340×250×260 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** steel, PVC  
**Colour:** black  
**Weight:** 1055 g

00-12-19578-09-00004



**Metal basket mounted over handlebar CL-05**

**Dimensions:** 260×340×250 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** steel, PVC  
**Colour:** black, white  
**Weight:** 939 g

00-12-09754-09-00001



**Metal basket mounted over handlebar CL-11**

**Dimensions:** 350×250×230 mm  
**Assembly:** handlebar-hooks  
**Material:** steel  
**Colour:** black  
**Weight:** 700 g

00-12-01699-09-00020



**Wicker basket mounted over handlebar RW002**

**Dimensions:** 390×280×220 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** wicker  
**Colour:** brown  
**Weight:** 700 g

00-01-02401-12-00300



**Material basket mounted over handlebar HB-144**

**Dimensions:** 370×250×240 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** brown-beige  
**Weight:** 800 g

00-12-19578-09-00009



**Material basket mounted over handlebar HB-146**

**Dimensions:** 370×250×240 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** heather in flowers  
**Weight:** 800 g

00-12-19578-09-00010



**Material basket mounted over handlebar HB-196-C**

**Dimensions:** 370×250×240 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** brown-gray  
**Weight:** 800 g

00-12-19578-09-00023



**Wicker basket mounted over handlebar RW003**

**Dimensions:** 360×250×230 mm  
**Assembly:** handlebar  
**Material:** wicker  
**Colour:** yellow  
**Weight:** 455 g

00-12-09754-09-00006



**Material basket mounted over handlebar HB-142**

**Dimensions:** 370×250×240 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** gray-black  
**Weight:** 800 g

00-12-19578-09-00008



**Material basket mounted over handlebar HB-143**

**Dimensions:** 370×250×240 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** beige-brown  
**Weight:** 800 g

00-12-19578-09-00026



**Material basket mounted over handlebar HB-203**

**Dimensions:** 350×260×220 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** beige  
**Weight:** 800 g

00-12-19578-09-00011



**Material basket mounted over handlebar HB-205**

**Dimensions:** 350×260×220 mm  
**Assembly:** handlebar - quick release mounted  
**Material:** aluminium, polyester  
**Colour:** brown  
**Weight:** 800 g

00-12-19578-09-00012



**Child material basket mounted over handlebar**

**Dimensions:** 250×170×150 mm  
**Assembly:** handlebar  
**Material:** plastic  
**Colour:** white-pink  
**Weight:** 154 g

00-02-09754-05-00003



**Child material basket mounted over handlebar with flowers BSO1-9**

**Dimensions:** 250×150×150 mm  
**Assembly:** handlebar-wristbands  
**Material:** PCV  
**Colour:** white-black  
**Weight:** 162 g

00-02-09754-05-00005



**Child basket mounted over handlebar**

**Dimensions:** 250×160×150 mm  
**Assembly:** handlebar  
**Material:** steel  
**Colour:** pink  
**Weight:** 240 g

00-12-19578-09-00002



**Mudguards 24/26 MTB plast. NEXT kr.**

Set of 24"-26" mudguards front + rear, black colour, made of high-quality PVC with integrated mud flap.  
**Wheel size:** 24" - 26"  
**Material:** reinforced plastic  
**Weight:** 263 g

00-10-00525-04-00025



**Mudguards 20" KIDO PCV SDS**

Set of 20" mudguards front + rear, black colour, made of high-quality PVC with integrated mud flap.  
**Wheel size:** 20"  
**Material:** reinforced plastic  
**Weight:** 204 g

00-10-00232-04-00056



**Mudguards 28 f+r pl.SKS Speedrocker**

A set of plastic mudguards suitable for gravel bikes.  
Dedicated to bicycles ASPRE, BOREAS.  
**Wheel size:** 28"  
**Material:** reinforced plastic  
**Weight:** 250 g

00-10-17504-04-00008



**Mudguards 24/28 MTB plastic RAPTOR SDL /xl/**

Set of universal mudguards for 24-28" wheels with eye-catching appearance, made of high quality plastic. Design for extreme use.  
**Wheel size:** 24" - 28"  
**Material:** reinforced plastic  
**Weight:** 320 g

00-10-00525-04-00040



**Mudguards 26/28 MTB plast. RAPTOR SDL LONG**

Set of 26"-28" mudguards front + rear, black colour, made of high-quality PVC with integrated mud flap.  
**Wheel size:** 26" - 28"  
**Material:** reinforced plastic  
**Weight:** 308 g

00-10-00525-04-00005



**Mudguards 26/28 MTB plast. RAPTOR SDS SHORT**

Set of 26"-28" mudguards front + rear, black colour, made of high-quality PVC with integrated mud flap.  
**Wheel size:** 26" - 28"  
**Material:** reinforced plastic  
**Weight:** 308 g

00-10-00525-04-00006



**Mudguards 16" KIDO SDS PCV**

Set of 16" mudguards front + rear, black colour, made of high-quality PVC with integrated mud flap.  
**Wheel size:** 16"  
**Material:** reinforced plastic  
**Weight:** 173 g

00-10-00232-04-00053



**Mudguards 24/28 MTB plastic RAPTOR SDS /xs/**

Set of universal mudguards for 24-28" wheels with eye-catching appearance, made of high quality plastic. Design for extreme use.  
**Wheel size:** 24" - 28"  
**Material:** reinforced plastic  
**Weight:** 313 g

00-10-00525-04-00026



**Mudguardsi 24/29 MTB plastic HAMMER-3 PRO SDE**

Set of universal mudguards for 24-28" wheels with eye-catching appearance, made of high quality plastic. Design for extreme use.  
**Wheel size:** 24" - 29"  
**Material:** reinforced plastic  
**Colour:** black, yellow hook  
**Weight:** 364 g

00-10-00525-04-00002



**Mudguardsi 24/29 MTB plastic HAMMER-2 SDE**

Set of universal mudguards for 24-28" wheels with eye-catching appearance, made of high quality plastic. Design for extreme use.  
**Wheel size:** 24" - 29"  
**Material:** reinforced plastic  
**Colour:** black  
**Weight:** 366 g

00-10-00525-04-00028



**Mudguards 24/29 MTB plastic  
RAPTOR 1 SDE**

Set of universal mudguards for 24-28" wheels with eye-catching appearance, made of high quality plastic. Design for extreme use.

**Wheel size:** 24" – 28"  
**Material:** reinforced plastic  
**Colour:** black  
**Weight:** 390 g

00-10-00525-04-00027



**Mudguards 28"**  
**UBIQUIT PCV SDL 46 mm**

Set of 28" mudguards, front + rear, black colour, width 46 mm, made of high-quality PVC with integrated mud flap in titanium colour + brackets.

**Wheel size:** 28"  
**Material:** reinforced plastic  
**Weight:** 440 g

00-10-00232-04-00003



**Mudguards 28" UBIQUIT PCV SDSO  
46 mm**

Set of 28" mudguards, front + rear, black colour, width 46 mm, made of high-quality PVC with integrated mud flap in titanium colour + brackets.

**Wheel size:** 28"  
**Material:** reinforced plastic  
**Weight:** 440 g

00-10-00232-04-00050



**Bicycle bell mini BRASS 30 mm ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** gold  
**Weight:** 41 g

00-03-31118-06-00006



**Bell BRASS 55 mm ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** steel  
**Colour:** gold  
**Weight:** 86 g

00-03-31118-06-00005



**Aluminium bicycle bell 58 mm ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** steel  
**Colour:** decorative design / flowers  
**Weight:** 57 g

00-03-31118-06-00021



**Aluminium bicycle bell model 101**

A bike bell for children with different patterns made of aluminium and plastic.  
**Material:** PVC, aluminium  
**Colour:** mix of colors  
**Weight:** 18 g



**Aluminium bicycle bell model 201**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** mix of colors / patterns  
**Weight:** 62 g



**Bicycle bell BABY - duck ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 33 g



**Bicycle BELL silver**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** silver  
**Weight:** 24 g

00-02-02805-06-00005



**Bicycle bell DING-DONG silver**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** silver  
**Weight:** 18 g

00-03-00459-01-00001



**Bicycle mini bell black**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** black  
**Weight:** 26 g

00-02-02805-06-00001

00-00-19107-00-00048

00-00-19107-00-00049

00-03-31118-06-00003



Bicycle bell BABY - red pinwheel

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** white + decorative design + pinwheel  
**Weight:** 41 g



Bicycle bell BABY - yellow pinwheel

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design + pinwheel  
**Weight:** 41 g



Bicycle bell BABY - teddy bear ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 32 g



Bicycle bell BABY - noddly yellow ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 39 g



Bicycle bell BABY - noddly red ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 39 g



Bicycle bell BABY - ladybug ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 34 g

00-03-31118-06-00001

00-03-31118-06-00002

00-03-31118-06-00004

00-03-31118-06-00010

00-03-31118-06-00011

00-03-31118-06-00012



Bicycle bell JH-888 ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** gold  
**Weight:** 76 g



Bicycle bell JH-214W ROMET

Bicycle bell, quick and easy mounting.  
**Material:** steel  
**Colour:** green + decorative design /watermelon/  
**Weight:** 97 g



Bicycle bell JH-214G ROMET

Bicycle bell, quick and easy mounting.  
**Material:** steel  
**Colour:** orange + decorative design /orange/  
**Weight:** 96 g



Bicycle bell BABY - mouse ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 46 g



Bicycle bell BABY - hippo ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 46 g



Bicycle bell BABY - turtle ROMET

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 46 g

00-03-31118-06-00007

00-03-31118-06-00008

00-03-31118-06-00009

00-03-31118-06-00014

00-03-31118-06-00015

00-03-31118-06-00016

**Bicycle bell BABY - dragon ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 46 g

00-03-31118-06-00017

**Bicycle bell "I love my bike" ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** decorative design with the main motive  
**Weight:** 46 g

00-03-31118-06-00018

**Bicycle bell BABY - compass ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** silver  
**Weight:** 35 g

00-03-31118-06-00020

**Wireless bicycle computer BKV 1502**

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 60 g

00-20-18922-06-00036

**Wireless bicycle computer BKV 1503**

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 59 g

00-20-18922-06-00037

**Wireless bicycle computer BKV 1507**

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 58 g

00-20-18922-06-00032

**Bicycle bell "ding-dong" ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** black-gold  
**Weight:** 32 g

00-03-31118-06-00025

**Bicycle bell "ding-dong" ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** white + decorative design  
**Weight:** 31 g

00-03-31118-06-00026

**Bicycle bell JH-820CP ROMET**

Bicycle bell, quick and easy mounting.  
**Material:** PVC, aluminium  
**Colour:** silver  
**Weight:** 90 g

00-03-31118-06-00027

**Wireless bicycle computer BKV6500 Solar**

**20 functions:** sun battery, display in 5 languages, clock, stopwatch, metric / imperial unit system, scan, speed comparison, current, average and maximum speed, carbon offset, burning calories, driving time and distance, odometer, driving time, auto on/off, driving history.  
**Colour:** black  
**Weight:** 64 g

00-20-18922-06-00028

**Wireless bicycle computer BKV1205**

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 95 g

00-20-18922-06-00028

**Wireless bicycle computer BKV1517**

**11 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 86 g

00-20-18922-06-00030



Wireless bicycle computer BKV1557

**20 functions:** clock, stopwatch, km/h / mph, scan, speed comparison, on/off auto, stage counter, burning calories, current speed, average speed, maximum speed, speed comparison, driving time / distance, time / total distance, automatic memory  
**Colour:** black  
**Weight:** 88 g

00-20-18922-06-00034



Wireless bicycle computer BKV3501

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph  
**Colour:** black, silver  
**Weight:** 60 g

00-20-18922-06-00022



Wireless bicycle computer BKV9000

**13 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black, silver  
**Weight:** 97 g

00-20-18922-06-00011



Bicycle computer BKV1517

**11 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 83 g

00-20-18922-06-00031



Bicycle computer BKV3501

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph.  
**Colour:** black  
**Weight:** 83 g

00-20-18922-06-00025



Phone / smartphone holder

**Material:** PVC  
**Included:** handlebar clamp  
**Colour:** black  
**Weight:** 100 g

00-11-19004-01-00077



Wireless bicycle computer BKV9100

**17 functions:** current speed, daily distance, total distance, weekly distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration, analog speed indicator.  
**Colour:** black, silver  
**Weight:** 96 g

00-20-18922-06-00017



Bicycle computer BKV1205

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 93 g

00-20-18922-06-00029



Bicycle computer BKV1507

**12 functions:** current speed, daily distance, total distance, max speed, average speed, driving time, clock, scan, stopwatch, on/off auto, km/h / mph, wheel calibration.  
**Colour:** black  
**Weight:** 83 g

00-20-18922-06-00033



Front light JY-7126-1 with handle

Front battery light.  
**Material:** PVC  
**Light source:** white LED / 60 lux  
**Included:** handlebar clamp  
**Power supply:** battery 3.7 V / 1800 mAh  
**Charging:** micro USB, cable included  
**Weight:** 106 g

00-11-19004-01-00095



Front light JY-7191M-80 with handle

Front light with handle, for dynamo.  
**Material:** PVC  
**Light source:** white LED / 80 lux  
**Funkcje:** auto On-Off  
**Power supply:** 6 V / 2.4 W  
**Weight:** 83 g

00-11-19004-01-00094



Front light 300 lum USB ROMET

Front battery light.  
**Material:** PVC  
**Light source:** 1 white LED / 300 lum  
**Included:** handlebar clamp  
**Power supply:** battery 800 mAh  
**Weight:** 64 g

00-11-25770-01-00001

**Front light 1200 lumens USB ROMET**

Front battery light.  
**Material:** PVC, aluminium  
**Light source:** 2 white LED / 1200 lumens  
**Included:** handlebar clamp  
**Power supply:** battery 4400 mAh  
**Weight:** 68 g

00-11-25770-01-00003

**Front light 300 lumens USB ROMET**

Front battery light.  
**Material:** PVC  
**Light source:** 1 white LED / 300 lumens  
**Included:** handlebar clamp  
**Power supply:** battery 1200 mAh  
**Weight:** 63 g

00-11-25770-01-00004

**Front light 1000 lumens ROMET**

Front battery light.  
**Material:** aluminium  
**Light source:** 2 white LED / 1000 lumens  
**Included:** handlebar clamp  
**Power supply:** 4 szt. / battery Li  
**Weight:** 64 g

00-11-25770-01-00005

**Front light JY-7076 1-LED**

**Material:** PVC  
**Light source:** 1 LED, 3 W 25 lux  
**Included:** handlebar clamp  
**Power supply:** battery 4xAAA  
**Weight:** 90 g

00-11-19004-01-00076

**Front light model R-100 1-LED**

**Material:** PVC  
**Light source:** 1 LED CREE, 3 W / 120 lm  
**Included:** handlebar clamp, USB cable  
**Power supply:** battery 3.7 V / 1050 mAh  
**Colour:** black, white  
**Weight:** 113 g

00-11-19004-01-00022

**Front light 1-LED model R-102**

Small 1-LED front light. Includes a clamp for attaching to the handlebar.  
**Power supply:** battery 2xCR2032  
**Weight:** 44 g

00-11-19004-01-00025

**Front light JY-378FC 1-LED**

1-LED front battery lamp with integrated lens. Silicone housing.  
**Material:** PVC  
**Light source:** 1 LED, 3 W  
**Power supply:** battery 3xAAA  
**Colour:** blue, orange, pink, green, white, black  
**Weight:** 80 g

00-11-19004-01-00068

**Front light JY-7066 2-LED XPG**

Aluminium front light. USB cable included.  
**Material:** aluminium  
**Light source:** 2 LED, 5 W 400 lm  
**Included:** handlebar clamp  
**Power supply:** battery 3,7 V / 1050 mAh  
**Weight:** 110 g

00-11-19004-01-00074

**Front light JY-7067 2-LED XPG**

Aluminium front light. USB cable included.  
**Material:** aluminium  
**Light source:** 2 LED, 5 W 400 lm  
**Included:** handlebar clamp  
**Power supply:** battery 3,7 V / 4400 mAh  
**Weight:** 110 g

00-11-19004-01-00075

**Front light 1-LED model R-105**

Front light 1-LED.  
**Light source:** 1 LED, 40 lm  
**Included:** handlebar clamp  
**Power supply:** battery 3xAAA  
**Weight:** 108 g

00-11-19004-01-00028

**Front light 1-LED model R-106**

Aluminium front light 1-LED. USB cable included.  
**Light source:** 1 LED, 200 lm  
**Included:** handlebar clamp  
**Power supply:** battery 3,7 V / 2400 mAh  
**Weight:** 136 g

00-11-19004-01-00035

**Front light 1-LED model R-107**

Front lamp mounted on the shock absorber.  
**Light source:** 1 LED, 20 lm  
**Power supply:** battery 2xAA  
**Weight:** 166 g

00-11-19004-01-00039



# RACE



## Front light ALLTY 600

Front battery light.

**Material:** PVC

**Light source:** 1 white LED / 600 lumens

**Included:** handlebar clamp

**Power supply:** battery 5000 mAh, USB charging

**Weight:** 64 g

00-11-27701-01-00004



## Rear light SEEMEE 20

Rear bicycle light. Complete with USB cable and mounting bracket. Various lighting modes.

**Material:** PVC

**Light source:** 20 lm

**Power supply:** battery 5 V 500 mAh, USB charging

**Weight:** 28 g

00-11-27701-01-00007



## Set of front and rear lights ALLTY Mini 300 + Seemee 20

Set of front and rear lights, 1-LED/1-LED with mounting brackets for the seat tube and handlebars.

**Light source:** front 300 lumens, rear 20 lumens

**Power supply:** battery, USB charging

**Weight:** 98 g

00-11-27701-01-00002



## Set of front and rear lights Seemee 30 Twinpack

Set of front and rear lights, 1-LED/1-LED with mounting brackets for the seat tube and handlebars.

**Light source:** front 30 lumens, rear 30 lumens

**Power supply:** battery, USB charging

**Weight:** 59 g

00-11-27701-01-00015



## Rear light SEEMEE 30 TL

Rear bicycle light. Complete with USB cable and mounting bracket. Various lighting modes.

**Material:** PVC

**Light source:** 30 lm

**Power supply:** battery 5 V 500 mAh, USB charging

**Weight:** 34 g

00-11-27701-01-00008



## Front light ALLTY mini

Front battery light.

**Material:** PVC

**Light source:** 1 white LED / 300 lumens

**Included:** handlebar clamp

**Power supply:** battery 5V 1000 mAh, USB charging

**Weight:** 77 g

00-11-27701-01-00001



## Set of front and rear lights ALLTY 600 + Seemee 30

Set of front and rear lights, 1-LED/1-LED with mounting brackets for the seat tube and handlebars.

**Light source:** front 600 lumens, rear 30 lumens

**Power supply:** battery, USB charging

**Weight:** 181 g

00-11-27701-01-00014

**Front light 1-LED model R-108**

**Aluminium front light, USB.**  
**Light source:** 1 LED, 500 lm  
**Included:** handlebar clamp, battery, cables  
**Weight:** 136 g

00-11-19004-01-00018

**Front light model R-109 1-LED ZOOM**

**Material:** aluminium  
**Light source:** 1 LED CREE, 1 W  
**Included:** handlebar clamp  
**Power supply:** battery 3×AAA  
**Colour:** black  
**Weight:** 126 g

00-11-19004-01-00062

**Front light 1 LED model JY-7019**

**Material:** PVC  
**Light source:** 1 LED 2 functions  
**Power supply:** battery 2xAAA  
**Colour:** black  
**Weight:** 138 g

00-11-19004-01-00048

**Rear light 1-LED USB model R-6249T**

Rear bicycle lamp with handle for the seat tube. USB cable included.  
**Material:** PVC  
**Colour:** black  
**Light source:** Super red LED  
**Power supply:** battery 3,7 V 210 mAh, USB charging  
**Weight:** 25 g

00-11-19004-01-00092

**Rear light 6-LED battery model R-6112**

Rear bicycle lamp with handle for the seat tube.  
**Material:** PVC  
**Colour:** black  
**Light source:** 7 Super Bright Red LED with STOP light  
**Power supply:** battery 3xAAA  
**Weight:** 59 g

00-11-19004-01-00093

**Rear light red-LED 6085T**

Rear bicycle lamp. Charging time 3 h. USB cable and mounting bracket included.  
**Material:** PVC  
**Light source:** 100 lm  
**Functions:** 8  
**Power supply:** battery 3,7 V 700 mAh, USB charging  
**Weight:** 88 g

00-11-19004-01-00067

**Front light 2 LED model JY-7021**

**Material:** PVC  
**Light source:** 2 LED 2 functions  
**Power supply:** battery 2xAA  
**Colour:** black  
**Weight:** 60 g

00-11-19004-11-00027

**Front light 2 LED model JY-7044**

Aluminium front light 1-LED. USB cable included.  
**Light source:** 2 LED  
**Included:** handlebar clamp  
**Weight:** 59 g

00-11-19004-01-00023

**Front light JY-597H 1-LED**

**Light source:** 1 LED 20 lm  
**Material:** PVC  
**Power supply:** 2xAA  
**Colour:** blue, pink, black, white, green  
**Weight:** 104 g

00-11-19004-11-00024

**Rear light R-201 3 LED**

Rear bicycle lamp. Mounting bracket included.  
**Material:** PVC  
**Functions:** 3  
**Weight:** 81 g

00-11-19004-01-00041

**Rear light R-202 2 LED**

Rear bicycle lamp. Charging time 2 h. USB cable and mounting bracket included.  
**Material:** PVC  
**Light source:** 65 lm  
**Functions:** 3  
**Weight:** 58 g

00-11-19004-01-00040

**Rear light R-203 3 LED**

Rear bicycle lamp. Carrier mounting.  
**Functions:** 3  
**Power supply:** battery 2xAAA  
**Weight:** 99 g

00-11-19004-01-00047



Rear light R-204 red-LED

Rear bicycle lamp. Charging time 2 h. USB cable and mounting bracket included.  
**Material:** PVC  
**Light source:** 65 lm  
**Functions:** 3  
**Power supply:** battery 3,7 V 500 mAh, USB charging  
**Weight:** 88 g

00-11-19004-01-00066



Rear mudguard lamp JY-523

**Material:** PVC  
**Power supply:** 3×AAA  
**Colour:** black  
**Weight:** 75 g

00-11-19004-11-00025



Rear mudguard lamp JY-523M

**Material:** PVC  
**Colour:** black  
**Weight:** 60 g

00-11-19004-11-00026



Rear light Romet 5465 LED

Rear bike lamp. Comes complete with USB cable and mounting bracket.  
**Material:** PVC, aluminium  
**Functions:** 3  
**Power supply:** battery 570 mAh, USB charging  
**Weight:** 50 g

00-11-25770-01-00007



Rear / front light Romet 5434 LED

Rear / front bike lamp. Comes complete with USB cable and mounting bracket.  
**Material:** PVC  
**Functions:** 3  
**Power supply:** battery 600 mAh, USB charging  
**Weight:** 50 g

00-11-25770-01-00008



Set of front and rear lights 1-LED model JY-167

Set of lights front and rear 1xLED/1xLED with mounting brackets for seat post and handlebar.  
**Power supply:** battery  
**Weight:** 61 g

00-11-19004-01-00004



Rear light na carrier 3 LED JY-397

**Material:** PVC  
**Colour:** black  
**Weight:** 66 g

00-11-19004-01-00080



Rear light model R-200 2-LED

Rear light, visible at a distance of 500 m. Includes a clamp for mounting on the seat post.  
**Light source:** 2 LED, 78 lux  
**Power supply:** battery 2×AAA  
**Weight:** 88 g

00-11-19004-01-00016



Rear light Romet 5442 LED

Rear bike lamp. Comes complete with USB cable and mounting bracket.  
**Material:** PVC  
**Functions:** 3  
**Power supply:** battery 500 mAh, USB charging  
**Weight:** 70 g

00-11-25770-01-00006



Set of front and rear lights 1-LED model 267c

Set of lights front and rear 1xLED/1xLED with mounting brackets for seat post and handlebar.  
**Power supply:** battery  
**Weight:** 60 g

00-11-19004-01-00007



Set of front and rear lights 1-LED model R-300

**Front light:** 1-LED, 70 lm, 3-functions, USB  
**Rear light:** 1-LED Super Bright Red, USB  
**Weight:** 167 g

00-11-19004-01-00042



Set of front and rear lights 3-LED model R-302

Set of bicycle lights.  
**Front light:** 3-LED 24 lm, 3-functions, 3×AAA  
**Rear light:** 3 Super Bright Red LED 0,5 W, 3-functions, 2×AAA  
**Weight:** 178 g

00-11-19004-01-00044



**Set of lights front 1-LED + rear 2-LED  
model R-304**

**Front light:** 1-LED, 100 lm, 4-functions, 3×AAA  
**Rear light:** 2-LED Super Bright red 78 lux, 0,5 W  
 3-functions, 2×AAA  
**Weight:** 220 g

00-11-19004-01-00046



**Set of lights front 1-LED + rear 3-LED  
model R-305**

**Front light:** 1-LED, 100 lm, 4-functions, 3×AAA  
**Rear light:** 3-LED Super Bright red 78 lux, 0,5 W  
 3-functions, 2×AAA  
**Weight:** 212 g

00-11-19004-01-00005



**Set of lights model R-307**

**Front light:** 1-LED, 200 lm, 800 mAh, USB  
**Rear light:** 3-LED Super Bright red 78 lux, 0,5 W  
 3-functions, 2×AAA  
**Weight:** 75 g

00-11-25770-01-00002



**Set of front and rear lights LED  
JY-7043A + JY-528**

**Set of bicycle lights.**  
**Front light:** 1-LED, battery  
**Rear light:** 2-LED, battery  
**Weight:** 153 g

00-11-19004-11-00079



**Set of front and rear lights LED  
JY-6068F + JY-6068T**

**Set of bicycle lights.**  
**Front light:** 15-micro LED's, 2 functions, battery powered  
 2×CR2032  
**Rear light:** 15-micro LED's, 2 functions, battery powered  
 2×CR2032  
**Weight:** 52 g

00-11-19004-11-00085



**Adjustable kickstand  
AL CL-KA-36 24"-28"**

**Material:** aluminium  
**Mounting:** centrally  
**Length:** adjustable 24" – 28"  
**Colour:** silver  
**Weight:** 310 g

00-01-10365-05-00041



**Set of front and rear lights 1 LED  
model R-6003**

**Set of bicycle lights.**  
**Front light:** 1-LED, battery  
**Rear light:** 1-LED, battery  
**Weight:** 80 g

00-11-19004-01-00079



**Set of front and rear lights LED  
JY-6055F + JY-6055T**

**Set of bicycle lights.**  
**Front light:** 1-LED, battery  
**Rear light:** 2-LED, battery  
**Weight:** 113 g

00-11-19004-11-00001



**Set of front and rear lights LED  
JY-7021 + JY-6088**

**Set of bicycle lights.**  
**Front light:** 1-LED, battery  
**Rear light:** 2-LED, battery  
**Weight:** 198 g

00-11-19004-11-00080



**Adjustable kickstand  
AL CL-KA-42 24"-28"**

**Material:** aluminium  
**Mounting:** rear fork  
**Length:** adjustable 24" – 28"  
**Colour:** black  
**Weight:** 260 g

00-01-10365-05-00042



**Adjustable kickstand  
AL CL-KA-43 24"-28"**

**Material:** aluminium, steel  
**Mounting:** rear fork  
**Length:** adjustable 24" – 28"  
**Colour:** black  
**Weight:** 261 g

00-01-10365-05-00034



**Adjustable kickstand  
AL CL-KA-61 24"-28"**

**Material:** aluminium  
**Mounting:** centrally  
**Length:** adjustable 24" – 28"  
**Colour:** black  
**Weight:** 323 g

00-01-10365-05-00044



**Adjustable kickstand  
AL CL-KA-60 24" – 28"**

**Material:** aluminium  
**Mounting:** rear fork  
**Length:** adjustable 24" – 28"  
**Colour:** black  
**Weight:** 360 g

00-01-10365-05-00035



**Adjustable kickstand  
AL CL-KA-69 24" – 29"**

**Material:** aluminium  
**Mounting:** on the lower part of the rear fork  
**Length:** adjustable 24" – 29"  
**Colour:** black  
**Weight:** 308 g

00-01-10365-05-00036



**Adjustable kickstand  
AL CL-KA-79 24" – 29"**

**Material:** aluminium  
**Mounting:** bottom tube, two screws /spacing 18 mm/  
**Length:** adjustable 24" – 29"  
**Colour:** black  
**Weight:** 296 g

00-01-10365-05-00039



**Stationary floor bicycle pump model  
AF-13 DV/AV/FV**

**Material:** aluminium  
**Valve:** AV/FV/DV  
**Included:** pressure gauge.  
**Weight:** 1560 g

00-20-31083-16-00005



**Bicycle pump model GP61S AV/FV**

**Material:** plastic  
**Valve:** AV/FV  
**Included:** bottle holder  
**Weight:** 130 g

00-20-19007-16-00016



**Stationary floor bicycle pump model  
RGF31 DV/AV/FV aluminium**

**Material:** aluminium  
**Valve:** DV/AV/FV  
**Included:** pressure gauge  
**Weight:** 888 g

00-20-19007-16-00001



**Adjustable kickstand  
AL CL-KA-107 24" – 29"**

**Material:** aluminium  
**Mounting:** on the lower part of the rear fork  
**Length:** adjustable 24" – 29"  
**Colour:** black  
**Weight:** 297 g

00-01-10365-05-00049



**Adjustable kickstand  
AL CL-KA-47 24" – 28"**

**Material:** aluminium  
**Mounting:** centrally  
**Length:** adjustable 24" – 28"  
**Colour:** silver  
**Weight:** 467 g

00-01-10365-05-00013



**Bicycle pump  
model AGP45 DV/AV/FV mini**

**Material:** plastic  
**Valve:** AV/FV  
**Included:** bottle holder  
**Weight:** 76 g

00-20-19007-16-00015



**Stationary floor bicycle pump model  
RGF55E AV/FV steel**

**Material:** steel  
**Valve:** AV/FV  
**Included:** pressure gauge  
**Weight:** 998 g

00-20-19007-16-00017



**Bicycle pump model RGP09  
DV/AV/FV aluminium**

**Material:** aluminium  
**Valve:** DV/AV/FV  
**Included:** bottle holder  
**Weight:** 142 g

00-20-19007-16-00007



**Bicycle pump model RGM12LL  
DV/AV/FV aluminium CNC**

**Mini bicycle pump.**  
**Material:** CNC machined aluminium  
**Valve:** DV/AV/FV  
**Included:** bottle holder  
**Weight:** 148 g

00-20-19007-16-00012



Bicycle pump model RGP45E  
DV/AV/FV plastic

**Material:** plastic  
**Valve:** DV/AV/FV  
**Weight:** 124 g

00-20-19007-16-00004



Bicycle pump model RGP62A  
DV/AV/FV aluminium

**Material:** aluminium  
**Valve:** DV/AV/FV  
**Included:** bottle holder  
**Weight:** 155 g

00-20-19007-16-00003



Bicycle pump model RGP85L  
DV/AV/FV aluminium CNC

**Material:** CNC machined aluminium  
**Valve:** DV/AV/FV  
**Included:** bottle holder  
**Weight:** 172 g

00-20-19007-16-00011



Stationary floor bicycle pump, steel  
AF-11 DV/AV/FV

Professional standing bicycle pump with a manometer.  
**Pressure:** 160 psi (11 bar)  
**Material:** steel  
**Valve:** DV/AV/FV  
**Colour:** blue, white, gold, red  
**Weight:** 1260 g

00-20-31083-16-00004



Stationary floor bicycle pump,  
aluminium AF-19 DV/AV/FV

Aluminium bicycle pump, standing, with LCD display,  
designed to inflate Tubeless tyres.  
**Pressure:** 240 psi (16.5 bar)  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Colour:** black  
**Weight:** 1660 g

00-20-31083-16-00006



Stationary floor bicycle pump,  
aluminium AF-16 DV/AV/FV

Aluminium bicycle pump, standing, with pressure gauge.  
Possibility to pump shock absorbers.  
**Pressure:** 300 psi (21 bar).  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Colour:** white  
**Weight:** 2040 g

00-20-31083-16-00007



High pressure suspension pump, alloy  
RGS02PT

**Material:** CNC machined aluminium  
**Valve:** DV/AV/FV  
**Pressure:** 300 psi  
**Included:** bottle holder  
**Weight:** 205 g

00-20-19007-16-00013



Aluminium telescopic bicycle pump  
model RGP93 DV/AV/FV

**Material:** aluminium  
**Valve:** DV/AV/FV  
**Included:** bottle holder  
**Weight:** 174 g

00-20-19007-16-00008



Stationary floor bicycle pump model  
RGF71 DV/AV/FV, aluminium

Professional standing bicycle pump with a manometer.  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Pressure:** 180 psi  
**Colour:** white  
**Weight:** 1665 g

00-20-19007-16-00010



Aluminium telescopic bicycle pump  
AP-87 DV/AV/FV

Telescopic bicycle pump.  
**Pressure:** 100 psi (7 bar)  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Colour:** titanium, white  
**Weight:** 113 g

00-20-31083-16-00009



Bicycle pump model AP-43BT mini  
DV/AV/FV aluminium

Bicycle pump with Bluetooth 4.0, compatible with iGauge app.  
**Pressure:** 120 psi (8 bar)  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Colour:** silver  
**Weight:** 133 g

00-20-31083-16-00010



Bicycle pump model AP-48A mini DV/  
AV/FV aluminium

Bicycle pump adapted to MTB bikes.  
**Pressure:** 100 psi (7 bar)  
**Material:** plastic  
**Valve:** DV/AV/FV  
**Colour:** black  
**Weight:** 134 g

00-20-31083-16-00011



**Bicycle pump model AP-49A mini DV/FV aluminium**

Bicycle pump adapted to road bikes.  
**Pressure:** 120 psi (8 bar)  
**Material:** plastic  
**Valve:** DV/AV/FV  
**Colour:** black  
**Weight:** 122 g

00-20-31083-16-00012



**Bicycle pump model AS-06 mini DV/AV/FV aluminium**

Telescopic bicycle pump. Possibility to pump shock absorbers.  
**Pressure:** tyres – 80 psi (5,5 bar), damper – 300 psi (21 bar)  
**Material:** aluminium  
**Valve:** DV/AV/FV  
**Colour:** silver  
**Weight:** 175 g

00-20-31083-16-00013



**Suspension pump model SP-003AG**

Bicycle pump adapted to inflating shock absorbers.  
**Pressure:** 400 psi  
**Colour:** black-white  
**Weight:** 175 g

00-00-30564-00-00039



**CO<sub>2</sub> cartridge with thread**

CO<sub>2</sub> cartridge with thread.  
**Capacity:** 16 g  
**Colour:** silver  
**Weight:** 44 g

00-20-25977-16-00001



**Spiral closure 86108 65cm**

**Lock type:** flat key  
**Closing length:** 65 cm  
**Diameter:** 10 mm  
**Weight:** 139 g

00-20-04539-35-00003



**Bicycle ABUS U-lock**

**Lock type:** flat key  
**Assembly:** directly to the handles integrated in the frame  
**Weight:** 601 g

00-01-00001-08-00001



**CO<sub>2</sub> bicycle pump mod. ACT-03 AV/FV**

CO<sub>2</sub> bicycle pump with integrated plastic tyre lever.  
**Valve:** DV/AV/FV  
**Colour:** black  
**Weight:** 104 g

00-20-31083-16-00016



**CO<sub>2</sub> bicycle pump model AC-07 AV/FV**

CO<sub>2</sub> bicycle pump.  
**Valve:** DV/AV/FV  
**Colour:** black  
**Weight:** 24 g

00-20-31083-16-00014



**CO<sub>2</sub> bicycle pump model AC-09 AV/FV**

CO<sub>2</sub> bicycle pump.  
**Valve:** DV/AV/FV  
**Colour:** silver  
**Weight:** 80 g

00-20-31083-16-00015



**Spiral closure SL576 10x1000**

**Lock type:** flat key  
**Closing length:** 100 cm  
**Diameter:** 10 mm  
**Weight:** 263 g

00-20-19229-35-00009



**Spiral closure SL576 10x1000**

**Lock type:** flat key  
**Closing length:** 100 cm  
**Diameter:** 10 mm  
**Weight:** 246 g

00-20-19229-35-00014



**Spiral closure 84356 10x650**

**Lock type:** flat key  
**Closing length:** 65 cm  
**Diameter:** 10 mm  
**Weight:** 165 g

00-20-04539-35-00028



Spiral closure 87302 8x1500

**Lock type:** flat key  
**Closing length:** 150 cm  
**Diameter:** 8 mm  
**Weight:** 264 g

00-20-04539-35-00014



Spiral closure 87605 12x1800

**Lock type:** flat key, PIN  
**Closing length:** 180 cm  
**Diameter:** 12 mm  
**Weight:** 550 g

00-20-04539-35-00041



Spiral closure HW87201 8x1800

**Lock type:** flat key  
**Closing length:** 180 cm  
**Diameter:** 8 mm  
**Weight:** 313 g

00-20-04539-35-00007



Spiral closure 87327 12x120

**Lock type:** flat key  
**Closing length:** 120 cm  
**Diameter:** 12 mm  
**Weight:** 341 g

00-20-04539-35-00035



Spiral closure 87327 12x120

**Lock type:** flat key  
**Closing length:** 120 cm  
**Diameter:** 12 mm  
**Weight:** 341 g

00-20-04539-35-00034



Spiral closure 87613 10x150

**Lock type:** 4 digit code  
**Closing length:** 150 cm  
**Diameter:** 10 mm  
**Colour:** graphite  
**Weight:** 262 g

00-20-04539-35-00036



Spiral closure 87304 8x1000

**Lock type:** flat key  
**Closing length:** 100 cm  
**Diameter:** 8 mm  
**Weight:** 220 g

00-20-04539-35-00011



Spiral closure 87327 10x120

**Lock type:** flat key  
**Closing length:** 120 cm  
**Diameter:** 10 mm  
**Weight:** 341 g

00-20-04539-35-00032



Spiral closure 87327 12x120

**Lock type:** flat key  
**Closing length:** 120 cm  
**Diameter:** 10 mm  
**Weight:** 341 g

00-20-04539-35-00033



Spiral closure 87702 12x150

**Lock type:** flat key  
**Closing length:** 150 cm  
**Diameter:** 12 mm  
**Colour:** black  
**Weight:** 490 g

00-20-04539-35-00038



Spiral closure 87711 10x150

**Lock type:** flat key  
**Closing length:** 150 cm  
**Diameter:** 10 mm  
**Colour:** black  
**Weight:** 374 g

00-20-04539-35-00040



Spiral closure SL576 10x1000

**Lock type:** flat key  
**Closing length:** 100 cm  
**Colour:** pink  
**Weight:** 261 g

00-20-19229-35-00012

**Spiral closure SL602 10x1000**

**Lock type:** 4 digit code  
**Closing length:** 100 cm  
**Colour:** green  
**Weight:** 250 g

00-20-19229-35-00018

**Spiral closure 84355 10x65**

**Lock type:** flat key  
**Closing length:** 65 cm  
**Diameter:** 10 mm  
**Weight:** 188 g

00-20-04539-35-00022

**Spiral closure 84355**

**Lock type:** flat key  
**Closing length:** 65 cm  
**Diameter:** 10 mm  
**Weight:** 188 g

00-20-04539-35-00021

**Bicycle gloves Sport Gloves**

Gloves with short fingers. Outer material provides good ventilation.  
**Material:** polyester  
**Colour:** black-gray, red thread  
**Size:** M  
**Weight:** 47 g

00-11-18357-01-00105

**Bicycle gloves Reflex**

Gloves made from strong, tear-resistant materials. Well ventilated. Great breathability. Non-slip silicone on the inside.  
**Material:** polyester  
**Colour:** white-gray  
**Size:** XL  
**Weight:** 42 g

00-11-18357-01-00230

**Bicycle gloves with long fingers black**

Bicycle gloves with long fingers. Well ventilated. Great breathability. Support for touch screens.  
**Material:** polyester  
**Colour:** black-white  
**Size:** L  
**Weight:** 47 g

00-11-18357-01-00343

**Spiral closure 87327 10x120**

**Lock type:** flat key  
**Closing length:** 120 cm  
**Diameter:** 10 mm  
**Weight:** 341 g

00-20-04539-35-00030

**Bicycle gloves ROMET ZERO**

Gloves with short fingers. Outer material provides good ventilation.  
**Material:** polyester  
**Colour:** black-gray, orange thread  
**Size:** L  
**Weight:** 38 g

00-11-18357-01-00221

**Bicycle gloves Sport Gloves**

Gloves with short fingers. Outer material provides good ventilation.  
**Material:** polyester  
**Colour:** black-white, red thread  
**Size:** M  
**Weight:** 47 g

00-11-18357-01-00102

**Bicycle gloves with long fingers red**

Bicycle gloves with long fingers. Well ventilated. Great breathability. Support for touch screens.  
**Material:** polyester  
**Colour:** red-white  
**Size:** M  
**Weight:** 47 g

00-11-18357-01-00346

**Bicycle gloves with long fingers green**

Bicycle gloves with long fingers. Well ventilated. Great breathability. Support for touch screens.  
**Material:** polyester  
**Colour:** green-black  
**Size:** XL  
**Weight:** 47 g

00-11-18357-01-00351

**Child bicycle gloves**

**Material:** polyester  
**Colour:** black  
**Size:** 5  
**Weight:** 23 g

00-11-18357-01-00164



Child bicycle gloves

**Material:** polyester  
**Colour:** blue  
**Size:** 5  
**Weight:** 23 g

00-11-18357-01-00166

Frame-mounted child bike seat  
POLISPORT JOYFF 29"

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** brown  
**Weight:** 3220 g

00-02-07032-00-00110



Child bike seat CSS836-KIKI head tube

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 15 kg  
**Assembly:** front, head tube  
**Colour:** light gray  
**Weight:** 1920 g

00-12-19796-10-00010

Frame-mounted child bike seat  
POLISPORT BILBY MAXI FF

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** black-gray  
**Weight:** 3440 g

00-02-07032-00-00117

Frame-mounted child bike seat  
POLISPORT GROOVY

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** white  
**Weight:** 3520 g

00-02-07032-00-00071

Frame-mounted child bike seat  
POLISPORT BUBBLY MAXI

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** graphite-brown  
**Weight:** 3440 g

00-02-07032-00-00103

Frame-mounted child bike seat  
POLISPORT BILBY RS FF

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** creamy-brown  
**Weight:** 4140 g

00-02-07032-00-00073

Frame-mounted child bike seat  
POLISPORT GROOVY FF

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** black-dark gray  
**Weight:** 3580 g

00-02-07032-00-00105

Frame-mounted child bike seat  
POLISPORT KOOLAH FFS 29"

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** dark gray-silver  
**Weight:** 3340 g

00-12-14142-10-00003

Frame-mounted child bike seat  
POLISPORT BILBY RS

Bicycle seat with certificate. Adjustable seat belts. Position adjustment.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** blue-silver  
**Weight:** 4160 g

00-02-07032-00-00070

Bike seat for children SANBAS carrier  
mount

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** carrier  
**Colour:** beige  
**Weight:** 1700 g

00-12-18340-10-00016

Frame-mounted child bike seat  
ELIBAS

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** blue  
**Weight:** 3800 g

00-12-18340-10-00008



**Frame-mounted child bike seat BIKE  
RELAX**

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** gray  
**Weight:** 3080 g

00-12-19914-10-00038



**Frame-mounted child bike seat  
KOOAH**

Bicycle seat with certificate. Adjustable seat belts.  
**Material:** steel, PVC  
**Load capacity:** 22 kg  
**Assembly:** frame  
**Colour:** dark gray, gray  
**Weight:** 3220 g

00-12-14142-10-00002



**Rectangular bicycle mirror,  
universal long handle**

Rectangular bicycle mirror, universal left/right, long handle.  
**Material:** steel, FEC  
**Assembly:** handlebar 22 – 25 mm, long handle  
**Colour:** black  
**Weight:** 218 g

00-20-00337-10-00006



**Universal mini bicycle mirror**

Universal bicycle mirror right / left.  
**Material:** steel, FEC  
**Assembly:** handlebar 16 – 21 mm  
**Colour:** black  
**Weight:** 70 g

00-20-26567-10-00003



**Universal support wheels**

Support wheels for a children's bike. Universal 12"-20".  
Replaceable item for the set.  
**Material:** PCV  
**Colour:** black-red  
**Weight:** 90 g

00-20-00028-25-00001



**Universal support wheels 12"-20"  
TW-06-01**

Support wheels for learning to ride a children's bike.  
Universal 12"-20".  
**Material:** steel / PCV  
**Colour:** black-white  
**Weight:** 730 g

00-00-18889-01-00064



**Small round bicycle mirror**

Universal bicycle mirror right/left.  
**Material:** steel, FEC  
**Assembly:** handlebar 22 – 25 mm  
**Colour:** black  
**Weight:** 110 g

00-20-00337-10-00005



**Universal mini bicycle mirror**

Universal bicycle mirror right / left.  
**Material:** steel, FEC  
**Assembly:** handlebar 22 – 25 mm  
**Colour:** black  
**Weight:** 143 g

00-20-26567-10-00005



**Universal mini bicycle mirror**

Universal bicycle mirror right / left.  
**Material:** steel, FEC  
**Assembly:** handlebar 22 – 28 mm  
**Colour:** black  
**Weight:** 99 g

00-20-26567-10-00004



**Peruzzo bicycle holder / tow bar for  
towing children's bicycles up to 20"**

A bar for attaching and towing a children's bike.  
**Material:** steel  
**Colour:** red  
**Weight:** 1980 g

00-12-31149-10-00005



**Holder for support of 12/20" children's  
bike**

Handle for facilitating learning to ride on a children's bike.  
Adapted to 22-28.6 mm seatpost clamp.  
**Material:** steel  
**Colour:** black, silver, white  
**Weight:** 580 g

00-01-17100-00-00002



**Saddle SELLE BASSANO  
PROZONE LADY women's**

Saddle with "GEL" inserts.  
**Filling:** gel insert  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** brown  
**Weight:** 374 g

00-01-08856-02-00087



**Saddle SELLE BASSANO PROZONE LADY women's**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 378 g

00-01-08856-02-00088



**Saddle SELLE ROYAL 5013 DEC WAVE**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: dark gray  
Weight: 501 g

00-01-00076-02-00043



**Saddle SELLE ROYAL FORUM MODERATE LADY women's**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 548 g

00-01-26176-02-00002



**Saddle SELLE ROYAL LOOKIN BASIC RELAXED**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 699 g

00-01-00020-02-00005



**Saddle SELLE ROYAL MODERATE LUMIA**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 594 g

00-01-26176-02-00001



**Saddle SELLE ROYAL RIO PLUS MODERATE LADY women's**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 484 g

00-01-00020-02-00014



**Saddle SELLE ROYAL FORUM MODERATE MAN**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 528 g

00-01-26176-02-00003



**Saddle SELLE ROYAL LOOKIN BASIC RELAXED E-BIKE**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 711 g

00-01-00020-02-00007



**Saddle SELLE ROYAL LOOKIN BASIC RELAXED**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 692 g

00-01-00020-02-00006



**Saddle SV 430 black colour with handle**

Saddle for E-Bike bike with mounting for easy transport.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 489 g

00-02-00034-02-00241



**Saddle SV 430 /19.1 dark brown colour with handle**

Saddle for E-Bike bike with mounting for easy transport.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: brown  
Weight: 470 g

00-02-00034-02-00179



**Saddle SELLE ROYAL NEW LOOKIN MODERATE women's**

Saddle with "GEL" inserts.  
Filling: gel insert  
Cover: synthetic leather  
Bars: steel  
Colour: black  
Weight: 425 g

00-01-00076-02-00262



**Saddle SELLE ROYAL NEW  
LOOKIN MODERATE men's**

Saddle with "GEL" inserts.  
**Filling:** gel insert  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 437 g

00-01-00076-02-00263



**Saddle VADER 1114-14**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 466 g

00-01-18889-02-00038



**Saddle VADER 1138**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 439 g

00-01-18889-02-00037



**Saddle VADER VD666D-03**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 335 g

00-00-22043-00-00008



**Saddle VADER VD 649-17**

Saddle MTB.  
**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 419 g

00-01-18889-02-00011



**Saddle VELO PROX VL-3279**

Saddle MTB.  
**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 405 g

00-00-30564-00-00136



**Saddle VADER VD-1153A-05**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 292 g

00-00-22043-00-00014



**Saddle VADER VD-1168B-01**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 273 g

00-00-22043-00-00012



**Saddle VADER VD1169-08**

**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 349 g

00-00-22043-00-00005



**Saddle VELO PROX VL-3421**

Saddle MTB.  
**Filling:** polyurethane foam  
**Cover:** synthetic leather  
**Bars:** steel  
**Colour:** black  
**Weight:** 323 g

00-00-30564-00-00155



**MTB handlebar MDHB alu. FOV 720mm**

**Material:** aluminium  
**Width:** 720 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 335 g

00-02-26702-02-00001



**MTB handlebar MDHB alu. FOV 760mm**

**Material:** aluminium  
**Width:** 760 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 344 g

00-02-26702-02-00002



**Handlebar Al. MTB straight ALCOR 80  
MTB 700mm**

**Material:** aluminium  
**Width:** 700 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 307 g

00-02-17492-02-00053



**Handlebar Al.VOLO GRAVEL HB 420mm**

**Material:** aluminium  
**Width:** 420 mm, 440 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 320 g

00-02-17492-02-00056



**Handlebar AL.VOLO GRAVEL  
ITM 440mm**

**Material:** aluminium  
**Width:** 420 mm, 440 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 320 g

00-02-17492-02-00041



**MTB handlebar ITM NH1 black**

**Material:** aluminium  
**Width:** 700 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 258 g

00-02-17492-02-00025



**MTB handlebar ITM NH1 black**

**Material:** aluminium  
**Width:** 780 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 346 g

00-02-17492-02-00026



**MTB handlebar ITM XX7 black**

**Material:** aluminium  
**Width:** 680 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 360 g

00-02-17492-02-00030



**Road handlebar ITM ALCOR 80 black**

**Material:** aluminium  
**Width:** 420 mm, 440 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 340 g

00-02-17492-02-00001



**MTB handlebar ITM ALCOR 80 black**

**Material:** aluminium  
**Width:** 720 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 313 g

00-02-17492-02-00003



**MTB handlebar ITM ALCOR 80 black**

**Material:** aluminium  
**Width:** 740 mm  
**Handlebar mounting:** 31,8 mm  
**Weight:** 369 g

00-02-17492-02-00004



**Alloy stem ITM ALCOR 80**

**Material:** aluminium  
**Outreach:** 80 mm  
**Angle:** +/-10°  
**Handlebar mounting:** 31,8 mm  
**Colour:** black  
**Weight:** 152 g

00-02-17492-02-00044



**Alloy stem ITM ALCOR 80**

**Material:** aluminium  
**Outreach:** 80 mm  
**Angle:** +/-10°  
**Handlebar mounting:** 31,8 mm  
**Colour:** black  
**Weight:** 152 g

00-02-17492-02-00045



**Alloy stem ITM V-35**

**Material:** aluminium  
**Outreach:** 35 mm  
**Angle:** +/-10°  
**Handlebar mounting:** 31,8 mm  
**Colour:** black  
**Weight:** 130 g

00-02-17492-02-00046



Alloy stem ITM ALCOR 80

**Material:** aluminium  
**Outreach:** 80 mm  
**Angle:** +/-10°  
**Handlebar mounting:** 31,8 mm  
**Colour:** black  
**Weight:** 160 g

00-02-17492-02-00006



Alloy stem ITM ALCOR 90 black

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** +/-10°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 155 g

00-02-17492-02-00005



Alloy stem ITM ERGAL 100 black

**Material:** aluminium  
**Outreach:** 100 mm  
**Angle:** 0°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 114 g

00-02-17492-02-00009



Carbon seat post ITM KERO

**Material:** carbon  
**Diameter:** 27,2 mm, 31,6 mm  
**Length:** 350 mm  
**Colour:** black mat  
**Weight:** 263 g

00-02-17492-02-00012



Alloy seat post ITM NH1

**Material:** aluminium  
**Diameter:** 27,2 mm, 31,6 mm  
**Length:** 350 mm  
**Colour:** black matt  
**Weight:** 329 g

00-02-17492-02-00035



Alloy seat post ITM ALCOR 80 SP

**Material:** aluminium  
**Diameter:** 27,2 mm  
**Length:** 350 mm  
**Colour:** black mat  
**Weight:** 293 g

00-02-17492-02-00047



Alloy stem ITM XX7 100 black

**Material:** aluminium  
**Outreach:** 100 mm  
**Angle:** 0°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 159 g

00-02-17492-02-00032



Alloy seat post 31.6 x 400 KORE

**Material:** aluminium  
**Diameter:** 31,6 mm  
**Length:** 400 mm  
**Colour:** black matt  
**Weight:** 283 g

00-01-19672-01-00001



Alloy seat post ITM ALUTECH

**Material:** aluminium  
**Diameter:** 31,6 mm  
**Length:** 350 mm  
**Colour:** black mat  
**Weight:** 254 g

00-02-17492-02-00011



Alloy seat post ITM ALCOR 80 SP

**Material:** aluminium  
**Diameter:** 31,6 mm  
**Length:** 350 mm  
**Colour:** black matt  
**Weight:** 311 g

00-02-17492-02-00048



Alloy seat post ITM XX7c SP

**Material:** aluminium  
**Diameter:** 27,2 mm  
**Length:** 350 mm  
**Colour:** black matt  
**Weight:** 304 g

00-02-17492-02-00057



Alloy seat post ITM XX7c SP

**Material:** aluminium  
**Diameter:** 31,6 mm  
**Length:** 350 mm  
**Colour:** black matt  
**Weight:** 310 g

00-02-17492-02-00058



Seat post clamp ITM 35 mm

**Material:** aluminium  
**Mounting diameter:** 35 mm  
**Weight:** 24 g



Handlebar tape ITM carbon

**Colour:** black  
**Weight:** 77 g



Handlebar tape ITM

**Colour:** white  
**Weight:** 60 g



Handlebar distance washer ITM 11/8" black, carbon

**Diameter:** 1 1/8"  
**Height:** 5 mm  
**Weight:** 3 g



Handlebar distance washer ITM 11/8" black, carbon

**Diameter:** 1 1/8"  
**Height:** 10 mm  
**Weight:** 5 g



Handlebar distance washer KORE 10 mm carbon

**Diameter:** 1 1/8"  
**Height:** 10 mm  
**Weight:** 5 g

00-02-17492-02-00014


00-02-17492-02-00015

00-02-17492-02-00018

00-02-17492-02-00021

00-02-17492-02-00022

00-01-19672-01-00029



Handlebar tape ITM

**Colour:** black  
**Weight:** 63 g



Handlebar end plug ITM alloy 1 - 1/8", 32 mm

**Weight:** 53 g



Handlebar end plug ITM alloy 1 - 1/8"

**Weight:** 26 g



Suspension seat post SP-78

Seat mount with shock-absorption.  
**Material:** aluminium  
**Diameter:** 25,4 mm  
**Length:** 350 mm  
**Colour:** silver  
**Weight:** 419 g



Alloy seat post MAGIX MSP-AM009

Seat mount with yoke.  
**Material:** aluminium  
**Diameter:** 31,6 mm  
**Length:** 350 mm  
**Colour:** black matt with red  
**Weight:** 383 g



Suspension seat post SPSC-372

Shock-absorption seat mount with yoke.  
**Material:** aluminium  
**Diameter:** 27,2 mm  
**Length:** 300 mm  
**Colour:** silver  
**Weight:** 499 g

00-02-17492-02-00017

00-02-17492-02-00019

00-02-17492-02-00020

00-01-02666-01-00004

00-01-16304-01-00121

00-01-02666-01-00600



Alloy stem TDS-D345-8 FOV

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** 15°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 141 g

00-02-02666-01-00490



Alloy stem MAGIX MASD6179 E90

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** 15°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 159 g

00-02-16304-01-00016



Alloy stem TDS-RD701-8 FOV

**Material:** aluminium  
**Outreach:** 100 mm  
**Angle:** 8°  
**Handlebar mounting:** 31,8 mm  
**Weight:** 143 g

00-02-02666-01-70105



Adjustable alloy stem AHED 28,6-31,8 mm 105 mm

**Material:** aluminium  
**Outreach:** 105 mm  
**Angle:** adjustable  
**Handlebar mounting:** 31,8 mm  
**Weight:** 335 g

00-02-26702-02-00004



Adjustable alloy stem AHEAD alu 11/8", black XLC

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Handlebar mounting:** 31,8 mm  
**Weight:** 337 g

00-12-31149-10-00068



Adjustable alloy stem MTS-C268

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Handlebar mounting:** 31,8 mm  
**Weight:** 505 g

00-02-02666-01-00010



Steel stem MTB Q-8-2ST 22,2

**Material:** steel  
**Height:** 100 mm  
**Handlebar mounting:** 28,6 mm  
**Diameter:** 22,2 mm  
**Weight:** 268 g

00-02-02666-01-00047



Adjustable alloy stem 25,4 /90/180 mm

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Handlebar mounting:** 31,8 mm  
**Weight:** 494 g

00-11-00526-01-00011



Adjustable alloy stem 22,2 /90/180 mm

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Handlebar mounting:** 31,8 mm  
**Weight:** 505 g

00-11-00526-01-00008



Adjustable alloy stem MTS-C297-5

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Diameter:** 25,4 mm  
**Handlebar mounting:** 25,4 mm  
**Length:** 180 mm  
**Weight:** 526 g

00-02-02666-03-01054



Adjustable alloy stem MTS-C297-5

**Material:** aluminium  
**Outreach:** 90 mm  
**Angle:** adjustable  
**Diameter:** 25,4 mm  
**Handlebar mounting:** 25,4 mm  
**Length:** 180 mm  
**Weight:** 517 g

00-02-02666-03-01053



Handlebar grips ADRENALIN mod. 3D02 128 mm

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 128 mm  
**Colour:** black-gray  
**Weight:** 158 g

00-02-00178-05-00035



**Handlebar grips LINE  
model DD36B 124 mm ergonomic**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 124 mm  
**Colour:** black  
**Weight:** 140 g

00-02-00178-05-00032



**Handlebar grips LUNA model DD40B  
130 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 95 g

00-02-00178-05-00031



**Handlebar grips MAGIC  
100 / 127 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 100 / 127 mm  
**Colour:** black  
**Weight:** 140 g

00-02-00034-05-00018



**Handlebar grips SHARK  
FIN model DD39B 130 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 83 g

00-02-00178-05-00034



**Handlebar grips SHIMANO  
model DD00 120 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 120 mm  
**Colour:** black-gray  
**Weight:** 115 g

00-02-00178-05-00036



**Handlebar grips  
model 08A/120mm DD fi 22mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 120 mm  
**Colour:** black-white  
**Weight:** 193 g

00-02-00178-05-00215



**Handlebar grips MASHROOM  
90 / 122 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 90 / 122 mm  
**Colour:** black  
**Weight:** 136 g

00-02-00034-05-00017



**Handlebar grips OXY model DD29BL  
Left/Right 120 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 120 mm  
**Colour:** gray-black  
**Weight:** 158 g

00-02-00178-05-00028



**Handlebar grips SHARK  
model DD38B 130 mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 80 g

00-02-00178-05-00028



**Handlebar grips  
model 08B / 120mm DD**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 120 mm  
**Colour:** black-brown  
**Weight:** 193 g

00-02-00178-05-00224



**Handlebar grips  
model 08B / 120mm**

Ergonomic handlebar grips produced from Kraton, a high-quality polymer.  
**Length:** 120 mm  
**Colour:** black-gray  
**Weight:** 83 g

00-02-00178-05-00020



**Handlebar grips model  
DD 27B / 125 mm fi 22 mm**

Ergonomic black and white handlebar grips.  
**Length:** 125 mm  
**Colour:** black-white  
**Weight:** 127 g

00-02-00178-05-00216



**Handlebar grips  
CUADRO DD24B / 130mm**

CUADRO handlebar grips. Made of high quality, non-toxic rubber compound.  
**Length:** 130 mm  
**Colour:** black (red rings)  
**Weight:** 143 g

00-02-00178-05-00221



**Handlebar grips  
DIAMOND DD24B / 130 mm**

DIAMOND handlebar grips. Made of high-quality non-toxic rubber. Fitted with hex screws.  
**Length:** 130 mm  
**Colour:** black (white rings)  
**Weight:** 143 g

00-02-00178-05-00228



**Handlebar grips 660/661  
95 / 125 mm**

Handlebar grips with eco-leather trim, ergonomic, 95 / 125 mm long, POLISH PRODUCT.  
**Length:** 95 / 125 mm  
**Colour:** brown  
**Weight:** 118 g

00-02-00034-05-00012



**Handlebar grips  
VP VPG-103 130 mm**

Handlebar grips VP made of high-quality non-toxic rubber. Fitted with hex screws.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 117 g

00-02-06522-07-00159



**Handlebar grips  
VP VPG-125A 137 mm**

Handlebar grips VP made of high-quality non-toxic rubber. Fitted with hex screws.  
**Length:** 137 mm  
**Colour:** black  
**Weight:** 106 g

00-02-06522-07-00160



**Handlebar grips  
VP VPG-BS01 130 mm**

Silicone handlebar grips VP.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 84 g

00-02-06522-07-00157



**Handlebar grips 660/661  
95 / 125 mm**

Handlebar grips with eco-leather trim, ergonomic, 95 / 125 mm long, POLISH PRODUCT.  
**Length:** 95 / 125 mm  
**Colour:** black  
**Weight:** 118 g

00-02-00034-05-00014



**Handlebar grips 660/661  
95 / 125 mm**

Handlebar grips with eco-leather trim, ergonomic, 95 / 125 mm long, POLISH PRODUCT.  
**Length:** 95 / 125 mm  
**Colour:** orange  
**Weight:** 118 g

00-02-00034-05-00013



**Handlebar grips  
VP VPG-101A 132 mm**

Handlebar grips VP made of high-quality non-toxic rubber. Fitted with hex screws.  
**Length:** 132 mm  
**Colour:** black  
**Weight:** 98 g

00-02-06522-07-00161



**Handlebar grips  
VP VPG-BS05 130 mm**

Silicone handlebar grips VP.  
**Length:** 130 mm  
**Colour:** black  
**Weight:** 78 g

00-02-06522-07-00158



**Handlebar grips VELO PROX VLG 1185-  
AD3 138 mm**

VP handlebar grips. Fitted with hex screws  
**Length:** 138 mm  
**Colour:** black + gray  
**Weight:** 280 g

00-00-30564-00-00034



**Handlebar grips VELO PROX  
VLG-776AD3 129 mm**

VP handlebar grips.  
**Length:** 129 mm  
**Colour:** black + red rings  
**Weight:** 132 g

00-00-30564-00-00017



**Handlebar grips Velo Prox  
VLG-776AD3 129 mm**

VP handlebar grips, twisted, black rings.  
**Length:** 129 mm  
**Colour:** white-black (black rings)  
**Weight:** 132 g



**Handlebar grips Velo Prox  
VLG-776AD3 129 mm**

VP handlebar grips, twisted, black rings.  
**Length:** 129 mm  
**Colour:** gray-black (black rings)  
**Weight:** 132 g



**Brake lever MTB AL V/B ROMET BL-39G**

Promax brake lever with classic ergonomic shape.  
**Material:** aluminium  
**Application:** V-brake brakes  
**Weight:** 226 g

00-00-30564-00-00018

00-00-30564-00-00019

00-09-06626-13-00014



**Brake cable L-850 mm  
Promax fi 7,5x6x1,5**

Brake cable, stainless.  
**Length:** 850 mm  
**Diameter:** 1,5 mm  
**Weight:** 27 g



**Rear derailleur cable  
L-1900 mm Promax**

Derailleur cable, stainless.  
**Length:** 1900 mm  
**Diameter:** 1,2 mm  
**Weight:** 19 g



**Non-slip alloy pedals VP-613 with  
reflectors 9/16"**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO  
**Weight:** 318 g



**Brake lever  
MTB AL V/B ROMET BL-46AP**

Promax brake lever with classic ergonomic shape.  
**Material:** aluminium  
**Application:** V-brake brakes  
**Weight:** 249 g



**Brake lever  
MTB AL V/B ROMET XL-88**

Promax brake lever with classic ergonomic shape.  
**Material:** aluminium, PVC  
**Application:** V-brake brakes  
**Weight:** 232 g



**Brake cable L-1850 mm  
Promax fi 7x6x1,5**

Brake cable, stainless.  
**Length:** 1850 mm  
**Diameter:** 1,5 mm  
**Weight:** 27 g

00-09-06626-13-00015

00-09-06626-13-00016

00-09-06626-13-00017



**Non-slip alloy pedals VP-615 with  
reflectors 9/16"**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO  
**Weight:** 337 g



**Aluminium platform pedals  
VP-531E with reflectors 9/16"**

Built-in reflectors. Replaceable pins.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 439 g



**Alloy pedals VP-199 MTB with  
reflectors 9/16"**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 299 g



**Alloy pedals VP-195E MTB  
with reflectors 9/16"**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 272 g

00-02-06522-07-00152



**Alloy pedals VP-469 MTB  
with reflectors 9/16"**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** steel  
**Weight:** 397 g

00-02-06522-07-00147



**Road pedals VP-R75 aluminium**

VP road bicycle pedals.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 405 g

00-02-06522-07-00069



**SPD pedals VP VX-1000 aluminium**

VP bicycle pedals, compatible with SPD system.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 392 g

00-00-30564-00-00038



**SPD pedals VP VX-1001 (VXE)  
aluminium**

VP bicycle pedals, compatible with SPD system.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 459 g

00-02-06522-07-00058

00-02-06522-07-00059



**Road pedals VP-R77**

VP road bicycle pedals.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 345 g



**Road pedals VP-R73D aluminium**

VP road bicycle pedals.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 301 g

00-02-06522-07-00057



**Road pedals VP-R73H aluminium**

VP road bicycle pedals.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CR-MO CNC  
**Weight:** 265 g

00-02-06522-07-00056



**Alloy pedals NECO MD201**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CNC CR-MO  
**Weight:** 431 g

00-03-00291-04-00002



**Alloy pedals NECO WP-101**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CNC CR-MO  
**Weight:** 272 g

00-03-00291-04-00010



**Alloy pedals NECO WP-916**

Built-in reflectors.  
**Material:** aluminium  
**Thread:** 9/16"  
**Axis:** CNC CR-MO  
**Weight:** 480 g

00-03-00291-04-00003



Alloy pedals NECO WP-97D

Built-in reflectors.  
Material: aluminium  
Thread: 9/16"  
Axis: CNC CR-MO  
Weight: 415 g

00-20-00526-35-00002



Alloy pedals VPE - 506

Built-in reflectors.  
Material: aluminium  
Thread: 9/16"  
Axis: CNC CR-MO  
Weight: 419 g

00-00-30564-00-00163



Brake pads SACCON VBR

Brake pads for V-brake system.  
Pads: 70 mm  
Weight: 69 g

00-09-26702-13-00003



Brake pads MTB-945V 72 mm

Brake pads for V-brake system.  
Weight: 71 g

00-09-19543-13-00009



Brake pads ABS-02V 72 mm

Brake pads for V-brake system.  
Weight: 77 g

00-09-19543-13-00007



Brake pads MTB-959V 72 mm

Brake pads for V-brake system.  
Weight: 59 g

00-09-19543-13-00034



Brake pads model ABS-01VC

Brake pads for V-brake system. Replaceable pads.  
Pads: 70 mm  
Weight: 59 g

00-09-19543-13-00006



Brake pads model MTB-C55D

Brake pads for V-brake system. Replaceable pads.  
Pads: 72 mm  
Mounting: nuts  
Weight: 52 g

00-09-19543-13-00042



Brake pads model MTB-971VC

Brake pads for V-brake system. symmetrical. Replaceable pads.  
Pads: 72 mm  
Mounting: nuts  
Weight: 54 g

00-09-19543-13-00041



Brake pads MTB-960V

Brake pads for V-brake system.  
Weight: 75 g

00-09-19543-13-00013



Brake pads PROMAX VBR 70 mm

Brake pads for V-brake system.  
Weight: 90 g

00-09-02019-13-00009



Brake pads PROMAX 70 mm

Brake pads for V-brake system.  
Weight: 74 g

00-09-06626-13-00004



Brake pads MTB-945VC 72 mm

Brake pads for V-brake system. Replaceable pads.  
Weight: 65 g



Brake pads MTB-959VC 72 mm

Brake pads for V-brake system. Replaceable pads.  
Weight: 69 g



Road brake pads model 457 C

Road brake pads. Replaceable pads.  
Weight: 46 g



Brake arms AL V/B TX-117 black

V-brake arms. Promax.  
Material: aluminium  
Colour: black  
Brake pads for nuts.  
Weight: 181 g



Brake arms AL V/B TX-123D black

V-brake arms. Promax.  
Material: aluminium  
Colour: black  
Brake pads for nuts.  
Weight: 238 g



Brake arms AL V/B TX-127 black

V-brake arms. Promax.  
Weight: 226 g

00-09-19543-13-00008

00-09-19543-13-00012

00-09-19543-13-00017

00-09-06626-13-00021

00-09-06626-13-00013

00-09-06626-13-00012



Road brake pads 471 TC

Road brake pads. Replaceable pads.  
Weight: 43 g



Brake pads model 207

Brake pads for Caliper brake.  
Pads: 40 mm  
Mounting: nuts  
Weight: 45 g



Brake arms MTB AL ALHONGA V/B HJ 811 silver

V-brake arms.  
Material: aluminium  
Colour: silver  
Brake pads for nuts.  
Weight: 365 g



Organic disc brake pads AVID JUICY model DS-11+SP11

Brake pads for disc brakes. Organic.  
Weight: 37 g



Organic disc brake pads AVID XOTrail model DS-57R+SP57

Brake pads for disc brakes. Organic.  
Weight: 21 g



Organic disc brake pads Magura Louise model DS-04R

Brake pads for disc brakes. Organic.  
Weight: 15 g

00-09-19543-13-00018

00-09-19543-13-00047

00-09-12342-02-00007

00-09-19543-13-00003

00-09-19543-13-00049

00-09-19543-13-00050



**Organic disc brake pads Magura Louise model DS-14R+PIN12**

Brake pads for disc brakes. Organic.  
Weight: 19 g




**Organic disc brake pads TEKTRO Lyra IOX model DS-46R**

Brake pads for disc brakes. Organic.  
Weight: 15 g



**Organic disc brake pads SHI model DS-63R+SP-63**

Brake pads for disc brakes. Organic.  
Weight: 16 g



**Organic disc brake pads SHI DEORE model DS-10S**

Brake pads for disc brakes. Organic.  
Suitable for: SHI DEORE  
Weight: 36 g



**Organic disc brake pads SHI XTR/XT/DEORE model DS-52R**

Brake pads for disc brakes. Organic.  
Suitable for: SHI XTR / XT / DEORE  
Weight: 36 g



**Organic disc brake pads SHI XTR/XT/DEORE model DS-52S**

Brake pads for disc brakes. Organic.  
Suitable for: SHI XTR / XT / DEORE  
Weight: 37 g

00-09-19543-13-00051

00-09-19543-13-00052

00-09-19543-13-00048

00-09-19543-13-00035

00-09-19543-13-00036

00-09-19543-13-00037



**Organic disc brake pads AVID BB-5 model DS-38R**

Brake pads for disc brakes. Organic.  
Weight: 30 g



**Organic disc brake pads AVID ELIXIR model DS-44R**

Brake pads for disc brakes. Organic.  
Weight: 34 g



**Organic disc brake pads SHI DEORE model DS-10R**

Brake pads for disc brakes. Organic.  
Suitable for: SHI DEORE  
Weight: 37 g



**Disc brake pads model DS-52F+SP-S52 with heatsink**

Brake pads for disc brakes.  
Suitable for: SHI XTR / XT / DEORE  
Weight: 21 g



**Disc brake pads PROMAX model DS-30R**

Brake pads for disc brakes.  
Suitable for: PROMAX  
Weight: 29 g



**Disc brake pads SHI XTR model DS-17**

Brake pads for disc brakes.  
Suitable for: SHI XTR  
Weight: 34 g

00-09-19543-13-00004

00-09-19543-13-00005

00-09-19543-13-00001

00-09-19543-13-00046

00-09-19543-13-00039

00-09-19543-13-00002



**Organic disc brake pads PD-102S XTR/  
SAINT**

Brake pads for disc brakes. Organic.  
**Suitable for:** SHI XTR M965/966/975, Saint M800,  
XTM765/775 M585/535/505  
**Weight:** 31 g

00-09-06626-13-00008



**Organic disc brake pads DS-38R AVID  
BB-5**

Brake pads for disc brakes. Organic.  
**Suitable for:** AVID BB5  
**Weight:** 30 g

00-09-19543-13-00004



**Organic disc brake pads DS-10R SHI  
Deore**

Brake pads for disc brakes. Organic.  
**Suitable for:** SHI Deore / BRM375/M395/M415/M416/  
M416A/M445/M446/M447/M465/M475/M485/M486/  
M495/M515/M515LA/M525/M575  
**Weight:** 37 g

00-09-19543-13-00001



**Disc brake pads semi-metallic DS-44S  
AVID ELIXIR**

Brake pads for disc brakes.  
**Suitable for:** AVID ELIXIR  
**Weight:** 37 g

00-09-19543-13-00038



**Disc brake pads NUTT / ROMET**

Brake pads for disc brakes.  
**Suitable for:** NUTT / ROMET  
**Weight:** 14 g

00-09-19543-13-00033



**Disc brake pads JAK-5 LANXI**

Brake pads for disc brakes.  
**Suitable for:** JAK-5 / LANXI  
**Weight:** 14 g

00-09-14601-08-00106



**Organic disc brake pads DS-52R SHI  
XTR**

Brake pads for disc brakes. Organic.  
**Suitable for:** SHI XTR  
BR-M9000 / M9020 / M987 / M988 / M985 / SHI XT  
BR-M8000 / M785, SHI SLX BR-M675 / M666, ALFINE  
BR-S700  
**Weight:** 20 g

00-09-19543-13-00036



**Organic disc brake pads DS-30R  
PROMAX**

Brake pads for disc brakes. Organic.  
**Suitable for:** PROMAX DSK / 200 / 200S / 400 / 400E /  
400S / 610 / DKS-200 / 700  
**Weight:** 20 g

00-09-19543-13-00039



**Organic disc brake pads DS-17 SHI XTR**

Brake pads for disc brakes. Organic.  
**Suitable for:** XTR BR-M965, M966, XT2004, SAINT  
**Weight:** 34 g

00-09-19543-13-00002



**Rear hanger CARBON ROMET  
'HURAGAN DISC'**

**Material:** aluminium  
**Application:** Romet HURAGAN DISC  
**Weight:** 18 g

00-17-03709-01-00474



**Rear hanger MONSUN LTD**

**Material:** aluminium  
**Application:** Romet MONSUN LTD  
**Weight:** 38 g

00-17-03709-01-00019



**Rear hanger AL IB-GW5-0**

**Material:** aluminium  
**Application:** Romet HURAGAN DISC  
**Weight:** 14 g

00-00-00888-00-00027



Rear hanger AL WL-HG022

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 16 g



Rear hanger AL WL-HG072 CZ

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 13 g



Rear hanger AL 5E

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 19 g



Rear hanger AL 9M

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 13 g



Rear hanger BARACUDA

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 28 g



Rear hanger for ASPRE / BOREAS

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 15 g

00-00-00888-00-00024

00-00-00888-00-00028

00-20-02019-04-00006

00-20-02019-04-00014

00-01-18751-01-00142

00-17-03632-01-02025



Rear hanger AL 5S BIANCHI BMC CARRERA

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 12 g



Rear hanger AL 7U KROSS, KELLYS, AUTHOR

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 12 g



Rear hanger AL 9L ROMET-2 ; RAMBLER-9L

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Application:** Romet RAMBLER  
**Weight:** 17 g



Rear hanger model JS-GZ-001D-54 /XDS/

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 17 g



Rear hanger model JS-GZ-061DD/A-F3600

Rear hanger for aluminium frames.  
**Material:** aluminium  
**Weight:** 11 g



Rear hanger Romet - NYK

**NYK**  
**Material:** aluminium  
**Weight:** 19 g

00-20-02019-04-00003

00-20-02019-04-00013

00-20-02019-04-00015

00-17-03632-01-00700

00-17-03632-01-00435

00-03-16875-05-00005



Rear hanger Romet - Monsun

Monsun  
**Material:** aluminium  
**Weight:** 40 g



Rear hanger Romet - Mustang EVO

Mustang EVO  
**Material:** aluminium  
**Weight:** 43 g



Rear hanger Romet - Aspre 2, Boreas 2, Huragan 4

Aspre 2, Boreas 2, Huragan 4  
**Material:** aluminium  
**Weight:** 16 g



Rear hanger ASPRE / BOREAS

Aspre / Boreas  
**Material:** aluminium  
**Weight:** 15 g



Rear hanger ASPRE1 / 2020

Aspre 1 2020  
**Material:** aluminium  
**Weight:** 31 g



Rear hanger ASPRE 2 / 2021

Aspre 2 2021  
**Material:** aluminium  
**Weight:** 34 g



Rear hanger JT-GZ-102

Rambler 3/3F/4/4F/5/6 Jolene 29/1/2  
**Material:** aluminium  
**Weight:** 13 g



Rear hanger PS-DG 1099

Wagant, Gazela, Orkan  
**Material:** aluminium  
**Weight:** 12 g



Rear hanger PS-GG 1126

Gazela 5  
**Material:** aluminium  
**Weight:** 14 g



Rear hanger BOREAS 2 / 2021

Boreas 2 2021  
**Material:** aluminium  
**Weight:** 40 g



Rear hanger MUSTANG R-Line 29

Mustang R-Line 29  
 Removable aluminium derailleur hanger, for a 12 mm rigid axle.  
**Material:** aluminium  
**Weight:** 25 g



Rear hanger TOOL / KEY

Tool / Key  
 Removable aluminium derailleur hanger, for a 12 mm rigid axle.  
**Material:** aluminium  
**Weight:** 22 g

00-01-03632-04-00003

00-01-11418-04-00001

00-01-11418-04-00002

00-17-03632-01-02024

00-17-03632-01-02019

00-17-24257-01-00001



Rear hanger model C24H FINALE

Finale  
**Material:** aluminium  
**Weight:** 34 g

00-17-24129-01-00020



Rear hanger model JS-GZ-033DD

Rambler 3-5, Jolene 1-5  
**Material:** aluminium  
**Weight:** 13 g

00-17-03632-01-00773



Rear hanger model JS-GZ-034DD

Rambler 650B  
**Material:** aluminium  
**Weight:** 17 g

00-17-03632-01-00774



Rear hanger

Mustang R-Line 29  
Removable aluminium derailleur hanger, for a 12 mm rigid axle.  
**Material:** aluminium  
**Weight:** 25 g

00-17-03632-01-02019



Rear hanger model JS-GZ-022DD-54

Removable aluminium derailleur hanger.  
Gazela 1/2  
**Material:** aluminium  
**Weight:** 17 g

00-17-03632-01-00704



Rear hanger model JS-GZ-061DD

Removable aluminium derailleur hanger.  
Rambler / Rambler R-Line  
**Material:** aluminium  
**Weight:** 12 g

00-17-03632-01-00703



Rear hanger model XDS-GZ-0212A

**Material:** aluminium  
**Weight:** 13 g



Rear hanger

Rambler 27.5 LTD, Jolene 27.5, Mustang 29, 27.5 (1-2) 2015/16.  
**Material:** aluminium  
**Weight:** 13 g

00-17-03632-01-00356



Rear hanger AL for 29er

Removable aluminium derailleur hanger, two-piece for steel frames ROMET 29er.  
**Material:** aluminium  
**Weight:** 120 g

00-17-08400-01-00040



Rear hanger model IB-GW5-B

Removable aluminium derailleur hanger.  
**Material:** aluminium  
**Weight:** 18 g

00-00-00888-00-00018



Rear hanger AL IB-GW5-D

Removable aluminium derailleur hanger.  
**Material:** aluminium  
**Weight:** 17 g

00-00-00888-00-00015



Rear hanger AL IB-GW5-F

Removable aluminium derailleur hanger.  
**Material:** aluminium  
**Weight:** 19 g

00-00-00888-00-00016

**Rear hanger AL IB-GW5-G**

Removable aluminium derailleuer hanger.  
**Material:** aluminium  
**Weight:** 17 g

**Rear hanger model IB-GW5-K**

Removable aluminium derailleuer hanger.  
**Material:** aluminium  
**Weight:** 13 g

**Rear hanger AL 5A / 660840**

Removable aluminium derailleuer hanger.  
**Material:** aluminium  
**Weight:** 21 g

**Tire levers model RGT-01 PCV**

Tire levers to easy set up and removal of tire from the rim.  
**Material:** PVC  
**Included in the set:** 3 pcs.  
**Weight:** 45 g

**Cassette key BT-14T**

Wrench with remote control for tightening cassettes.  
**Material:** hardened steel  
**Weight:** 344 g

**Wrench to tighten the crank bolt**

Wrench to tighten the crank bolt  
**Material:** hardened steel  
**Weight:** 329 g

**Rear hanger AL 5B / 660942**

Removable aluminium derailleuer hanger.  
**Material:** aluminium  
**Weight:** 19 g

**Rear hanger AL 5C**

Removable aluminium derailleuer hanger.  
**Material:** aluminium  
**Weight:** 18 g

**Patches - puncture repair set**

Puncture repair set for bicycle tubes. Special rubber compound, that reacts with glue and allow for quick repair. Six patches, glue and sanding paper packed in a small, handy box.  
**Weight:** 28 g

**Crank puller wrench Hollowtech  
BT-24C**

Wrench to remove the crank arms from the bottom bracket.  
**Material:** hardened steel  
**Weight:** 121 g

**Wrench for the pedal 15 mm long BT-97**

A wrench for tightening the pedals; 15 mm.  
**Material:** hardened steel  
**Weight:** 591 g

**Wrench for the pedal 15 mm BT-91T**

A wrench for tightening the pedals; 15 mm.  
**Material:** hardened steel  
**Weight:** 304 g



**Wrench for turning the bottom bracket  
BB BT-11T**

**Material:** steel  
**Colour:** black  
**PVC finished handle.**  
**Weight:** 381 g

00-00-19927-00-00046



**Wrench for turning the bottom bracket  
Hollowtech II BT-11CCT**

**Material:** steel  
**Colour:** black  
**PVC finished handle.**  
**Weight:** 300 g

00-00-19927-00-00043



**Brake disc straightening wrench  
FW-01P**

**Material:** steel  
**Colour:** black  
**PVC finished handle.**  
**Weight:** 200 g

00-00-19927-00-00045



**Spoke key BT-04 3,2/3,3/3,4/3,9 mm**

**Universal spoke keys.**  
**Material:** steel  
**Weight:** 47 g

00-00-19927-00-00017



**Spoke key HL-J01B 10-15G**

**Universal spoke keys.**  
**Material:** steel  
**Weight:** 65 g

00-03-09754-04-00020



**Chain tool BT-15B W/DP02 PIN**

**Universal chain tool.**  
**Material:** hardened steel  
**Weight:** 223 g

00-00-19927-00-00018



**Freewheel tool**

**Material:** hardened steel  
**Weight:** 62 g

00-00-19927-00-00016



**Three-sided Allen key 1,5 / 2 / 2,5 YW-  
456S**

**Allen key set.**  
**Size:** 1,5, 2, 2,5 mm  
**Material:** CR-V  
**Weight:** 74 g

00-00-19927-00-00027



**Three-sided Allen key 4 / 5 / 6 YW-  
456BKCP**

**Allen key set.**  
**Size:** 4, 5, 6 mm  
**Material:** CR-V  
**Weight:** 57 g

00-00-19927-00-00029



**Cassette and disc locking tool**

**Tool for cassette and centre-lock nuts.**  
**Material:** hardened steel  
**Weight:** 66 g



**Bottom bracket tool Shimano & ISIS**

**Material:** hardened steel  
**Weight:** 126 g

00-00-19927-00-00014



**MTB chain tool with handle**

**Chain tool, comfortable and easy to use.**  
**Material:** hardened steel  
**Weight:** 94 g

00-00-19927-00-00013

**Allen keys – 9-pcs. long**

**Allen key set.**  
**Size:** 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm  
**Material:** hardened steel  
**Weight:** 377 g

00-19-18992-00-00003

**Allen keys – 9-pcs. long**

**Set of long Allen keys, powder coated in a colour depending on the size.**  
**Size:** 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm  
**Material:** hardened steel  
**Weight:** 438 g

00-00-19927-00-00010

**Tool set 11 functions**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** allen keys 2, 3, 4, 5, 6, 8 mm, +/-, torx 25, chain tool, spoke keys 3 sizes + Mavic  
**Weight:** 194 g

00-00-19927-00-00025

**Tool set 19-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Size:** 2, 2.5, 3, 4, 5, 6, 8, T25, +/-, levers, chain tool, keys 8 i 10, spoke keys 14, 15, 16G, opener  
**Material:** steel hardened  
**Weight:** 146 g

00-00-19927-00-00012

**Tool set 10-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 3, 4, 5, 6, 7 mm, +, T25  
**Weight:** 170 g

00-00-19927-00-00007

**Tool set 9-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 3, 4, 5, 6, 7 mm, +, T25  
**Weight:** 101 g

00-00-19927-00-00006

**Tool set 18-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 2.5, 3, 4, 5, 6, 8 mm, +/-, torx 25, spoke keys 4 sizes + Mavic, chain tool, key 8, 10  
**Weight:** 171 g

00-19-18992-00-00001

**Tool set 16-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 3, 4, 5, 6, 8 mm, +/-, Torx 25, Mavic spoke wrenches 13, 14, 15, 16G, a chain tool and a chain breaker.  
**Weight:** 102 g

00-00-19927-00-00006

**Tool set 19-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Size:** 2, 2.5, 3, 4, 5, 6, 8, T25, +/-, levers, chain tool, keys 8 and 10, spoke keys 14, 15, 16G, opener  
**Material:** hardened steel  
**Weight:** 225 g

00-00-19927-00-00011

**Tool set 8-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 3, 4, 5, 6, 7 mm, +, T25  
**Weight:** 121 g

00-19-18992-00-00002

**Tool set 6-pcs**

A set of handy wrenches useful for minor repairs of a bicycle.  
**Material:** hardened steel  
**Sizes/types:** Allen keys 2, 3, 4, 5 mm, +/-,  
**Weight:** 143 g

00-19-18992-00-00004

**Grease for shock absorbers  
BRUNOX DEO 100 ml**

Professional lubricant for shock absorbers. Perfectly lubricates and displaces water, leaving a thin film on the metal surface. Dropper container.  
**Capacity:** 100 ml

00-18-24402-00-00001



**Chain lubricant BRUNOX Top-Kett  
100 ml**

Professional lubricant for bicycle chain and derailleurs. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Dropper container.  
**Capacity:** 100 ml

00-18-24402-00-00007



**Chain lubricant BRUNOX Top-Kett  
100 ml**

Professional lubricant for bicycle chain and derailleurs. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Spray.  
**Capacity:** 100 ml

00-18-24402-00-00005



**Chain lubricant 75 ml**

Professional lubricant for bicycle chain and derailleurs. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Dropper container.  
**Capacity:** 75 ml

00-18-21312-00-00004



**Drive cleaning foam 600 ml**

Professional foam for cleaning the drive. For cleaning bike chain and derailleurs. Spray.  
**Capacity:** 600 ml

00-18-21312-00-00009



**Degreaser 400 ml**

Professional spray degreaser. Removes heavy-duty oil, grease and grime. This agent does not damage chromium-plated, rubber and plastic parts as well as lacquer.  
**Capacity:** 400 ml

00-18-21312-00-00010



**Technical degreaser for chains  
and derailleurs 750 ml**

Professional technical degreaser for chains and derailleurs - atomiser. Inert substance for chrome parts, rubber, plastics and varnished surfaces.  
**Capacity:** 750 ml

00-18-21312-00-00003



**Chain lubricant 50 ml**

Professional lubricant for bicycle chain and derailleurs. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Dropper container.  
**Capacity:** 50 ml

00-18-21312-00-00004



**Chain lubricant for wet conditions  
150 ml**

Professional grease for bike chain. Designed for wet conditions. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Spray.  
**Capacity:** 150 ml

00-18-21312-00-00005



**Chain lubricant for dry conditions  
150 ml**

Professional grease for bike chain. Designed for dry conditions. Perfectly lubricates and deeply penetrates the smallest gaps, removes water, leaving a thin film on the surface of the metal. Spray.  
**Capacity:** 150 ml

00-18-21312-00-00006



**Frame bag ROMET TH10-11W**

**Mounting location:** on top frame tube  
**Material:** waterproof polyester  
**Capacity:** 3 L  
**Colour:** black  
**Weight:** 200 g

00-00-25850-00-00016



**Frame bag ROMET model 4201**

**Mounting location:** on top frame tube  
**Material:** waterproof polyester  
**Capacity:** 2 L  
**Colour:** black  
**Weight:** 125 g

00-00-19107-00-00079



**Triangle bag for frame  
ROMET model 5201**

**Mounting location:** frame  
**Material:** waterproof polyester  
**Capacity:** 0,6 L  
**Colour:** black-red  
**Weight:** 135 g

00-00-19107-00-00080

**Saddle bag TBB110**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 0.4 L  
**Colour:** black-red  
**Weight:** 120 g

00-00-19107-00-00001

**Saddle bag ROMET model 6201**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 0,4 L + 0,7 L  
**Colour:** black-red  
**Weight:** 110 g

00-00-19107-00-00078

**Saddle bag ROMET**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 0.4 L  
**Colour:** black  
**Weight:** 91 g

00-00-25850-00-00001

**Saddle bag big ROMET**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 6 L  
**Colour:** black  
**Weight:** 460 g

00-00-25850-00-00012

**Handlebar bag ROMET TH8-6411**

**Mounting location:** handlebar  
**Material:** nylon, PCV  
**Capacity:** 9.6 L  
**Colour:** black  
**Weight:** 450 g

00-00-25850-00-00006

**Handlebar bag ROMET**

**Mounting location:** handlebar  
**Material:** waterproof polyester  
**Capacity:** 8.8 L  
**Colour:** black  
**Weight:** 281 g

00-00-25850-00-00014

**Saddle bag ROMET**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 0.4 L  
**Colour:** black  
**Weight:** 91 g

00-00-25850-00-00002

**Saddle bag ROMET**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 0.4 L  
**Colour:** black  
**Weight:** 72 g

00-00-25850-00-00003

**Saddle bag big ROMET**

**Mounting location:** seatpost  
**Material:** waterproof polyester  
**Capacity:** 4,8 L / 7,6 L  
**Colour:** black  
**Weight:** 378 g

00-00-25850-00-00004

**Frame bag ROMET**

**Mounting location:** frame  
**Material:** waterproof polyester  
**Capacity:** 3 L  
**Colour:** black  
**Weight:** 206 g

00-00-25850-00-00005

**Frame bag ROMET**

**Mounting location:** frame  
**Material:** waterproof polyester  
**Capacity:** 0.7 L  
**Colour:** black  
**Weight:** 137 g

00-00-25850-00-00011

**Carrier case ROMET black**

**Mounting location:** carrier  
**Material:** PVC, polyester  
**Capacity:** 3.2 L  
**Colour:** black  
**Weight:** 770 g

00-00-25850-00-00009

**Two-chamber carrier bag ROMET**

**Mounting location:** carrier  
**Material:** waterproof polyester  
**Capacity:** 2 x 9 L  
**Colour:** black  
**Weight:** 560 g

00-00-25850-00-00007

**Two-chamber carrier bag ROMET**

**Mounting location:** carrier  
**Material:** waterproof polyester  
**Capacity:** 2 x 9 L  
**Colour:** black  
**Weight:** 560 g

00-00-25850-00-00008

**Two-chamber carrier bag M-WAVE**

**Mounting location:** carrier  
**Material:** waterproof polyester  
**Capacity:** 2 x 12,5 L  
**Colour:** black-white, black-red, black-blue, black-gray, black-green  
**Weight:** 1460 g

00-20-02019-30-00013

**Michelin inner tubes**

Butyl inner tubes for all sizes with PR and AV valves.

**Handlebar bag M-WAVE CLIP-ON**

**Mounting location:** handlebar  
**Material:** waterproof polyester  
**Capacity:** 8 L  
**Colour:** black-blue, black-white, black-red, black-orange, black-gray, black-green  
**Weight:** 700 g

00-00-30564-00-00041

**Bicycle carrier bag**

**Mounting location:** carrier  
**Material:** waterproof polyester  
**Capacity:** 8 + 3 L  
**Colour:** black  
**Weight:** 489 g

00-00-19107-00-00099

**Inner tube 26 x 1.75/1.90 FV L-48 BOX  
ROMET**

Butyl inner tubes for all sizes with PR and AV valves.

00-16-30551-02-62044

**Tyre COUNTRY ROCK**

Tyre dedicated to mountain bikes.  
26×1.75 (44-559) COUNTRY ROCK 966280 (560 g)

**Tyre COUNTRY MUD**

Tyre dedicated to mountain bikes.  
26×2.00 (47-559) COUNTRY MUD NR 938661 (590 g)

**Tyre COUNTRY GRIP'R**

Tyre dedicated to mountain bikes.  
26×2.10 COUNTRY GRIP'R 519797 (670 g)  
29×2.10 COUNTRY GRIP'R 149106 (740 g)

**Tyre COUNTRY RACE'R**

Tyre dedicated to mountain bikes.  
26×2.10 COUNTRY RACE'R 537359 (670 g)  
27.5×2.10 COUNTRY RACER 749041 (720 g)  
29×2.10 COUNTRY RACE R 496923 (740 g)

**Tyre WILD ROCK'R**

Tyre dedicated to mountain bikes.  
26×2.25 WILD ROCK'R TS 824510 zwij (690 g)

**Tyre WILD GRIP'R2**

Tyre dedicated to mountain bikes.  
26×2.00 WILD GRIP'R2 ADV TS 367430 zwij. (490 g)  
26×2.10 WILD GRIP'R2 TT TS 485318 zwij. (610 g)  
26×2.25 WILD GRIP'R2 TS 655691 (680 g)  
26×2.25 WILD GRIP'R2 ADV 263552 (570 g)  
27.5×2.10 WILD GRIP'R2 TS 787525 (645 g)  
27.5×2.25 WILD GRIP'R2 ADV TS 487302 (720 g)  
27.5×2.35 WILD GRIP'R2 ADV Reinf TS 291501 (1070 g)  
29×2.25 WILD GRIP'R2 TS 466485 (750 g)

**Tyre COUNTRY TRAIL**

Tyre dedicated to mountain bikes.  
26×2.00 (52-559) COUNTRY TRAIL 439301 (600 g)

**Tyre COUNTRY A.T.**

Tyre dedicated to mountain bikes.  
26×2.00 (52-559) COUNTRY A.T. 57439 (680 g)

**Tyre COUNTRY DRY2**

Tyre dedicated to mountain bikes.  
26×2.00 COUNTRY DRY2 NR 119831 (565 g)

**Tyre WILD RACE'R2**

Tyre dedicated to mountain bikes XC Marathon.  
26×2.00 (52-559) WILD RACE'R2 TS 885071 (555 g)  
26×2.00 (52-559) WILD RACE'R2 TS 175405 (555 g)  
26×2.10 (54-622) WILD RACE'R2 TS 891396 (530 g)  
26×2.25 WILD RACE'R2 ADV 629899 (580 g)  
27.5×2.25 (57-584) WILD RACE'R2 TS 739344 (700 g)

**Tyre CITY**

Tyre dedicated to city bikes.  
20×1.75 (44-406) CITY GW BLACK 415368 (500 g)  
24×1.75 (44-507) CITY GW WHITE/BL 396813 (620 g)

**Tyre STARGRIP**

Tyre dedicated to city bikes.  
700×40C (42-622) Stargrip FR 795671 refl (745 g)



Tyre PROTEK CROSS

Tyre dedicated to city bikes.  
26x1.85 (47-559) PROTEK CROSS BR446019 refl.(920 g)  
26x1.85 (47-559) PROTEK CROSS MAX BR 147249 refl.  
700x35C (37-622) PROTEK CROSS BR 649416 ref.(740g)  
700x35C (37-622) PROTEK CROSS MAX BR 259570 refl.  
700x40 (42-622) PROTEK CROSS MAX BR 923520 refl.  
700x40C/ 42-622 PROTEK CROSS 745002 refl. (840 g)  
700x32C (32-622) PROTEK CROSS BR 631193 (650 g)



Tyre PROTEK

Tyre dedicated to city bikes.  
26x1.40 (35-559) PROTEK BR 650470 refl. (630 g)  
26x1.85 (47-559) PROTEK BR 368561 refl. (940 g)  
28/700x32C/ 32-622 PROTEK BR 679076 (630 g)  
28/700x35C/ 37-622 PROTEK BD 036157 (730 g)  
700x28C (28-622) PROTEK BR 343676 refl. (575 g)  
700x35C (37-622) PROTEK BR 008761 (730 g) refl.  
700x38C (40-622) PROTEK BR 789651 refl. (760 g)  
700x40C PROTEK BR 661814 refl. (800 g)



Tyre DYNAMIC CLASSIC

Tyre dedicated to road bikes.  
700 x 25C (25-622) DYNAMIC CLASSIC SW brown side  
381718 (315 g)  
700 x 28C (28-622) DYNAMIC CLASSIC SW brown side  
100926 (320 g)



Tyre D-1001

Tyre 700 x 23C D-1001 DE  
Tyre 700 x 28C D-1001 DE



Tyre D-1004

Tyre 26 x 1.75 D-1004 DE  
Tyre 28 x 1.75 D-1004 DE



Tyre D-1006

Tyre 12 1/2 x 2 1/4 D-1006 DE  
Tyre 26 x 1.75 D-1006 DE  
Tyre 28 x 1.75 D-1006 DE  
Tyre 28 x 1.75 D-1006 DE WSW black with white side  
Tyre 700 x 32C D-1006 DE  
Tyre 700 x 35C D-1006 DE  
Tyre 700 x 40-42C D-1006 DE



Tyre DYNAMIC SPORT

Tyre dedicated to road bikes.  
700x23C (23-622) DYNAMIC SPORT 002895 (290 g)  
700x25C (25-622) DYNAMIC SPORT 122622 (315 g)  
700x28C (28-622) DYNAMIC SPORT 768766 (320 g)



Tyre LITHION2

Tyre dedicated to road bikes.  
700x25C (25-622) LITHION2 TS GREY 422357 (235 g)  
700x23C (23-622) LITHION2 TS BLUE V2 554259 (220g)  
700x23C (23-622) LITHION2 TS RED V2 178869 (220 g)



Tyre PRO4

Tyre dedicated to road bikes.  
700x23C (23-622) PRO4 BLACK TS V2 393350 (200 g)  
700x23C (23-622) PRO4 ENDURANCE BLUE 420124 (225 g)



Tyre D-202

Tyre 16 x 1.90 D-202 DE  
Tyre 20 x 1.90 D-202 DE  
Tyre 24 x 1.90 D-202 DE  
Tyre 26 x 1.90 D-202 DE



Tyre D-211

Tyre 26 x 1.90 D-211 DE



Tyre D-212

Tyre 26 x 2.10 D-212 DE  
Tyre 27,5 x 2,10 D-212 DE



Tyre D-273

Tyre 27 x 1 1/4 D-273 DE



Tyre D-275

Tyre 26 x 1 3/8 D-275 DE



Tyre D-502

Tyre 12 1/2 x 2 1/4 D-502 DE  
Tyre 20 x 2.125 D-502 DE

Tyre D-813

Tyre 16 x 2.125 D-813 DE



Tyre D-832

Tyre 16 x 1.75 D-832 DE  
Tyre 20 x 1.75 D-832 DE  
Tyre 24 x 1.75 D-832 DE  
Tyre 26 x 1.75 D-832 DE

Tyre D-833

Tyre 16 x 1.75 D-833 DE  
Tyre 20 x 1.75 D-833 DE  
Tyre 24 x 1.75 D-833 DE

Tyre D-605

Tyre 16 x 2.125 D-605 DE



Tyre D-804

Tyre 26 x 1.95 D-804 DE  
Tyre 700 x 38C D-804 DE

Tyre D-808

Tyre 26 x 1.95 D-808 DE



Tyre D-838

Tyre 28 x 1.75 D-838 DE



Tyre D-874

Tyre 24 x 1 3/8 D-874 DE  
Tyre 24 x 1 3/8 D-874 GREY DE

Tyre D-883

Tyre 700 x 35C D-883 DE



## TECHNICAL DATA



**E-MONSUN 2.0**  
820Wh

**E-MONSUN 1.0**  
820Wh / 725Wh

**E-MUSTANG 2.0**  
725Wh / 540Wh

**E-MUSTANG 1.0**  
725Wh / 540Wh

E-BIKE - MTR



**E-RAMBLER 2.0**  
504Wh

**E-RAMBLER 1.0**  
504Wh

**E-MODECO SUV 1.0**  
504Wh

**E-ORKAN 3.0 M**  
820Wh

E-BIKE - CROSS

MOTOR / PERFORMANCE				
CONTROL UNIT	display Shimano SC-EN600	display Shimano SC-EN600	display Shimano SC-EN500	display IPS B02C
BATTERY	820Wh	820Wh / 725Wh	725Wh / 540Wh	725Wh / 540Wh
CHARGER	4.5A	4.5A	4.5A	4.5A
WHEEL SIZE / FRAME	29" / alu 6061			
SIZE	M – 18" / L – 20"			
FORK	Rock Shox Recon Silvair AIR TK, 120mm, tapered	Rock Shox Judy Silvair TK AIR, 120mm, tapered	Suntour X1-BoostAIR-LOR, 120mm, tapered	Suntour XCM32-Boost-LO-DS, 120mm, tapered
DAMPER	—	—	—	—
DRIVETRAIN	1x12	1x11	1x10	1x9
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano SLX SL-M7100 12 speed	Shimano Cues SL-U6000 11 speed	Shimano Cues SL-U6000 10 speed	Shimano Cues SL-U4010 9 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano SLX RD-M7100	Shimano Cues RD-U6000	Shimano Cues RD-U6000	Shimano Cues RD-U4000
CRANKSET	Shimano SM-CRE80-B 36T 170mm	Shimano SM-CRE80-B 34T 170mm	Shimano SM-CRE80-B 34T 170mm	Prowheel 38T 170mm
FRONT BRAKE	Shimano BL-MT4100 hydraulic	Shimano BL-MT4100 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
REAR BRAKE	Shimano BL-MT4100 hydraulic	Shimano BL-MT4100 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
FRONT BRAKE DISC	Shimano SM-RT30 203mm	Shimano SM-RT30 203mm	180mm	180mm
REAR BRAKE DISC	Shimano SM-RT30 180mm	Shimano SM-RT30 180mm	160mm	160mm
TYRES	Schwalbe Nobby Nic 29"×2,40"	Schwalbe Nobby Nic 29"×2,40"	VeeTire Crown Gem 29"×2,30"	VeeTire Crown Gem 29"×2,30"
RIMS	WTB ST-I27	WTB ST-I27	aluminium doublewall RMT Components	aluminium doublewall RMT Components
FRONT HUB	Shimano HB-M7110-B 15mm/110mm	Shimano MT400B 15mm/110mm	aluminium 15mm/110mm	aluminium 15mm/110mm
REAR HUB	Shimano FH-M7110-B 12mm/148mm	Shimano MT400B 12mm/148mm	aluminium 12mm/148mm	aluminium 12mm/148mm
CASSETTE	Shimano SLX CS-M7100-12, 10-45T, 12 speed	Shimano Cues CS-LG400-11, 11-50T, 11 speed	Shimano Cues CS-LG300-10, 11-48T, 10 speed	Shimano Cues CS-LG300-9, 11-46T, 9 speed
HANDLEBAR	RMT Components aluminium 720mm, 31,8mm			
STEM	Satori New Viper 80mm Int. cable routing, 31,8mm	Satori New Viper 80mm Int. cable routing, 31,8mm	Satori New Viper 80mm Int. cable routing, 31,8mm	RMT Components alu. 70mm Int. cable routing, 31,8mm
SEAT POST	RMT Components aluminium 30,9mm/350mm			
GRIPS	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport
SADDLE	Selle Royal Vivo Ergo Sport			
PEDALS	FP-989ZU aluminium	FP-989ZU aluminium	FP-868ZU	FP-868ZU
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	—	24,2 kg	—	25,6 kg / —
COLOURS	champagne-black	yellow	graphite-silver	gray-black

MOTOR / PERFORMANCE				
CONTROL UNIT	display Bafang DP C220 CAN	display Bafang DP C220 CAN	display Bafang DP C220 CAN	display Shimano SC-EN110
BATTERY	504Wh	504Wh	504Wh	820Wh
CHARGER	2A	2A	2A	4.5A
WHEEL SIZE / FRAME	29" / alu 6061	29" / alu 6061	29" / alu 6061	28" / alu 6061
SIZE	M – 18" / L – 20"	M – 18" / L – 20"	M – 17" / L – 19"	M – 18" / L – 20"
FORK	SR Suntour XCM32-DS-LO, 100mm, tapered	Suntour XCM32-DS-LO, 100mm, tapered	Suntour NEX-E25-LO-DS 75mm	Rock Shox Judy Silvair TK AIR, 80mm, tapered
DAMPER	—	—	—	—
DRIVETRAIN	1x9	1x8	1x9	1x11
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano Cues SL-U4010 9 speed	Shimano SL-M315-8R 8 speed	Shimano Cues SL-U4010 9 speed	Shimano Cues SL-U6000 11 speed
FRONT DERAILLEUR	Shimano Cues RD-U4000	Shimano Acera RDM3020-8	Shimano Cues RD U4000	Shimano Cues RD-U6000
REAR DERAILLEUR	Prowheel 38T 170mm	Prowheel 38T 170mm	Prowheel 38T 170mm	Shimano SM-CRE80-B 38T 170mm
CRANKSET	Shimano BL-MT4100 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT4100 hydraulic
FRONT BRAKE	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT4100 hydraulic
REAR BRAKE	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT4100 hydraulic
FRONT BRAKE DISC	180mm	160mm	180mm	Shimano SM-RT30 180mm
REAR BRAKE DISC	160mm	160mm	160mm	Shimano SM-RT30 180mm
TYRES	VeeTire Crown Gem 29"×2,30"	VeeTire Crown Gem 29"×2,30"	VeeTire Mission 29×2,1	Schwalbe G-One Bite 28"×2,00"
RIMS	aluminium doublewall RMT Components	aluminium doublewall RMT Components	aluminium doublewall RMT Components	WTB ST-I25
FRONT HUB	aluminium	aluminium	aluminium	Shimano MT400B 15mm/110mm
REAR HUB	—	—	—	Shimano MT400B 12mm/148mm
CASSETTE	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano HG31-8, 11-34T, 8 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano Cues CS-LG400-11, 11-50T, 11 speed
HANDLEBAR	RMT Components aluminium 720mm, 31,8mm	RMT Components aluminium 720mm, 31,8mm	RMT Comp. alu. 660mm/680mm, 31,8mm	RMT Comp. alu. 660mm/680mm, 31,8mm
STEM	RMT Comp. alu. 80mm/90mm Int.cable routing, 31,8mm	RMT Comp. alu. 80mm/90mm Int. cable routing, 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	RMT Components aluminium 30,9mm/350mm	RMT Components aluminium 30,9mm/350mm	aluminium suspension 30,9mm/300mm	RMT Comp. aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport
SADDLE	Romet	Romet	Selle Royal Vivo	Selle Royal Vivo
PEDALS	FP-803	FP-803	FP-803	FP-989ZU aluminium
FRONT LAMP	—	—	Satelite C13	—
REAR LAMP	—	—	Buchel Edge	—
WEIGHT	24 kg	23,4 kg	24,6 kg	—
COLOURS	blue-silver, silver-graphite	orange-graphite-black,	gray-silver, gold-black, lime green	silver

## TECHNICAL DATA



**E-ORKAN 3.0 D**  
820Wh

**E-ORKAN 2.0 M**  
725Wh / 540Wh

**E-ORKAN 2.0 D**  
725Wh / 540Wh

**E-ORKAN 1.0 M**  
504Wh

E-BIKE - CROSS

MOTOR / PERFORMANCE				
CONTROL UNIT	display Shimano SC-EN610	display IPS B02C	display IPS B02C	display Bafang DP C220 CAN
BATTERY	820Wh	725Wh / 540Wh	725Wh / 540Wh	504Wh
CHARGER	4.5A	4.5A	4.5A	2A
WHEEL SIZE / FRAME	28" / alu 6061			
SIZE	M – 17" / L – 19"	M – 18" / L – 20"	M – 17" / L – 19"	M – 18" / L – 20"
FORK	Rock Shox Judy Silvier TK AIR, 80mm, tapered	Suntour NVX32-Boost-NLO-DS, 80mm, tapered	Suntour NVX32-Boost-NLO-DS, 80mm, tapered	Suntour NEX-E25-LO-DS, 75mm, tapered
DAMPER	—	—	—	—
DRIVETRAIN	1x11	1x9	1x9	1x8
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano Cues SL-U6000 11 speed	Shimano Cues SL-U4010 9 speed	Shimano Cues SL-U4010 9 speed	Shimano SL-M315-8R 8 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Cues RD-U6000	Shimano Cues RD-U4000	Shimano Cues RD-U4000	Shimano Acera RDM3020-8
CRANKSET	Shimano SM-CRE80-B 38T 170mm	Prowheel 38T 170mm	Prowheel 38T 170mm	Prowheel 38T 170mm
FRONT BRAKE	Shimano BL-MT4100 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
REAR BRAKE	Shimano BL-MT4100 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
FRONT BRAKE DISC	Shimano SM-RT30 180mm	180mm	180mm	160mm
REAR BRAKE DISC	Shimano SM-RT30 180mm	160mm	160mm	160mm
TYRES	Schwalbe G-One Bite 28"×2.00"	Michelin Protek Cross 28"×1.75"	Michelin Protek Cross 28"×1.75"	VeeTire Speedster 29"×1.95"
RIMS	WTB ST-125	aluminium doublewall RMT Components	aluminium doublewall RMT Components	aluminium doublewall RMT Components
FRONT HUB	Shimano MT400B 15mm/110mm	aluminium 15mm/110mm	aluminium 15mm/110mm	aluminium
REAR HUB	Shimano MT400B 12mm/148mm	aluminium	aluminium	—
CASSETTE	Shimano Cues CS-LG400-11, 11-50T, 11 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano HG31-8, 11-34T, 8 speed
HANDLEBAR	RMT Comp. alu. 680mm, 31,8mm	RMT Comp. alu. 660mm/680mm, 31,8mm	RMT Comp. alu. 660mm/680mm, 31,8mm	RMT Comp. alu. 660mm/680mm, 31,8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	RMT Comp. aluminium 30,9mm/350mm	RMT Components aluminium 30,9mm/350mm	RMT Components aluminium 30,9mm/350mm	RMT Components aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport
SADDLE	Selle Royal Vivo	Selle Royal Vivo	Selle Royal Vivo	Vader 1138
PEDALS	FP-989ZU aluminium	FP-868ZU	FP-868ZU	FP-803
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	—	25,3 kg / —	25,3 kg / —	23,2 kg
COLOURS	blue	silver	silver	orange, dark green



**E-ORKAN 1.0 D**  
504Wh

**E-WAGANT 4.0**  
820Wh

E-BIKE - TREKKING

MOTOR / PERFORMANCE				
display Bafang DP C220 CAN	display Shimano SC-E610	display Shimano SC-E610	display IPS B02C	CONTROL UNIT
504Wh	820Wh	820Wh	725Wh / 540Wh	BATTERY
2A	4,5A	4,5A	4,5A	CHARGER
28" / alu 6061	29" / alu 6061	29" / alu 6061	29" / alu 6061	WHEEL SIZE / FRAME
M – 18" / L – 20"	M – 18" / L – 20"	M – 17" / L – 19"	M – 18" / L – 20"	SIZE
Suntour NEX-E25-LO-DS, 75mm, tapered	Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered	Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered	Suntour NVX32-Boost-NLO-DS, 80mm, tapered	FORK
—	—	—	—	DAMPER
1x8	1x11	1x11	1x9	DRIVETRAIN
—	—	—	—	FRONT SHIFTERS
Shimano SL-M315-8R 8 speed	Shimano Cues SL-U6000 11 speed	Shimano Cues SL-U6000 11 speed	Shimano Cues SL-U4010 9 speed	REAR SHIFTERS
—	—	—	—	FRONT DERAILLEUR
Shimano Acera RDM3020-8	Shimano Cues RD-U6000	Shimano Cues RD-U6000	Shimano Cues RD-U4000	REAR DERAILLEUR
Prowheel 38T 170mm	Shimano SM-CRE80-B 38T 170mm	Shimano SM-CRE80-B 38T 170mm	Prowheel 38T 170mm	CRANKSET
Shimano BL-MT200 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT200 hydraulic	FRONT BRAKE
Shimano BL-MT200 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT200 hydraulic	REAR BRAKE
160mm	Shimano SM-RT30 180mm	Shimano SM-RT30 180mm	Shimano SM-RT30 180mm	FRONT BRAKE DISC
160mm	Shimano SM-RT30 180mm	Shimano SM-RT30 180mm	180mm	REAR BRAKE DISC
VeeTire Speedster 29"×1.95"	Michelin Protek 700×47C	Michelin Protek 700×47C	Michelin Protek 700×47C	TYRES
aluminium doublewall RMT Components	WTB ST I25	WTB ST I25	aluminium doublewall RMT Components	RIMS
aluminium	Shimano MT400B 15mm/110mm	Shimano MT400B 15mm/110mm	aluminium 15mm/110mm	FRONT HUB
—	Shimano MT400B 12mm/148mm	Shimano MT400B 12mm/148mm	aluminium	REAR HUB
Shimano HG31-8, 11-34T, 8 speed	Shimano Cues CS-LG400-11, 11-50T, 11 speed	Shimano Cues CS-LG400-11, 11-50T, 11 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	CASSETTE
RMT Comp. alu. 680mm, 31,8mm	RMT Comp. alu. 640mm/660mm, 31,8mm	RMT Comp. alu. 660mm, 31,8mm	RMT Comp. alu. 640mm/660mm, 31,8mm	HANDLEBAR
RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	STEM
RMT Components aluminium 30,9mm/350mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	SEAT POST
Wittkop Medicus Sport	Wittkop Medicus Ergo	Wittkop Medicus Ergo	Wittkop Medicus Ergo	GRIPS
Vader 1138	Selle Royal ON	Selle Royal ON	Selle Royal Essenza	SADDLE
FP-803	FP-972ZU aluminium	FP-972ZU aluminium	FP-831ZU	PEDALS
—	Satelite C13	Satelite C13	Satelite C13	FRONT LAMP
—	Spanninga Pimento	Spanninga Pimento	Spanninga Pimento	REAR LAMP
23,2 kg	—	—	27 kg / —	WEIGHT
white, red	plum	plum	brown	COLOURS

## TECHNICAL DATA



**E-GAZELA 3.0**  
725Wh / 540Wh

**E-WAGANT 2.0**  
504Wh

**E-GAZELA 2.0**  
504Wh

**E-WAGANT 1.0**  
504Wh

F-RIKE - TREKKING

MOTOR / PERFORMANCE				
CONTROL UNIT	display IPS B02C	display Bafang DP C220 CAN	display Bafang DP C220 CAN	display Bafang DP C220 CAN
BATTERY	725Wh / 540Wh	504Wh	504Wh	504Wh
CHARGER	4,5A	2A	2A	2A
WHEEL SIZE / FRAME	29" / alu 6061			
SIZE	M – 17" / L – 19"	M – 18" / L – 20"	M – 17" / L – 19"	M – 18" / L – 20"
FORK	Suntour NVX32-Boost-NLO-DS, 80mm, tapered	Suntour NEX-E25-LO-DS, 75mm, tapered	Suntour NEX-E25-LO-DS, 75mm, tapered	Suntour NEX-E25-LO-DS, 75mm, tapered
DAMPER	—	—	—	—
DRIVETRAIN	1x9	1x9	1x9	1x8
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano Cues SL-U4010 9 speed	Shimano Cues SL-U4010 9 speed	Shimano Cues SL-U4010 9 speed	Shimano SL-M315-8R 8 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Cues RD-U4000	Shimano Cues RD-U4000	Shimano Cues RD-U4000	Shimano Acera RDM3020-8
CRANKSET	Prowheel 38T 170mm	Prowheel 38T 170mm	Prowheel 38T 170mm	Prowheel 38T 170mm
FRONT BRAKE	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
REAR BRAKE	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic
FRONT BRAKE DISC	180mm	160mm	160mm	160mm
REAR BRAKE DISC	160mm	160mm	160mm	160mm
TYRES	Michelin Protek 700x47C	VeeTire Zilent 700x47C	VeeTire Zilent 700x47C	VeeTire Zilent 700x47C
RIMS	aluminium doublewall RMT Components			
FRONT HUB	aluminium 15mm/110mm	aluminium	aluminium	aluminium
REAR HUB	aluminium	—	—	—
CASSETTE	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	Shimano HG31-8, 11-34T, 8 speed
HANDLEBAR	RMT Comp. alu. 660mm, 31,8mm	RMT Comp. alu. 640mm/660mm, 31,8mm	RMT Comp. alu. 660mm, 31,8mm	RMT Comp. alu. 640mm/660mm, 31,8mm
STEM	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm
SEAT POST	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm
GRIPS	Wittkop Medicus Ergo	Wittkop Medicus Ergo	Wittkop Medicus Ergo	Wittkop Medicus Ergo
SADDLE	Selle Royal Essenza	Selle Royal Essenza	Selle Royal Essenza	Selle Royal Essenza
PEDALS	FP-831ZU	FP-872ZU	FP-872ZU	FP-872ZU
FRONT LAMP	Satelite C13	Satelite C9	Satelite C9	Satelite C9
REAR LAMP	Spanninga Pimento	Buchel Edge	Buchel Edge	Buchel Edge
WEIGHT	27 kg / —	25,1 kg	25,1 kg	24,8 kg
COLOURS	navy blue	graphite, beige-gray	silver, beige-gray	claret, navy blue



**E-GAZELA 1.0**  
504Wh

**E-MODECO TRK 1.0**  
504Wh

**E-MODECO URB 3.0**  
820Wh

**E-MODECO URB 2.0**  
725Wh / 540Wh

F-RIKE - CITY

MOTOR / PERFORMANCE				
display Bafang DP C220 CAN	display Bafang DP C220 CAN	display Shimano SC-E610	display IPS B02C	CONTROL UNIT
504Wh	504Wh	820Wh	725Wh / 540Wh	BATTERY
2A	2A	4,5A	4,5A	CHARGER
29" / alu 6061	29" / alu 6061	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
M – 17" / L – 19"	SIZE			
Suntour NEX-E25-LO-DS, 75mm, tapered	Suntour NEX-E25-LO-DS, 75mm, tapered	Suntour NX1-32-BOOST-AIR-LO, 80mm, tapered	Suntour NVX32-Boost-NLO-DS, 80mm, tapered	FORK
—	—	—	—	DAMPER
1x8	1x8	1x10	1x9	DRIVETRAIN
—	—	—	—	FRONT SHIFTERS
Shimano SL-M315-8R 8 speed	Shimano SL-M315-8R 8 speed	Shimano Cues SL-U6000 10 speed	Shimano Cues SL-U4010 9 speed	REAR SHIFTERS
—	—	—	—	FRONT DERAILLEUR
Shimano Acera RDM3020-8	Shimano Acera RDM3020-8	Shimano Cues RD-U6000	Shimano Cues RD-U4000	REAR DERAILLEUR
Prowheel 38T 170mm	Prowheel 38T 170mm	Shimano SM-CRE80-B 38T 170mm	Prowheel 38T 170mm	CRANKSET
Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT200 hydraulic	FRONT BRAKE
Shimano BL-MT200 hydraulic	Shimano BL-MT200 hydraulic	Shimano BL-MT401 hydraulic	Shimano BL-MT200 hydraulic	REAR BRAKE
160mm	160mm	Shimano SM-RT30 180mm	180mm	FRONT BRAKE DISC
160mm	160mm	Shimano SM-RT30 180mm	160mm	REAR BRAKE DISC
VeeTire Zilent 700x47C	VeeTire Zilent 700x47C	Michelin Protek Max 28"x2,20"	Michelin Protek Max 28"x2,20"	TYRES
aluminium doublewall RMT Components	aluminium doublewall RMT Components	WTB ST i25	aluminium doublewall RMT Components	RIMS
aluminium	aluminium	Shimano MT400B 15mm/110mm	aluminium 15mm/110mm	FRONT HUB
—	—	Shimano MT400B 12mm/148mm	aluminium	REAR HUB
Shimano HG31-8, 11-34T, 8 speed	Shimano HG31-8, 11-34T, 8 speed	Shimano Cues CS-LG300-10, 11-48T, 10 speed	Shimano Cues CS-LG300-9, 11-41T, 9 speed	CASSETTE
RMT Comp. alu. 660mm, 31,8mm	RMT Comp. alu. 660mm, 31,8mm	aluminium 660mm, 31,8mm	aluminium 660mm, 31,8mm	HANDLEBAR
RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm	STEM
aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	aluminium suspension 30,9mm/300mm	SEAT POST
Wittkop Medicus Ergo	Wittkop Medicus Ergo	Wittkop Medicus Ergo	Wittkop Medicus Ergo	GRIPS
Selle Royal Essenza	Selle Royal Essenza	Selle Royal Essenza	Selle Royal ON	SADDLE
FP-872ZU	FP-872ZU	FP-972ZU aluminium	FP-831ZU	PEDALS
Satelite C9	Satelite C9	Satelite C13	Satelite C13	FRONT LAMP
Buchel Edge	Buchel Edge	Spanninga Pimento	Spanninga Pimento	REAR LAMP
24,8 kg	24,8 kg	28,8 kg	29,1 kg / —	WEIGHT
claret, sand	white, graphite, red	black, graphite-silver	brown-black, champagne-black, black-graphite	COLOURS

## TECHNICAL DATA



### E-MODECO URB 1.0

504Wh

E-BIKE - CITY

MOTOR / PERFORMANCE Bafang G020 rear wheel, 250 Watt, 45Nm speed sensor

CONTROL UNIT display Bafang DP C220 CAN

BATTERY 504Wh

CHARGER 2A

WHEEL SIZE / FRAME 28" / alu 6061

SIZE M – 17" / L – 19"

FORK SunTour NEX-E25-LO-DS, 75mm, tapered

DAMPER —

DRIVETRAIN 1x8

FRONT SHIFTERS —

REAR SHIFTERS Shimano SL-M315-8R 8 speed

FRONT DERAILLEUR —

REAR DERAILLEUR Shimano Acera RDM3020-8

CRANKSET Prowheel 38T 170mm

FRONT BRAKE Shimano BL-MT200 hydraulic

REAR BRAKE Shimano BL-MT200 hydraulic

FRONT BRAKE DISC 160mm

REAR BRAKE DISC 160mm

TYRES VeeTire Zilent 700x47C

RIMS aluminium doublewall RMT Components

FRONT HUB aluminium

REAR HUB —

CASSETTE Shimano HG31-8, 11-34T, 8 speed

HANDLEBAR aluminium 660mm, 31,8mm

STEM RMT alu. adj. 85mm/105mm Int. cable rout. 31,8mm

SEAT POST aluminium suspension 30,9mm/300mm

GRIPS Wittkop Medicus Ergo

SADDLE Selle Royal Essenza Plus Relaxed

PEDALS FP-872ZU

FRONT LAMP Satelite C9

REAR LAMP Buchel Edge

WEIGHT 25 kg

COLOURS champagne-black, navy blue-silver, turquoise

MOTOR / PERFORMANCE

CONTROL UNIT

BATTERY

CHARGER

WHEEL SIZE / FRAME

SIZE

FORK

DAMPER

DRIVETRAIN

FRONT SHIFTERS

REAR SHIFTERS

FRONT DERAILLEUR

REAR DERAILLEUR

CRANKSET

FRONT BRAKE

REAR BRAKE

FRONT BRAKE DISC

REAR BRAKE DISC

TYRES

RIMS

FRONT HUB

REAR HUB

CASSETTE

HANDLEBAR

STEM

SEAT POST

GRIPS

SADDLE

PEDALS

FRONT LAMP

REAR LAMP

WEIGHT

COLOURS

## TECHNICAL DATA



PHOTO  
SOON



PHOTO  
SOON

### DAGGER 2

MTR - ENDURO

WHEEL SIZE / FRAME	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / carbon	29" / carbon
SIZE	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19" / XL – 21"
FORK Rock Shox Revelation 15x110mm, 150mm, tapered X-Fusion MQ Queen 15x110mm 150mm, tapered Rock Shox SID SL base RL Crown 29" 15x110 100mm, tap. SRAM Rock Shock REBA RL 15x100mm, 100mm, tap.				
DAMPER	Rock Shox Super Delux Ultimate RCT 210x55mm Rock Shox Super Delux Ultimate RCT 210x55mm	—	—	—
DRIVETRAIN	1x12	1x12	1x12	1x12
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano Deore XT SLM8100 I-Spec 12 speed	Shimano Deore SL-M6100 I-Spec 12 speed	Shimano Deore XT M8100 12 speed	SRAM NX Eagle 12 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Deore XT RDM-8100	Shimano Deore RD-M6100	Shimano Deore XT M8100	SRAM NX Eagle 12 speed
CRANKSET	Shimano Deore XT FC-M8100-1 32T 170mm	Shimano Deore FC-M6120-1 32T 170mm	SRAM NX Eagle DUB 34T 170mm	SRAM NX Eagle 34T 170mm
FRONT BRAKE	Shimano Deore XT BL-M8100/BR-M8120	Shimano BL-MT501/BR-M520	Shimano Deore XT BL-M8100/BR-M8100	SRAM DB LVLT GLB hydraulic
REAR BRAKE	Shimano Deore XT BL-M8100/BR-M8120	Shimano BL-MT501/BR-M520	Shimano Deore XT BL-M8100/BR-M8100	SRAM DB LVLT GLB hydraulic
FRONT BRAKE DISC	Shimano SLX SM-RT70 203mm	Shimano SM-RT64 centerlock 203mm	Shimano SM-RT70 180mm	SRAM Centerline 180mm
REAR BRAKE DISC	Shimano SLX SM-RT70 180mm	Shimano SM-RT64 centerlock 180mm	Shimano SM-RT70 160mm	SRAM Centerline 160mm
TYRES	Michelin Wild Enduro Gum-X 29"x2,4"	Michelin Wild Enduro Gum-X 29"x2,4"	Michelin Force XC 29"x2,25"	Michelin Force XC 29"x2,25"
RIMS	DT Swiss XM 1700	WTB ST 30mm 29"	Ursus MTB SPARK 25	Ursus MTB SPARK 25
FRONT HUB	DT Swiss 350 15mm/110mm	Shimano HB-MT400BB 15mm/110mm	Ursus MTB SPARK 25 15mm/110mm	Ursus MTB SPARK 25 15mm/110mm
REAR HUB	DT Swiss 350 Rachet 36 SL 12mm/148mm Microspine	Shimano FH-MT510BB 12mm/148mm Microspine	Ursus MTB SPARK 25 12mm/148mm Microspine	Ursus MTB SPARK 25 12mm/148mm
CASSETTE	Shimano SLX CS-M7100-12 10-51T 12 speed	Shimano Deore CS-HG6100 10-51T 12 speed	SRAM Eagle CS-PG1230 11-50T 12 speed	SRAM CS PG1230 EAGLE 11-50 12 speed
HANDLEBAR	aluminium 780mm/31,8mm	aluminium 780mm/31,8mm	Romet Carbon 760mm/31,8mm	Romet Carbon 760mm/31,8mm
STEM	aluminium 40mm/31,8mm	aluminium 40mm/31,8mm	Romet Carbon 90mm/31,8mm	Romet Carbon 90mm/31,8mm
SEAT POST	X-Fusion aluminium 30,9mm/350mm/150mm	X-Fusion aluminium 30,9mm/350mm/150mm	Romet Carbon 27,2mm/350mm	Romet Carbon 27,2mm/350mm
GRIPS	Velo VLG 1749-A 130mm	Velo VLG 1749-A 130mm	Velo VLG 1749-A 130mm	Velo VLG 1749-A 130mm
SADDLE	Selle Italia	Selle Italia X-Base	Selle Italia X1	Selle Italia X1
PEDALS	VP-531 Enduro aluminium	VP-531 Enduro aluminium	FP-971 aluminium	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	15,0 kg	15,3 kg	9,7 kg	10,3 kg
COLOURS	silver	black	gray	turquoise-celadon



PHOTO  
SOON

### MONSUN 1

WHEEL SIZE / FRAME	29" / carbon	29" / carbon	29" / carbon	29" / carbon	WHEEL SIZE / FRAME
SIZE	S – 15" / M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19" / XL – 21"	SIZE
Rock Shox Recon Gold RL 29" 15x110mm, 100mm, tap. Suntour XCR-32 Air 15x100mm, 100mm, tapered Suntour XCR-32 Air 15x100mm, 100mm, tapered Rock Shox Recon Silver RL Boost 15x110mm, 100mm, tap. FORK					
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	1x12	1x11	2x10	1x12	DRIVETRAIN
FRONT SHIFTERS	—	—	Shimano Cues SL-U6000 2 speed	—	FRONT SHIFTERS
REAR SHIFTERS	Shimano SLX SL-M7100 12 speed	Shimano Cues SL-U6000-11R 11 speed	Shimano Cues SL-U6000-10R 10 speed	Shimano Deore SL-M6100 12 speed	REAR SHIFTERS
FRONT DERAILLEUR	—	—	Shimano Cues FD-U4000-E	—	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano SLX RD-M7100 12 speed	Shimano Cues RD-U6000	Shimano Cues RD-U6020-10 SGS	Shimano Deore RD-M6100 12 speed	REAR DERAILLEUR
CRANKSET	Shimano SLX FC-M7100 32T 175mm	Shimano Cues FC-U6000 30T 170mm/175mm	Shimano Cues FC-U6000-2 36-22T 170mm/175mm	Shimano FC-M510 32T 175mm	CRANKSET
FRONT BRAKE	Shimano SLX BL-M7100/BR-M7100	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT401, BR-MT400	FRONT BRAKE
REAR BRAKE	Shimano SLX BL-M7100/BR-M7100	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT401, BR-MT400	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT64 centerlock 180mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 180mm	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT64 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC
TYRES	Michelin Force XC 29"x2,25"	Michelin Country Grip'R 29"x2,1"	Michelin Country Grip'R 29"x2,1"	Michelin Country Grip'R 29"x2,1"	TYRES
RIMS	Mach1 Karma M631	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-MT400 15mm/110mm	Shimano HB-MT400 15mm/100mm	Shimano HB-MT400 15mm/100mm	Shimano HB-TC500-15-B, 15mm/110mm	FRONT HUB
REAR HUB	Shimano FH-MT410 12mm/148mm	Shimano FH-MT400 12mm/142mm	Shimano FH-MT400 12mm/142mm	Shimano FH-TC500-MS, 12mm/142mm	REAR HUB
CASSETTE	Shimano SLX CS-M7100 10-51T 12 speed	Shimano CS-LG400 11-51 11 speed	Shimano CS-LG300-10, 11-39T 10 speed	Shimano Deore CS-M6100 10-51T 12 speed	CASSETTE
HANDLEBAR	Romet Carbon 720mm/31,8mm	Romet aluminium 760mm/31,8mm	Romet aluminium 760mm/31,8mm	Romet aluminium 760mm/31,8mm	HANDLEBAR
STEM	Romet Carbon 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	STEM
SEAT POST	Romet Carbon 27,2mm/350mm	Romet aluminium 27,2mm/350mm	Romet aluminium 27,2mm/350mm	Romet aluminium 27,2mm/350mm	SEAT POST
GRIPS	Velo VLG 1749-A 130mm	Velo VLG 1749-A 130mm	Velo VLG 1749-A 130mm	Velo VLG-1541AD2 132mm	GRIPS
SADDLE	Selle Italia X1	Selle Italia X-Base	Selle Italia X-Base	Selle Italia X-Base	SADDLE
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	12,1 kg	12,8 kg	13,2 kg	12,7 kg	WEIGHT
COLOURS	black-red	graphite-navy blue	black-green	black-green	COLOURS

## TECHNICAL DATA



### MUSTANG EVO 1

MTB - XC

### MUSTANG M5 CS

MTB - XC

### MUSTANG M4 CS

MTB - XC

### MUSTANG M3 CS

MTB - XC

### MUSTANG M2 CS

MTB - XC

### MUSTANG M1 CS

MTB - XC

### MUSTANG M8

MTB - XC

### MUSTANG M7

MTB - XC

WHEEL SIZE / FRAME	29" / carbon	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / alu 6061 X-lite
SIZE	S – 15" / M – 17" / L – 19" / XL – 21"	M – 16" / L – 18" / XL – 20"	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"
FORK	Suntour XCR-32 Air 15x100mm,100mm, tapered Suntour XCM 32 LOR COIL 15/110, 100mm tapered	Suntour XCM RL 100mm	Suntour XCM RL 100mm	Suntour XCR 32 COIL 15/110, 100mm tapered
DAMPER	—	—	—	—
DRIVETRAIN	2×10	2×11	1×11	2×10
FRONT SHIFTERS	Shimano Deore SL-M6000 2 speed	Shimano Cues SL-U6000-L 2 speed	—	Shimano Cues SL-U6000 2 speed
REAR SHIFTERS	Shimano Deore SL-M6000 10 speed	Shimano Cues SL-U6000-11R 11 speed	Shimano Cues SL-U6000-11R 11 speed	Shimano Cues SL-U6000-10R 10 speed
FRONT DERAILLEUR	Shimano Deore FD-M4100-E	Shimano Cues FD-U6000-M	—	Shimano Cues FD-U4000
REAR DERAILLEUR	Shimano Deore RD-M4120	Shimano Cues RD-U6020-11 SGS	Shimano Cues RD-U6000-11 GS	Shimano Cues RD-U6020-10 SGS
CRANKSET	Shimano Deore FC-M4100 36-26T 170mm	Shimano Cues FC-U4010-2 36-22T, 170mm/175mm	Shimano Cues FC-U6000-1, 30T 170mm/175mm	Shimano Cues FC-U6000-2 36-22T, 170mm
FRONT BRAKE	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
REAR BRAKE	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 180mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
TYRES	Michelin Country Grip'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-MT400 15mm/100mm	Shimano HB-MT400-B, 15/110mm	Shimano HB-TX505	Shimano HB-TX505
REAR HUB	Shimano FH-MT400 12mm/142mm	Shimano FH-MT400-B, 12/148mm	Shimano FH-TX505	Shimano FH-TX505
CASSETTE	Shimano Deore CS-M4100 11-42T 10 speed	Shimano CS-LG400-11 11-45T 11 speed	Shimano CS-LG400-11 11-50T 11 speed	Shimano CS-LG400-10 11-39T 10 speed
HANDLEBAR	Romet aluminium 760mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm
SEAT POST	Romet aluminium 27,2mm/350mm	Romet aluminium 30,9mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm
GRIPS	Velo VLG-1541AD2 132mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm
SADDLE	Selle Italia X-Base	Romet	Romet	Romet
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	12,7 kg	—	—	—
COLOURS	black-red	antracite-blue	silver-blue	dark blue-yellow

### MUSTANG M2 CS

MTB - XC

### MUSTANG M1 CS

MTB - XC

### MUSTANG M8

MTB - XC

### MUSTANG M7

MTB - XC

WHEEL SIZE / FRAME	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / alu 6061 X-lite	WHEEL SIZE / FRAME
SIZE	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	M – 16" / L – 18" / XL – 20"	M – 16" / L – 18" / XL – 20"	SIZE
FORK	Suntour XCM HLO 100mm	Suntour XCT HLO 100mm	RS Judy sil. TK RL-crown 15/110mm solo air, 100mm, tap.	Suntour XCR 32 COIL 15/110, 100mm tapered	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	1×10	2×9	1×12	2×11	DRIVETRAIN
FRONT SHIFTERS	Shimano Cues SL-U4000 2 speed	Shimano Cues SL-U4010-9R 9 speed	Shimano Deore SL-M6100 12 speed	Shimano Deore SL-M5100 11 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Cues SL-U6000-10R 10 speed	Shimano Cues FD-U4000-M	Shimano Deore RD-M6100 SGS	Shimano Deore RD-M5120 SGS	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Cues RD-U6000-10 GS	Shimano Cues RD-U4020 SGS	Shimano FC-MT511 32T 175mm	Shimano Deore FC-M5100 2 36-26T 175mm	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Cues FC-U6000-1, 30T, 170mm	Shimano Cues FC-U4000-2, 36-22T, 170mm	Shimano FC-MT401/BR-MT410	Shimano BL-MT200/BR-MT200	REAR BRAKE
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	FRONT BRAKE
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC
TYRES	Michelin Country Grip'R 29"×2,1"	Michelin Country Race'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-MT400-B, 15/110mm	Shimano HB-MT400-B, 15/110mm	FRONT HUB
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-MT410-B, 12/148mm	Shimano FH-MT400-B, 12/148mm	REAR HUB
CASSETTE	Shimano CS-LG400-10 11-48T 10 speed	Shimano CS-LG300-9 11-36T 9 speed	Shimano Deore CS-M6100 10-51T 12 speed	Shimano Deore CS-M5100 11-42T 11 speed	CASSETTE
HANDLEBAR	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	HANDLEBAR
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	STEM
SEAT POST	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 30,9mm/350mm	Romet aluminium 30,9mm/350mm	SEAT POST
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	GRIPS
SADDLE	Romet	Romet	Selle Italia X-Base	Selle Italia X-Base	SADDLE
PEDALS	FP-971 aluminium	FP-804	FP-971 aluminium	FP-971 aluminium	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	13,5 kg	—	—	13,9 kg	WEIGHT
COLOURS	lime green-black, graphite-orange	white-yellow, antracite-turquoise	graphite-copper	black-orange	COLOURS

## TECHNICAL DATA



**MUSTANG M6**

MTB - XC

**MUSTANG M5**

MTB - XC

**MUSTANG M4**

MTB - XC

**MUSTANG M3**

MTB - XC

	<b>MUSTANG M6</b>	<b>MUSTANG M5</b>	<b>MUSTANG M4</b>	<b>MUSTANG M3</b>
WHEEL SIZE / FRAME	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / alu 6061 X-lite	29" / alu 6061 X-lite
SIZE	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"
FORK	Suntour XCM 32 LOR COIL 15/110, 100mm, tapered	Suntour X1 Coil RL 100mm	Suntour XCM RL 100mm	Suntour XCM RL 100mm
DAMPER	—	—	—	—
DRIVETRAIN	1x11	2x10	1x10	2x9
FRONT SHIFTERS	—	Shimano Deore SL-M6000 2 speed	—	Shimano Altus SL-M2010 2 speed
REAR SHIFTERS	Shimano Deore SL-M5100 11 speed	Shimano Deore SL-M6000 10 speed	Shimano Deore SL-M4100 10 speed	Shimano Altus SL-M2010 9 speed
FRONT DERAILLEUR	—	Shimano Deore FD-M4100	—	Shimano Altus FD-M2020
REAR DERAILLEUR	Shimano Deore RD-M5100 SGS	Shimano Deore RD-M4120 SGS	Shimano Deore RD-M5120 SGS	Shimano Alivio RD-M3100 SGS Shadow
CRANKSET	Shimano Deore FC-M5100 32T 175mm	Shimano Deore FC-MT4100-2 36-26T 175mm	Shimano Deore FC-M5100-1 32T 175mm	Shimano FC-MT101 36-22T 170mm
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
TYRES	Michelin Country Grip'R 29"x2,1"	Michelin Country Grip'R 29"x2,1"	Michelin Country Grip'R 29"x2,1"	Michelin Country Grip'R 29"x2,1"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-MT400-B, 15/110mm	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505
REAR HUB	Shimano FH-MT400-B, 12/148mm	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505
CASSETTE	Shimano Deore CS-M5100-11 10-51T 11 speed	Shimano Deore CS-HG4100-10 11-42T 10 speed	Shimano Deore CS-M4100-10 11-46T 10 speed	Shimano CS-HG200 11-34T 9 speed
HANDLEBAR	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm
SEAT POST	Romet aluminium 30,9mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm
SADDLE	Selle Italia X-Base	Romet	Romet	Romet
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	13,6 kg	13,8 kg	14,1 kg	14,4 kg
COLOURS	white-blue	black-green	blue-yellow	silver-gray



**MUSTANG M2**

MTB

**MUSTANG M1**

MTB

**MUSTANG M7.1**

MTB

**RAMBLER R9.4 CS**

MTB

	<b>MUSTANG M2</b>	<b>MUSTANG M1</b>	<b>MUSTANG M7.1</b>	<b>RAMBLER R9.4 CS</b>	
WHEEL SIZE / FRAME	29" / alu 6061 X-lite	29" / alu 6061 X-lite	27,5" / alu 6061 X-lite	29" / alu 6061	WHEEL SIZE / FRAME
SIZE	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	M – 17" / L – 19" / XL – 21"	L – 18" / XL – 20"	SIZE
FORK	Suntour XCM HLO 100mm	Suntour XCT HLO 100mm	Suntour XCT HLO 100mm	Suntour XCT HLO 100mm	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	3x9	2x8	2x8	2x10	DRIVETRAIN
FRONT SHIFTERS	Shimano Altus SL-M2010 3 speed	Shimano SLM-315 2 speed	Shimano SLM-315 2 speed	Shimano Cues SL-U6000 2 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Altus SL-M2010 9 speed	Shimano SLM-315 8 speed	Shimano SLM-315 8 speed	Shimano Cues SL-U6000-10R 10 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Altus FD-M2000	Shimano Altus FD-M315	Shimano Altus FD-M315	Shimano Cues FD-U4000	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Altis RD-M3100 SGS Shadow	Shimano Acera RD-M3020 SGS	Shimano Acera RD-M3020 SGS	Shimano Cues RD-U6020-10 SGS	REAR DERAILLEUR
CRANKSET	Shimano FC-MT101 40-30-22T 175mm	Shimano Tourney FC-M315 36-22T 170mm	Shimano Tourney FC-M315 36-22T, 170mm	Shimano Cues FC-U4010-2 36-22 T, 170/175mm	CRANKSET
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	FRONT BRAKE
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC
TYRES	Michelin Country Grip'R 29"x2,1"	Michelin Country Race'R 29"x2,1"	27,5"x2,1"	Michelin Country Race'R 29"x2,1"	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	FRONT HUB
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	REAR HUB
CASSETTE	Shimano CS-HG200 11-34T 9 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano CS-LG300-10, 11-39T 10 speed	CASSETTE
HANDLEBAR	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	HANDLEBAR
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	STEM
SEAT POST	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/300mm	Romet aluminium 31,6mm/300mm	Romet aluminium 31,6mm/350mm	SEAT POST
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	GRIPS
SADDLE	Romet	Romet	Romet	Romet	SADDLE
PEDALS	FP-971 aluminium	FP-804	FP-804	FP-971 aluminium	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	14,5 kg	14,5 kg	14,4 kg	—	WEIGHT
COLOURS	gray-red, graphite	black-red, light graphite	dark blue	graphite-gold, black-turquoise-gray	COLOURS

## TECHNICAL DATA



**RAMBLER R9.3 CS**

**RAMBLER R9.2 CS**

**RAMBLER R7.3 CS**

**RAMBLER R7.2 CS**

	<b>MTR</b>			
WHEEL SIZE / FRAME	29" / alu 6061	29" / alu 6061	27,5" / alu 6061	27,5" / alu 6061
SIZE	L - 18" / XL - 20"	M - 17" / L - 19" / XL - 21"	L - 18" / XL - 20"	M - 17" / L - 19" / XL - 21"
FORK	Suntour XCT HLO 100mm	Suntour XCE 100 mm	Suntour XCT HLO 100mm	Suntour XCE 100mm
DAMPER	—	—	—	—
DRIVETRAIN	1x10	2x9	1x9	2x9
FRONT SHIFTERS	—	Shimano Cues SL-U4000 2 speed	—	Shimano Cues SL-U4000 2 speed
REAR SHIFTERS	Shimano Cues SL-U6000-10R 10 speed	Shimano Cues SL-U4000-9R 9 speed	Shimano Cues SL-U4010-9R 9 speed	Shimano Cues SL-U4010-9R 9 speed
FRONT DERAILLEUR	—	Shimano Cues FD-U4000-M	—	Shimano Cues FD-U4000-M
REAR DERAILLEUR	Shimano Cues RD-U6000-10 GS	Shimano Cues RD-U4020 SGS	Shimano Cues RD-U4000	Shimano Cues RD-U4020 SGS
CRANKSET	Shimano Cues FC-U6000-1, 30T, 170mm	Shimano Cues FC-U4000-2, 36-22T, 170mm	Shimano Cues FC-U4000, 30T, 170mm	Shimano Cues FC-U4000-2, 36-22T, 170mm
FRONT BRAKE	Shimano BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
REAR BRAKE	Shimano BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm
TYRES	Michelin Country Race'R 29"×2,1"	Michelin Country Race'R 29"×2,1"	Michelin Country Race'R 27,5"×2,1"	Michelin Country Race'R 27,5"×2,1"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	aluminium
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	aluminium
CASSETTE	Shimano CS-LG300-10 11-48T 10 speed	Shimano CS-LG300-9 11-36T 9 speed	Shimano Cues CS-LG300-9, 11-46T 9 speed	Shimano Cues CS-LG300-9, 11-36T 9 speed
HANDLEBAR	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm
SEAT POST	Romet aluminium 30,9mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 30,9mm/350mm
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-971 aluminium	FP-804	FP-971 aluminium	FP-804
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	14,8 kg	14,9 kg	—	—
COLOURS	white-graphite-turquoise, blue-white	gray-black-orange, gray-green-silver	black-turquoise-silver, graphite-orange	black-gray-yellow, white-red-black graphite-orange



**RAMBLER R9.4**

**RAMBLER R9.3**

**RAMBLER R9.1**

**RAMBLER FIT 29**

29" / alu 6061	29" / alu 6061	29" / alu 6061	29" / alu 6061	29" / alu 6061	WHEEL SIZE / FRAME
L - 18" / XL - 20"	L - 18" / XL - 20"	M - 17" / L - 19" / XL - 21"	M - 17" / L - 19" / XL - 21"	L - 18" / XL - 20"	SIZE
Suntour XCT HLO 100mm	Suntour XCT HLO 100mm	Suntour XCT HLO 100mm	Suntour XCE 100mm	Suntour XCE 100mm	FORK
—	—	—	—	—	DAMPER
3x8	3x8	3x7	2x8	2x8	DRIVETRAIN
Shimano ST-EF505 3 speed	Shimano ST-EF505 3 speed	Shimano ST-EF41 3 speed	Shimano Acera SL-M315 2 speed	Shimano Acera SL-M315 2 speed	FRONT SHIFTERS
Shimano ST-EF505 8 speed	Shimano ST-EF505 8 speed	Shimano ST-EF41 7 speed	Shimano Acera SL-M315 8 speed	Shimano Acera SL-M315 8 speed	REAR SHIFTERS
Shimano Altus FD-M2000	Shimano Tourney FD-TY700	Shimano Tourney FD-TY300	Shimano Altus RD-M310	Shimano Altus RD-M310	FRONT DERAILLEUR
Shimano Alivio RD-M3100 SGS Shadow	Shimano Acera RD-M3020 SGS	Shimano Alivio RD-M3100 SGS	Shimano FC-M315-2 36/22T 170mm	Shimano FC-M315-2 36/22T 170mm	REAR DERAILLEUR
Shimano FC-MT101 40/30/22T 175mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-M315-2 36/22T 170mm	Shimano FC-M315-2 36/22T 170mm	CRANKSET
Shimano ST-EF505/BR-M200	Shimano ST-EF505/BR-M200	V-brake	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	FRONT BRAKE
Shimano ST-EF505/BR-M200	Shimano ST-EF505/BR-M200	V-brake	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	REAR BRAKE
Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	—	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	FRONT BRAKE DISC
Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	—	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC
29"×2,1"	29"×2,1"	29"×2,1"	Michelin Country Grip'R 29"×2,1"	Michelin Country Grip'R 29"×2,1"	TYRES
aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
aluminium	Shimano HB-TX505	aluminium	Shimano HB-TX505	Shimano HB-TX505	FRONT HUB
aluminium	Shimano FH-TX505	aluminium	Shimano FH-TX505	Shimano FH-TX505	REAR HUB
Shimano CS-HG200-8 11-36T 8 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano TZ500-7 14-28T 7 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano CS-HG31-8 11-34T 8 speed	CASSETTE
Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	HANDLEBAR
Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	STEM
Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 30,9mm/350mm	Romet aluminium 30,9mm/350mm	SEAT POST
Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	GRIPS
Romet	Romet	Romet	Romet	Romet	SADDLE
FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-804	FP-971 aluminium	PEDALS
—	—	—	—	—	FRONT LAMP
—	—	—	—	—	REAR LAMP
14,3 kg	13,8 kg	15,2 kg	15,4 kg	black-gray	WEIGHT
graphite, graphite-white	navy blue-graphite-blue, graphite-black	black-red-gray, blue-white-yellow	black-gray	COLOURS	COLOURS

## TECHNICAL DATA



**RAMBLER R7.4**

MUR

WHEEL SIZE / FRAME	27,5" / alu 6061	27,5" / alu 6061	27,5" / alu 6061	27,5" / alu 6061
SIZE	L – 18" / XL – 20"	L – 18" / XL – 20"	M – 17" / L – 19" / XL – 21"	L – 18" / XL – 20"
FORK	Suntour XCT HLO 100mm	Suntour XCT HLO 100mm	Suntour XCE 100mm	Suntour XCE 100mm
DAMPER	—	—	—	—
DRIVETRAIN	3x9	3x8	3x7	2x8
FRONT SHIFTERS	Shimano ST-EF505 3 speed	Shimano ST-EF505 3 speed	Shimano ST-EF500 3 speed	Shimano Acera SLM-315 2 speed
REAR SHIFTERS	Shimano ST-EF505 9 speed	Shimano ST-EF505 8 speed	Shimano ST-EF500 7 speed	Shimano Acera SLM-315 8 speed
FRONT DERAILLEUR	Shimano Altus FD-M2000	Shimano Tourney FD-TY700	Shimano Tourney FD-TY300	Shimano Acera FD-M315-TS
REAR DERAILLEUR	Shimano Alivio RD-M3100 SGS	Shimano Acera RD-M3020 SGS	Shimano Acera RD-M360	Shimano Acera RD-M3020 SGS
CRANKSET	Shimano FC-MT101 40/30/22T 175mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170 mm	Shimano FC-M315-2 36/22T 170mm
FRONT BRAKE	Shimano ST-EF505/BR-M200	Shimano ST-EF505/BR-M200	mechanical disc	Shimano BL-MT200/BR-M200
REAR BRAKE	Shimano ST-EF505/BR-M200	Shimano ST-EF505/BR-M200	mechanical disc	Shimano BL-MT200/BR-M200
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm	Shimano SM-RT10 centerlock 160mm
TYRES	Michelin Country Race'R 27,5" x 2,1"	Michelin Country Race'R 27,5" x 2,1"	27,5" x 2,1"	Michelin Country Grip'R 27,5" x 2,1"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	aluminium	Shimano HB-TX505
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	aluminium	Shimano FH-TX505
CASSETTE	Shimano CS-HG200-9 11-34T 9 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano MF-TZ500-7 14-28T 7 speed	Shimano CS-HG31-8 11-34T 8 speed
HANDLEBAR	Romet aluminium 720mm/31,8mm	Romet aluminium 720mm/31,8mm	Romet aluminium 680mm	Romet aluminium 720mm/31,8mm
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm	Romet aluminium 90mm/31,8mm
SEAT POST	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm/350mm	Romet aluminium 31,6mm 350mm	aluminium 30,4mm/300mm
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-804	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	15,4 kg	15,0 kg	15,2 kg	15,3 kg
COLOURS	silver-red-graphite, graphite-silver-turquoise	graphite-orange, blue-yellow	silver-red-graphite, navy blue	graphite-silver-blue

**RAMBLER R7.3**

MUR

**RAMBLER R7.1**

MUR

**RAMBLER FIT 27.5**



**RAMBLER R6.4**

MUR

WHEEL SIZE / FRAME	26" / alu 6061	26" / alu 6061	26" / alu 6061	26" / alu 6061
SIZE	L – 18" / XL – 20"	L – 18" / XL – 20"	S – 14" / M – 17" / L – 19" / XL – 21"	S – 14" / M – 17" / L – 19" / XL – 21"
FORK	Suntour XCT HLO 100mm	Suntour XCE 100mm	suspension	suspension
DAMPER	—	—	—	—
DRIVETRAIN	3x8	3x8	3x7	3x7
FRONT SHIFTERS	Shimano Acera SL-M315 2 speed	Shimano ST-TX800 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed
REAR SHIFTERS	Shimano Acera SL-M315 8 speed	Shimano ST-TX800 8 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed
FRONT DERAILLEUR	Shimano Tourney FD-TY700	Shimano Tourney FD-TY500	Shimano Tourney FD-TY300	Shimano Tourney FD-TY300
REAR DERAILLEUR	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Tourney RD-TY300	Shimano Tourney RD-TY300
CRANKSET	Shimano FCTY-301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm	Cyclone CTL-3 42/34/24T 170 mm
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano Tourney BR-TX805 mechanical disc	mechanical disc	V-brake
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano Tourney BR-TX805 mechanical disc	mechanical disc	V-brake
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	160mm	160mm	—
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	160mm	160mm	—
TYRES	Michelin Country A.t 26"x2,0"	Michelin Country A.t 26"x2,0"	Michelin Country A.t 26"x2,0"	Michelin Country A.t 26"x2,0"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	aluminium	aluminium	aluminium	aluminium
REAR HUB	aluminium	aluminium	aluminium	aluminium
CASSETTE	Shimano CS-HG31-8 11-34T 8 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed
HANDLEBAR	Romet aluminium 680mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm
STEM	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 90mm/31,8mm
SEAT POST	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Atu 120mm	Brat Atu 120mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-971 aluminium	FP-804	FP-804	FP-804
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	14,4 kg	14,4 kg	14,2 kg	14,2 kg
COLOURS	black-copper	white-gold, blue-red-silver	silver-blue, black-yellow	dark blue-lime green, red-white-gray



## RAMBLER R6.0

MTB

	WHEEL SIZE / FRAME	26" / alu 6061	26" / alu 6061	26" / alu 6061	26" / alu 6061
SIZE	S – 14" / M – 17" / L – 19" / XL – 21"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	L – 18" / XL – 20"	
FORK	suspension	suspension	suspension	Suntour XCE 100mm	
DAMPER	—	—	—	—	
DRIVETRAIN	3x7	3x7	3x7	2x8	
FRONT SHIFTERS	Shimano Revoshift RS-35 3 speed	Shimano ST-EF41 3 speed	Shimano Revoshift RS-35 3 speed	Shimano Altus SLM-315 2 speed	
REAR SHIFTERS	Shimano Revoshift RS-35 7 speed	Shimano ST-EF41 7 speed	Shimano Revoshift RS-35 7 speed	Shimano Altus SLM-315 8 speed	
FRONT DERAILLEUR	Falcon MF-31D	Shimano Tourney FD-TY300	Falcon MF-31D	Shimano Altus FD-M315	
REAR DERAILLEUR	Shimano Tourney RD-TY300D	Shimano Tourney RD-TY300	Shimano Tourney RD-TY300D	Shimano Alivio RD-M3010 SGS	
CRANKSET	Shimano Tourney TY-301 42/34/24T 170mm	Shimano Tourney TY-301 42/34/24T 170mm	Shimano Tourney TY-301 42/34/24T 170mm	Shimano Altus FCM-315 36/22T 170mm	
FRONT BRAKE	V-brake	V-brake	V-brake	mechanical disc	
REAR BRAKE	V-brake	V-brake	V-brake	mechanical disc	
FRONT BRAKE DISC	—	—	—	160mm	
REAR BRAKE DISC	—	—	—	160mm	
TYRES	26"×2,1"	26"×2,1"	26"×2,1"	26"×2,1"	
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	
FRONT HUB	steel	steel	steel	aluminium	
REAR HUB	steel	steel	steel	aluminium	
CASSETTE	freewheel 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	freewheel 14-28T 7 speed	Shimano CS-HG31-8 11-34T 8 speed	
HANDLEBAR	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	
STEM	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 90mm/31,8mm	
SEAT POST	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 30,4mm/300mm	
GRIPS	Brat Karo 90mm	Brat Karo 120mm	Brat Karo 90mm	Brat Trefl 130mm	
SADDLE	Romet	Romet	Romet	Romet	
PEDALS	FP-804	FP-804	FP-804	FP-804	
FRONT LAMP	—	—	—	—	
REAR LAMP	—	—	—	—	
WEIGHT	14,5 kg	13,4 kg	14,5 kg	13,4 kg	
COLOURS	black-orange-red, blue-lime green	black-green-gray, blue-green-black	lime green-black-red, black-blue-silver	black-blue, claret-silver, cherry-silver	



## JOLENE 7.3 CS

MTB - LADY

	WHEEL SIZE / FRAME	27,5" / alu 6061	27,5" / alu 6061	27,5" / alu 6061	27,5" / alu 6061	WHEEL SIZE / FRAME
SIZE	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	SIZE
FORK	Suntour XCE 100mm	Suntour XCE 100mm	Suntour XCE 100mm	Suntour XCE 100mm	Suntour XCE 100mm	FORK
DAMPER	—	—	—	—	—	DAMPER
DRIVETRAIN	2x9	3x8	3x7	3x7	3x7	DRIVETRAIN
FRONT SHIFTERS	Shimano Cues SL-U4000 2 speed	Shimano ST-EF505 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Cues SL-U4010-9R 9 speed	Shimano ST-EF505 8 speed	Shimano ST-EF500 7 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Cues FD-U4000	Shimano Tourney FD-TY700	Shimano Tourney FD-TY300	Shimano Tourney FD-TY300	Shimano Tourney FD-TY300	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Cues RD-U4020 SGS	Shimano Acera RD-M3020 SGS	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Altus RD-M310	REAR DERAILLEUR
CRANKSET	Shimano Cues FC-U4000-2, 36-22T, 170mm	Shimano FC-TY301 42/34/24T 170mm	Shimano Tourney FC-TY301 42/34/24T 170mm	Shimano Tourney FC-TY301 42/34/24T 170mm	Shimano Tourney FC-TY301 42/34/24T 170mm	CRANKSET
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano ST-EF505/BR-M200	Shimano Tourney BR-TX805 mechanical disc	V-brake	V-brake	FRONT BRAKE
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano ST-EF505/BR-M200	Shimano Tourney BR-TX805 mechanical disc	V-brake	V-brake	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm	—	—	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	160mm	—	—	REAR BRAKE DISC
TYRES	Michelin Country Race'R 27,5"×2,1"	Michelin Country Race'R 27,5"×2,1"	27,5"×2,1"	27,5"×2,1"	27,5"×2,1"	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	aluminium	aluminium	aluminium	FRONT HUB
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	aluminium	aluminium	aluminium	REAR HUB
CASSETTE	Shimano CS-LG300-9, 11-36T 9 speed	Shimano CS-HG31-8 11-34T 8 speed	Shimano MF-TZ500 14-28T 7 speed	freewheel 14-28T 7 speed	CASSETTE	CASSETTE
HANDLEBAR	Romet aluminium 680mm/31,8mm	Romet aluminium 680mm/31,8mm	Romet aluminium 680mm/31,8mm	Romet aluminium 680mm/31,8mm	Romet aluminium 680mm/31,8mm	HANDLEBAR
STEM	Romet aluminium 90mm/90mm/31,8mm	Romet aluminium 90mm/90mm/31,8mm	Romet aluminium 90mm/90mm/31,8mm	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 60mm/90mm/31,8mm	STEM
SEAT POST	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	SEAT POST
GRIPS	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	Brat Trefl 130mm	GRIPS
SADDLE	Romet	Romet	Romet	Romet	Romet	SADDLE
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-804	FP-804	FP-804	PEDALS
FRONT LAMP	—	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	—	REAR LAMP
WEIGHT	14,0 kg	15,1 kg	15,2 kg	15,2 kg	15,2 kg	WEIGHT
COLOURS	navy blue-pink, white-blue	purple-orange	turquoise-beige, white-blue	blue-pink, white	COLOURS	

## TECHNICAL DATA



**JOLENE 6.3**

MTB - LADY

**JOLENE 6.2**

MTB - LADY

**JOLENE 6.1**

MTB - LADY

**JOLENE 6.0**

MTB - LADY

	<b>WHEEL SIZE / FRAME</b>	<b>26" / alu 6061</b>	<b>26" / alu 6061</b>	<b>26" / alu 6061</b>	<b>26" / alu 6061</b>
<b>SIZE</b>	M – 17" / L – 19"	M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"	S – 15" / M – 17" / L – 19"
<b>FORK</b>	Suntour XCE 100mm	suspension	suspension	suspension	suspension
<b>DAMPER</b>	—	—	—	—	—
<b>DRIVETRAIN</b>	3x8	3x7	3x7	3x7	3x7
<b>FRONT SHIFTERS</b>	Shimano ST-EF505 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	Shimano Revoshift RS-35 3 speed	Shimano Revoshift RS-35 3 speed
<b>REAR SHIFTERS</b>	Shimano ST-EF505 8 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	Shimano Revoshift RS-35 7 speed	Shimano Revoshift RS-35 7 speed
<b>FRONT DERAILLEUR</b>	Shimano Tourney FD-TY700	Shimano Tourney FD-TY300	Shimano Tourney FD-TY300	Falcon MF-31D	Falcon MF-31D
<b>REAR DERAILLEUR</b>	Shimano Acera RD-M360 SGS	Shimano Tourney RD-TY300D	Shimano Tourney RD-TY300	Shimano Tourney RD-TY300D	Shimano Tourney RD-TY300D
<b>CRANKSET</b>	Shimano FC-TY301 42/34/24T 170mm	Shimano Tourney FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm	Shimano FC-TY301 42/34/24T 170mm
<b>FRONT BRAKE</b>	Shimano ST-EF505/BR-M200	mechanical disc	V-brake	V-brake	V-brake
<b>REAR BRAKE</b>	Shimano ST-EF505/BR-M200	mechanical disc	V-brake	V-brake	V-brake
<b>FRONT BRAKE DISC</b>	Shimano SM-RT10 centerlock 160mm	160mm	—	—	—
<b>REAR BRAKE DISC</b>	Shimano SM-RT10 centerlock 160mm	160mm	—	—	—
<b>TYRES</b>	Michelin Country A.t 26"×2,0"	Michelin Country A.t 26"×2,0"	26"×2,1"	26"×2,1"	26"×2,1"
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
<b>FRONT HUB</b>	Shimano HB-TX505	aluminium	aluminium	steel	steel
<b>REAR HUB</b>	Shimano FH-TX505	aluminium	aluminium	steel	steel
<b>CASSETTE</b>	Shimano CS-HG31 8-11-34T 8 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	freewheel 14-28T 7 speed	freewheel 14-28T 7 speed
<b>HANDLEBAR</b>	Romet aluminium 680mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm	Romet aluminium 600mm/31,8mm
<b>STEM</b>	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 90mm/31,8mm	Romet aluminium 60mm/90mm/31,8mm	Romet aluminium 60mm/90mm	Romet aluminium 60mm/90mm
<b>SEAT POST</b>	Romet aluminium 27,2mm/350mm	Romet aluminium 27,2mm/350mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm	Romet aluminium 27,2mm/300mm
<b>GRIPS</b>	Brat Karo 120mm	Brat Karo 120mm	Brat Karo 120mm	Brat Karo 120mm	Brat Karo 120mm
<b>SADDLE</b>	Romet	Romet	Romet	Romet	Romet
<b>PEDALS</b>	FP-971 aluminium	FP-804	FP-804	FP-804	FP-804
<b>FRONT LAMP</b>	—	—	—	—	—
<b>REAR LAMP</b>	—	—	—	—	—
<b>WEIGHT</b>	15,1 kg	13,8 kg	14,5 kg	14,6 kg	14,6 kg
<b>COLOURS</b>	black-pink	white-pink-purple, black-green-purple	white-green-purple, green-purple	white-blue-green, black-pink	white-blue-green, black-pink



**JAGUAR 2**

ROAD

**JAGUAR DISC1**

ROAD

**HURAGAN CRD**

ROAD

**HURAGAN DISC**

ROAD

<b>700C / carbon Aero</b>	<b>700C / carbon Aero</b>	<b>700C / carbon</b>	<b>700C / carbon Aero</b>	<b>WHEEL SIZE / FRAME</b>
50cm / 53cm / 55cm / 57cm	49cm / 52cm / 55cm / 58cm	49cm / 51cm / 54cm / 57cm	49cm / 52cm / 55cm / 58cm	<b>SIZE</b>
Full Carbon Tapered Aero	Full Carbon Tapered Aero	Full Carbon Tapered	Full Carbon Tapered Aero	<b>FORK</b>
—	—	—	—	<b>DAMPER</b>
<b>2x12</b>	<b>2x11</b>	<b>2x11</b>	<b>2x11</b>	<b>DRIVETRAIN</b>
Shimano Ultegra ST-R8170 Di2 2 speed	Shimano Ultegra ST-R8020 2 speed	Shimano 105 ST-R7000 2 speed	Shimano 105 ST-R7020 2 speed	<b>FRONT SHIFTERS</b>
Shimano Ultegra ST-R8170 Di2 12 speed	Shimano Ultegra ST-R8200 11 speed	Shimano 105 ST-R7000 11 speed	Shimano 105 ST-R7020 11 speed	<b>REAR SHIFTERS</b>
Shimano Ultegra FD-R8150 Di2	Shimano Ultegra FD-R8000	Shimano 105 FD-R7000	Shimano 105 FD-R7000	<b>FRONT DERAILLEUR</b>
Shimano Ultegra RD-R8150 Di2	Shimano Ultegra RD-R8000	Shimano 105 RD-R7000	Shimano 105 RD-R7000	<b>REAR DERAILLEUR</b>
Shimano Ultegra FC-R8100 52/36T 170/172,5/175mm	Shimano Ultegra FC-R8000 52/36T 170/172,5/175mm	Shimano 105 FC-R7000 52/36T 170/172,5/175mm	Shimano 105 FC-R7000 52/36T 170/172,5/175mm	<b>CRANKSET</b>
Shimano Ultegra BR-R8170	Shimano Ultegra BR-R8070	Shimano 105 BR-R7000	Shimano 105 BR-R7070	<b>FRONT BRAKE</b>
Shimano Ultegra BR-R8170	Shimano Ultegra BR-R8070	Shimano 105 BR-R7000	Shimano 105 BR-R7070	<b>REAR BRAKE</b>
Shimano SM-RT800 140mm	Shimano SM-RT800 140mm	—	Shimano SM-RT800 140mm	<b>FRONT BRAKE DISC</b>
Shimano SM-RT800 140mm	Shimano SM-RT800 140mm	—	Shimano SM-RT800 140mm	<b>REAR BRAKE DISC</b>
Michelin Power Time Trial TS 700×25C	Michelin Power Road TS 700×25C	Michelin Lithion 3, 700×25C	Michelin Power All Season 700×25C	<b>TYRES</b>
Token Konax Pro	Ursus Orion 32 mm Disc	Rodi Airline EVO 30mm	Ursus Orion DISC RD40	<b>RIMS</b>
Token Konax Pro 12mm / 100mm	Ursus 12mm / 100mm	QR 20 spokes	Ursus Orion 12mm / 100mm	<b>FRONT HUB</b>
Token Konax Pro 12mm / 142mm	Ursus 12mm / 142mm	QR 24 spokes	Ursus Orion 12mm / 142mm	<b>REAR HUB</b>
Shimano Ultegra CS-R8100 11-30T 12 speed	Shimano Ultegra CS-R8000 11-28T 11 speed	Shimano 105 CS-R7000 11-30T 11 speed	Shimano CS-R7000-11 11-30T 11 speed	<b>CASSETTE</b>
Romet Carbon integrated 400/420/440mm	Romet Carbon 400/420/440mm	Fizik Cyrano R5 420/440mm	Romet Carbon 400/420/440mm	<b>HANDLEBAR</b>
Romet Carbon integrated 400/420/440mm	Romet aluminium 90/100/110mm	Fizik Cyrano R5 +/- 7° 80/90/100mm	Romet aluminium 90/100/110mm	<b>STEM</b>
Carbon Aero	Carbon Aero	Carbon 31,6 mm 350mm	Carbon Aero 355 mm	<b>SEAT POST</b>
—	—	—	—	<b>GRIPS</b>
Fizik Antares R5 EVO	Fizik Antares R5 EVO	Fizik Taiga	Fizik Antares R5 EVO	<b>SADDLE</b>
FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	<b>PEDALS</b>
—	—	—	—	<b>FRONT LAMP</b>
—	—	—	—	<b>REAR LAMP</b>
7,9 kg	7,9 kg	7,6 kg	8,3 kg	<b>WEIGHT</b>
navy blue-black	gray-black	black-graphite	black	<b>COLOURS</b>

## TECHNICAL DATA



**HURAGAN 4**

ROAD

**HURAGAN 3**

ROAD

**HURAGAN 2**

ROAD

**HURAGAN 1**

ROAD

	<b>HURAGAN 4</b>	<b>HURAGAN 3</b>	<b>HURAGAN 2</b>	<b>HURAGAN 1</b>
WHEEL SIZE / FRAME	700C / alu 6061 X-lite	700C / alu 6061 X-lite	700C / alu 6061 X-lite	700C / alu 6061 X-lite
SIZE	49cm / 51cm / 54cm / 57cm	47cm / 50cm / 53cm / 56cm	47cm / 50cm / 53cm / 56cm	47cm / 50cm / 53cm / 56cm
FORK	Full Carbon Tapered	Full Carbon Tapered	Full Carbon Tapered	Full Carbon Tapered
DAMPER	—	—	—	—
DRIVETRAIN	2×10	2×9	2×8	2×7
FRONT SHIFTERS	Shimano Tiagra ST-4700 2 speed	Shimano Sora ST-R3000 2 speed	Shimano Claris ST-R2000 2 speed	Shimano Tourney ST-A070 2 speed
REAR SHIFTERS	Shimano Tiagra ST-4700 10 speed	Shimano Sora ST-R3000 9 speed	Shimano Claris ST-R2000 8 speed	Shimano Tourney ST-A070 7 speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700	Shimano Sora FD-3000	Shimano Claris FD-R2000	Shimano Tourney FD-A070
REAR DERAILLEUR	Shimano Tiagra RD-4700	Shimano Sora RD-R3000	Shimano Claris RD-R2000	Shimano Tourney RD-A070
CRANKSET	Shimano Tiagra FC-4700 52/36T 170/172.5/175mm	Shimano Sora FC-R3000 50/34T 165/170mm	Shimano Claris R2000 50/34T 165/170mm	Shimano Tourney RD-A070 50/34T 165/170mm
FRONT BRAKE	Shimano BR-RS305	Shimano Sora BR-R3000	Shimano Claris BR-R2000	Promax RC-481 aluminium
REAR BRAKE	Shimano BR-RS305	Shimano Sora BR-R3000	Shimano Claris BR-R2000	Promax RC-481 aluminium
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	—	—	—
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	—	—	—
TYRES	Michelin Dynamic Sport 700×28C	Michelin Lithion 3 700×25C	Michelin Dynamic Sport 700×25C	700×23C
RIMS	Ryde DP16	Ryde DP16	Ryde DP16	Ryde DP16
FRONT HUB	Shimano HB-RS470 12mm / 100mm	aluminium	aluminium	aluminium
REAR HUB	Shimano FH-RS470 12mm / 142mm	aluminium	aluminium	aluminium
CASSETTE	Shimano CS-HG500-10 12-28T 10 speed	Shimano CS-HG400 11-28T 9 speed	Shimano CS-HG51 11-28T 8 speed	Shimano TZ500-7 14-28T 7 speed
HANDLEBAR	Romet aluminium 420mm	Romet aluminium 420mm	Romet aluminium 420mm	Romet aluminium 420mm
STEM	Romet aluminium 100mm	Romet aluminium 90/100/110mm	Romet aluminium 90/100/110mm	Romet aluminium 90/100/110mm
SEAT POST	Romet aluminium 27.2 mm 350 mm	Romet aluminium 27.2 mm 300/350/400mm	Romet aluminium 27.2 mm 300/350/400mm	Romet aluminium 27.2 mm 300/350/400mm
GRIPS	—	—	—	—
SADDLE	Fizik Taiga	Vader	Vader	Vader
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	10 kg	9.6 kg	9.8 kg	9.8 kg
COLOURS	green-white-graphite	red-silver-graphite, graphite-grey	black-mustard	red-black, celadon-black



**NYK 3.0 GRX DI2**

GRAVEL

**NYK 3.0 RIVAL AXS**

GRAVEL

**NYK**

**BOREAS 2**

	<b>NYK 3.0 GRX DI2</b>	<b>NYK 3.0 RIVAL AXS</b>	<b>NYK</b>	<b>BOREAS 2</b>	
WHEEL SIZE / FRAME	700C / carbon	700C / carbon	700C / carbon	700C / alu 6061 X-lite	WHEEL SIZE / FRAME
SIZE	49cm / 51cm / 53cm / 56cm	49cm / 51cm / 53cm / 56cm	54cm / 56cm / 58cm	48cm / 52cm / 54cm / 56cm	SIZE
FORK	Carbon	Sram Rock Shox Rudy tapered 30mm	Carbon	Carbon Tapered	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	2×11	1×12	1×11	1×12	DRIVETRAIN
FRONT SHIFTERS	Shimano GRX ST-RX815 DI2 2 speed	Sram Rival AXS	Brake lever Sram Apex	Brake lever Sram Apex	FRONT SHIFTERS
REAR SHIFTERS	Shimano GRX ST-RX815 DI2 11 speed	Sram Rival AXS 12 speed	Sram Apex 11 speed	Sram Apex 12 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano GRX FD-RX815 DI2	—	—	—	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano GRX RD-RX815 DI2	Sram Rival AXS	Sram Apex 11 speed	Sram Apex 12 speed	REAR DERAILLEUR
CRANKSET	Shimano GRX FC-RX810 48/31 170mm/172.5mm	Sram Rival 40T 170mm/172.5mm	Sram FC-S350 40T 170mm/175mm	Sram FC-S350 40T 170mm/175mm	CRANKSET
FRONT BRAKE	Shimano GRX BR-RX810	Sram Apex Hydraulic	Sram Apex Hydraulic	Sram Apex Hydraulic	FRONT BRAKE
REAR BRAKE	Shimano GRX BR-RX810	Sram Apex Hydraulic	Sram Apex Hydraulic	Sram Apex Hydraulic	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT800 centerlock 160mm	Sram Centerline 140mm	Sram Centerline 140mm	Sram Centerline 160mm	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT800 centerlock 160mm	Sram Centerline 140mm	Sram Centerline 140mm	Sram Centerline 160mm	REAR BRAKE DISC
TYRES	Schwalbe G-One RS 700×45C	Schwalbe G-One R 700×45C	WTB Resolute 700×42C	Schwalbe G-One 700×38	TYRES
RIMS	Carbon 24h	Carbon 24h	Ursus Orion Disc RD40	Ryde DP19	RIMS
FRONT HUB	Novatec D411 24h straightpull	Novatec D411 24h straightpull	Front wheel Ursus Orion Disc RD40	Joytech D981-12 12mm / 100mm	FRONT HUB
REAR HUB	Novatec D411 24h straightpull	Novatec D411 24h straightpull	Rear wheel Ursus Orion Disc aluminium RD40	Joytech D982TSE X12-11 12mm / 142mm	REAR HUB
CASSETTE	Shimano CS-HG800 11-32 11 speed	Sram Rival 1251 10-44 12 speed	Sram PG 1130 11-42T 11 speed	Sram PG 1130 11-42T 11 speed	CASSETTE
HANDLEBAR	Caron aero Internal cable routing 400/420mm	Caron aero Internal cable routing 400/420mm	Romet Carbon 420mm	Romet Gravel aluminium 420mm / 440mm FLARE	HANDLEBAR
STEM	Caron aero Internal cable routing 120/130mm	Caron aero Internal cable routing 120/130mm	Fizik Cyrano 90mm/100mm/110mm aluminium	Romet aluminium 70mm/90mm/100mm	STEM
SEAT POST	Carbon 27.2mm / 300mm	Sram Reverb 27.5 / 350mm / 50 mm	Romet Carbon 27.2mm / 350mm	Romet aluminium 27.2mm / 350mm	SEAT POST
GRIPS	—	—	—	—	GRIPS
SADDLE	Fizik Argo X5 150mm	Fizik Argo X5 150mm	Fizik Antares R5 EVO	Fizik Taiga	SADDLE
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	8.6 kg	9.9 kg	8.5 kg	10.4 kg	WEIGHT
COLOURS	black-blue	black-red	brown-beige	green-graphite, light graphite-claret	COLOURS

## TECHNICAL DATA



**BOREAS 1 Lite**  
GRAVEL

	<b>BOREAS 1 Lite</b>	<b>ASPRE 2</b>	<b>ASPRE 1</b>	<b>FINALE</b>
WHEEL SIZE / FRAME	700C / alu 6061 X-lite	700C / alu 6061 X-lite	700C / alu 6061 X-lite	700C / Cr-Mo
SIZE	52cm / 54cm / 56cm / 58cm	48cm / 52cm / 54cm / 56cm	52cm / 54cm / 56cm / 58cm	48cm / 52cm / 56cm / 58cm
FORK	Carbon Tapered	Carbon Tapered	Carbon Tapered	Cr-Mo
DAMPER	—	—	—	—
DRIVETRAIN	1x10	2x10	2x8	2x8
FRONT SHIFTERS	Brake lever Sram Apex	Brake lever Shimano GRX	Shimano Claris ST-R2000 2 speed	Shimano Claris ST-R2000 2 speed
REAR SHIFTERS	Sram Apex 10 speed	Brake lever Shimano GRX	Shimano Claris ST-R2000 8 speed	Shimano Claris ST-R2000 8 speed
FRONT DERAILLEUR	—	Shimano FD-RX400	Shimano Claris FD-R2000	Shimano Claris FD-R2000
REAR DERAILLEUR	Sram Apex 10 speed	Shimano FD-RX400	Shimano Claris RD-R2000	Shimano Claris RD-R2000
CRANKSET	Sram FC S350-1 40T 175mm	Shimano GRX FC-RX600 46/30T 170mm/172.5mm	Shimano Claris FC-RS200 46/34T 170mm/175mm	Shimano Claris FC-RS200 46/34T 170mm
FRONT BRAKE	Sram mechanical	Shimano GRX FD-RX400	Shimano BR-RS305 Flat Mount	Shimano BR-RS317
REAR BRAKE	Sram mechanical	Shimano GRX FD-RX400	Shimano BR-RS305 Flat Mount	Shimano BR-RS317
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
TYRES	Schwalbe G-ONE 700x38C	Schwalbe G-ONE 700x38C	Schwalbe G-ONE 700x38C	Schwalbe G-ONE 700x38C
RIMS	Ryde DP19	Ryde DP19	Ryde DP19	aluminium doublewall
FRONT HUB	aluminium GL-B57F	Shimano HB-RS470	Shimano HB-TX505	Shimano HB-TX505
REAR HUB	aluminium GL-B57R	Shimano FH-RS470	Shimano FH-TX505	Shimano FH-TX505
CASSETTE	Shimano HG-500 11-34T 10 speed	Shimano HG500-10 11-34T 10 speed	Shimano HG200-8 12-32T 8 speed	Shimano HG-200 8 12-32T 8 speed
HANDLEBAR	Romet Gravel aluminium 420mm	Romet Gravel aluminium 420mm	Romet Gravel aluminium 420mm Flare	Romet Gravel aluminium 420mm / 440mm Flare
STEM	Romet aluminium 90/100/110mm	Romet aluminium 70/90/100mm	Romet aluminium 90mm/100mm/110mm	Romet aluminium 90mm/100mm/110mm
SEAT POST	Romet aluminium 27,2mm / 300/350/400mm	Romet aluminium 27,2mm 350mm	Romet aluminium 27,2mm 300mm/350mm/400mm	Romet aluminium 27,2 mm 300mm
GRIPS	—	—	—	—
SADDLE	Romet Vader	Fizik Taiga	Romet Vader	Selle Italia X-Base
PEDALS	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium	FP-971 aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	—	—	11.2 kg	13 kg
COLOURS	graphite-gray, claret-graphite	beige-green, dark yellow-black	silver-red, blue-black	claret, yellow



**ORKAN 7 CSM**  
CROSS

	<b>ORKAN 7 CSM</b>	<b>ORKAN 7 CSD</b>	<b>ORKAN 6 CSM</b>	<b>ORKAN 6 CS D</b>	
WHEEL SIZE / FRAME	28" / alu 6061	WHEEL SIZE / FRAME			
SIZE	M – 18" / L – 20"	SIZE			
FORK	Suntour NEX E-25 NLO 75mm tapered	FORK			
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	2x11	2x11	2x10	2x10	DRIVETRAIN
FRONT SHIFTERS	Shimano Cues SL-U8000 2 speed	Shimano Cues SL-U8000 2 speed	Shimano Cues SL-U6000 2 speed	Shimano Cues SL-U6000 2 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Cues SL-U8000 11 speed	Shimano Cues SL-U8000 11 speed	Shimano Cues SL-U6000 10 speed	Shimano Cues SL-U6000 10 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Cues FD-U8100	Shimano Cues FD-U8100	Shimano Cues FD-U6010	Shimano Cues FD-U6010	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Cues RD-U8020 SGS	Shimano Cues RD-U8020 SGS	Shimano Cues RD-U6020 SGS	Shimano Cues RD-U6020 SGS	REAR DERAILLEUR
CRANKSET	Shimano Cues FC-U6010-2, 46-32T 170mm	Shimano Cues FC-U6010-2, 46-32T 170mm	Shimano Cues FC-U6000-2, 46-30T 170mm	Shimano Cues FC-U6000-2, 46-30T, 170mm	CRANKSET
FRONT BRAKE	Shimano BL-MT401, BR-MT410	Shimano BL-MT401, BR-MT410	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	FRONT BRAKE
REAR BRAKE	Shimano BL-MT401, BR-MT410	Shimano BL-MT401, BR-MT410	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	FRONT BRAKE DISC			
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC			
TYRES	Schwalbe Marathon Performance 700x42C	Schwalbe Marathon Performance 700x42C	VeeTire Speedster 700x44C	VeeTire Speedster 700x44C	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	FRONT HUB
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	REAR HUB
CASSETTE	Shimano CS-LG400-11, 11-42T, 11 speed	Shimano CS-LG400-11, 11-45T, 11 speed	Shimano CS-LG400 11-39T, 10 speed	Shimano CS-LG400 11-39T, 10 speed	CASSETTE
HANDLEBAR	RMT Components aluminium 680mm/31,8mm	RMT Components aluminium 680mm/31,8mm	RMT Comp. aluminium 680mm/31,8mm	RMT Components aluminium 680mm/31,8mm	HANDLEBAR
STEM	RMT Comp. adj. 85mm Internal cable routing	STEM			
SEAT POST	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	SEAT POST
GRIPS	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	GRIPS
SADDLE	Selle Royal VIVO Gents 1216 HRN	Selle Royal VIVO Ladies 1216 DRN	Selle Royal Ariel 8058 HR	Selle Royal Ariel 8058 DR	SADDLE
PEDALS	FP-920B	FP-920B	FP-920B	FP-920B	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	15.4 kg	15.4 kg	15.6 kg	15.6 kg	WEIGHT
COLOURS	graphite-silver	white-graphite	red-white, graphite-black	purple-white, silver-green	COLOURS

## TECHNICAL DATA



**ORKAN 5 CSM**

GROSS

	<b>ORKAN 5 CSM</b>	<b>ORKAN 5 CSD</b>	<b>ORKAN 9 M</b>	<b>ORKAN 8 M</b>
WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061
SIZE	M – 18" / L – 20"	M – 18" / L – 20"	M – 19" / L – 21"	M – 19" / L – 21"
FORK	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	Suntour NCX RL Air 50mm	Suntour NX 1 Coil RL 63mm
DAMPER	—	—	—	—
DRIVETRAIN	2×9	2×9	3×10	3×10
FRONT SHIFTERS	Shimano Cues SL-U4000 2 speed	Shimano Cues SL-U4000 2 speed	Shimano Deore XT SL-T8000 3 speed	Shimano Deore SL-T6000 3 speed
REAR SHIFTERS	Shimano Cues SL-U4010-9R 9 speed	Shimano Cues SL-U4010-9R 9 speed	Shimano Deore XT SL-T8000 10 speed	Shimano Deore SL-T6000 10 speed
FRONT DERAILLEUR	Shimano Cues FD-U4010	Shimano Cues FD-U4010	Shimano Deore FD-T6000	Shimano Deore FD-T6000
REAR DERAILLEUR	Shimano Cues RD-U4020 SGS	Shimano Cues RD-U4020 SGS	Shimano Deore XT T8000	Shimano Deore XT RD-M781
CRANKSET	Shimano Cues FC-U4010-2, 46-30T, 170mm	Shimano Cues FC-U4010-2, 46-30T, 170mm	Shimano Deore FC-T6010 48/36/26T 170mm/175mm	Shimano Deore FC-T6010 48/36/26T 170mm
FRONT BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT501 / BR-MT500	Shimano BL-MT410 / BR-MT410
REAR BRAKE	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT501 / BR-MT500	Shimano BL-MT410 / BR-MT410
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
TYRES	VeeTire Speedster 700×44C	VeeTire Speedster 700×44C	Michelin Protek Cross Max BR 700×40C	Michelin Protek Cross 700×40C
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505
CASSETTE	Shimano CS-LG300-9-11-36T 9 speed	Shimano CS-LG300-9-11-36T 9 speed	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG500 11-32T 10 speed
HANDLEBAR	RMT Components aluminium 680mm/31,8mm	RMT Components aluminium 680mm/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm
STEM	RMT Comp. adj. 85mm Internal cable routing	RMT Comp. adj. 85mm Internal cable routing	adjustable TDS-D299 N-8 31,8mm 105mm/125mm	adjustable TDS-D299 N-8 31,8mm 105mm/125mm
SEAT POST	RMT Components 27,2mm/350mm	RMT components 27,2mm/350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm
GRIPS	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport	Wittkop Medicus Sport
SADDLE	Selle Royal Ariel 8058 HR	Selle Royal Ariel 8058 DR	Selle Bassano	Selle Bassano
PEDALS	FP-920B	FP-920B	FP-920B aluminium	FP-920B aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	15,8 kg	15,8 kg	13,8 kg	13,8 kg
COLOURS	yellow-graphite, black-red	white-champagne, turquoise-lime green	graphite-light graphite	navy blue-silver



**ORKAN 8 D**

**ORKAN 7 M**

**ORKAN 7 D**

**ORKAN 6 M**

	<b>ORKAN 8 D</b>	<b>ORKAN 7 M</b>	<b>ORKAN 7 D</b>	<b>ORKAN 6 M</b>	
WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
SIZE	M – 17" / L – 19"	M – 19" / L – 21"	M – 17" / L – 19"	M – 19" / L – 21"	SIZE
FORK	Suntour NX 1 Coil RL 63mm	Suntour NEX RL 63mm	Suntour NEX RL 63mm	Suntour NEX RL 63mm	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	3×10	3×10	3×10	3×9	DRIVETRAIN
FRONT SHIFTERS	Shimano Deore SL-T6000 3 speed	Shimano Deore SL-T6000 3 speed	Shimano Deore SL-T6000 3 speed	Shimano Alivio SL-M3100 3 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Deore SL-T6000 10 speed	Shimano Deore SL-T6000 10 speed	Shimano Deore SL-T6000 10 speed	Shimano Alivio SL-M3100 9 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Deore FD-T6000	Shimano Deore FD-T6000	Shimano Deore FD-T6000	Shimano Altus FD-M370	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Deore RD-T6000	Shimano Deore RD-T6000	Shimano Deore RD-T6000	Shimano Alivio RD-T4000	REAR DERAILLEUR
CRANKSET	Shimano Deore FC-T6010 48/36/26T 170mm	Shimano Deore FC-T521 48/36/26T 170mm	Shimano Deore FC-T521 48/36/26T 170mm	Shimano FC-MT210-3 44/32/22T 170mm	CRANKSET
FRONT BRAKE	Shimano BL-MT410 / BR-MT410	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	FRONT BRAKE
REAR BRAKE	Shimano BL-MT410 / BR-MT410	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	REAR BRAKE
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	FRONT BRAKE DISC
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	REAR BRAKE DISC
TYRES	VeeTire Speedster 700×44C	VeeTire Speedster 700×44C	VeeTire Speedster 700×44C	VeeTire Speedster 700×44C	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	FRONT HUB
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	REAR HUB
CASSETTE	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG201 11-32T 9 speed	CASSETTE
HANDLEBAR	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	HANDLEBAR
STEM	adjustable TDS-D299 N-8 31,8mm 105mm/125mm	adjustable TDS-D299 N-8 31,8mm 105mm/125mm	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm	STEM
SEAT POST	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm	SEAT POST
GRIPS	Wittkop Medicus Sport	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm	GRIPS
SADDLE	Selle Bassano	Selle Royal	Selle Royal	Selle Royal	SADDLE
PEDALS	FP-920B aluminium	FP-920B aluminium	FP-920B aluminium	FP-920B aluminium	PEDALS
FRONT LAMP	—	—	—	—	FRONT LAMP
REAR LAMP	—	—	—	—	REAR LAMP
WEIGHT	13,9 kg	14,5 kg	14,3 kg	14,7 kg	WEIGHT
COLOURS	claret-graphite-red	graphite-black	graphite-silver-copper	blue-black-gray, silver-graphite,	COLOURS
				graphite-blue	

## TECHNICAL DATA



**ORKAN 6D**

CROSS

WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061
SIZE	M – 17" / L – 19"	M – 19" / L – 21"	M – 17" / L – 19"	M – 18" / L – 20"
FORK	Suntour NEX RL 63mm	Suntour NEX HLO 63mm	Suntour NEX HLO 63mm	Suntour NEX 63mm
DAMPER	—	—	—	—
DRIVETRAIN	3x9	3x9	3x9	3x9
FRONT SHIFTERS	Shimano Alivio SL-M3100 3 speed	Shimano Altus SL-M2010 3 speed	Shimano Altus SL-M2010 3 speed	Shimano ST-EF505 3 speed
REAR SHIFTERS	Shimano Alivio SL-M3100 9 speed	Shimano Altus SL-M2010 9 speed	Shimano Altus SL-M2010 9 speed	Shimano ST-EF505 9 speed
FRONT DERAILLEUR	Shimano Altus FD-M370	Shimano Altus FD-M370	Shimano Altus FD-M370	Shimano FD-TY710
REAR DERAILLEUR	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000
CRANKSET	Shimano FC-MT210-3 44/32/22T 170mm	Shimano FC-M371 48/36/26T 170mm	Shimano FC-M371 48/36/26T 170mm	Shimano FC-M371 48/36/26T 170mm
FRONT BRAKE	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano ST-EF505/BR-M200
REAR BRAKE	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano ST-EF505/BR-M200
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
TYRES	VeeTire Speedster 700x44C	VeeTire Speedster 700x44C	VeeTire Speedster 700x44C	700x42C
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505	Shimano HB-TX505
REAR HUB	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505
CASSETTE	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG201 11-32T 9 speed
HANDLEBAR	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm
STEM	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm
SEAT POST	aluminium 30,9mm/350mm	aluminium 30,9mm 350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm
GRIPS	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm
SADDLE	Selle Royal	Selle Royal	Selle Royal	Romet
PEDALS	FP-920B aluminium	FP-920B aluminium	FP-920B aluminium	FP-920B aluminium
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	14,5 kg	14,8 kg	13,9 kg	14,5 kg
COLOURS	blue-black-gray, silver-graphite	navy blue-blue-silver, silver-graphite-copper	graphite-silver-pink, olive-gray-green	champagne-black-silver, graphite-silver-champagne, black-red



**ORKAN 4D**

CROSS

WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061
SIZE	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"
FORK	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm
DAMPER	—	—	—	—
DRIVETRAIN	3x9	3x8	3x8	3x7
FRONT SHIFTERS	Shimano ST-EF503 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF41 3 speed
REAR SHIFTERS	Shimano ST-EF509 speed	Shimano ST-EF500 8 speed	Shimano ST-EF500 8 speed	Shimano ST-EF41 7 speed
FRONT DERAILLEUR	Shimano FD-TY710	Shimano FD-TY710	Shimano FD-TY710	Shimano FD-TY510
REAR DERAILLEUR	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	Shimano Altus RD-M310
CRANKSET	Shimano FC-M371 48/36/26T 170mm	Shimano Touney FC-TY301 48/38/28T 170mm/175mm	Shimano Touney FC-TY301 48/38/28T 170mm/175mm	Shimano Touney FC-TY301 48/38/28T 170mm/175mm
FRONT BRAKE	Shimano ST-EF505/BR-M200	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc
REAR BRAKE	Shimano ST-EF505/BR-M200	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	160mm	160mm	160mm
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	160mm	160mm	160mm
TYRES	700x42C	700x42C	700x42C	700x42C
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano HB-TX505	aluminum	aluminum	aluminum
REAR HUB	Shimano FH-TX505	aluminum	aluminum	aluminum
CASSETTE	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG200 12-32T 8 speed	Shimano CS-HG200 12-32T 8 speed	Shimano MF-TZ500 14-28T 7 speed
HANDLEBAR	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm
STEM	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm	adjustable TDS-D299 N-8 31,8mm/105mm	aluminium 90mm/31,8mm
SEAT POST	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/350mm	aluminium 30,9mm/300mm
GRIPS	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-920B aluminium	FP-804	FP-804	FP-804
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	13,9 kg	14,5 kg	14,3 kg	13,9 kg
COLOURS	champagne-black-silver, blue-navy blue-silver	navy blue-light graphite-blue, graphite-black-copper	turquoise-white-silver, graphite-black-copper, black	black-light graphite-blue, silver-black

## TECHNICAL DATA



**ORKAN 2D**

CROSS

WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061
SIZE	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"
FORK	Suntour NEX 63mm	suspension	suspension	suspension
DAMPER	—	—	—	—
DRIVETRAIN	3x7	3x7	3x7	3x7
FRONT SHIFTERS	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed
REAR SHIFTERS	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed
FRONT DERAILLEUR	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510
REAR DERAILLEUR	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Acera RD-M310
CRANKSET	Shimano Tourney FC-TY301 48/38/28T 170mm/175mm	Shimano Tourney FC-TY301 48/38/28T 170mm/175mm	Shimano Tourney FC-TY301 48/38/28T 170mm/175mm	Shimano Tourney FC-TY301 48/38/28T 170mm/175mm
FRONT BRAKE	Shimano BR-TX805 mechanical disc	V-brake	V-brake	V-brake
REAR BRAKE	Shimano BR-TX805 mechanical disc	V-brake	V-brake	V-brake
FRONT BRAKE DISC	160mm	—	—	—
REAR BRAKE DISC	160mm	—	—	—
TYRES	700x42C	700x42C	700x42C	700x42C
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	aluminium	steel	steel	steel
REAR HUB	aluminium	steel	steel	steel
CASSETTE	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed
HANDLEBAR	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	aluminium 680mm 15° 31,8mm
STEM	aluminium 90mm/31,8mm	aluminium 90mm/31,8mm	aluminium 90mm/31,8mm	aluminium 90mm/31,8mm
SEAT POST	aluminium 30,9mm/300mm	aluminium 30,9mm/300mm	aluminium 30,9mm/300mm	aluminium 30,9mm/300mm
GRIPS	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm	Brat Kier 138mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-804	FP-804	FP-804	FP-804
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	13,7 kg	13,9 kg	13,5 kg	14,5 kg
COLOURS	pink-white-light graphite, white-graphite-celadon	silver-light graphite-red, black-gray-celadon, silver-blue	white-graphite-pink, purple-white-pink, deep pink	black-yellow, graphite-red

**ORKAN 1M**

**ORKAN 1D**

**ORKAN M**



**ORKAN D**

**WAGANT 7 CS**

**GAZELA 7 CS**

**WAGANT 6 CS**

WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
SIZE	S – 15" / M – 18" / L – 20"	M – 19" / L – 21" / XL – 23"	M – 17" / L – 19"	M – 19" / L – 21" / XL – 23"	SIZE
FORK	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	3x7	2x11	2x11	2x10	DRIVETRAIN
FRONT SHIFTERS	Shimano ST-EF41 3 speed	Shimano Cues SL-U8000 2 speed	Shimano Cues SL-U8000 2 speed	Shimano Cues SL-U8000 2 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano ST-EF41 7 speed	Shimano Cues SL-U8000 11 speed	Shimano Cues SL-U8000 11 speed	Shimano Cues SL-U8000 10 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano FD-TY510	Shimano Cues FD-U8010	Shimano Cues FD-U8010	Shimano Cues FD-U6010	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Acera RD-M310	Shimano Cues RD-U8020 SGS	Shimano Cues RD-U8020 SGS	Shimano Cues RD-U6020 SGS	REAR DERAILLEUR
CRANKSET	Shimano Tourney FC-TY301 48/38/28T 170mm/175mm	Shimano Cues FC-U6010-2, 46-32T 170mm	Shimano Cues FC-U6010-2, 46-32T 170mm	Shimano Cues FC-U6000-2, 46-32T 170mm	CRANKSET
FRONT BRAKE	V-brake	Shimano BL-MT401, BR-MT410	Shimano BL-MT401, BR-MT410	Shimano BL-MT200/BR-M200	FRONT BRAKE
REAR BRAKE	V-brake	Shimano BL-MT401, BR-MT410	Shimano BL-MT401, BR-MT410	Shimano BL-MT200/BR-M200	REAR BRAKE
FRONT BRAKE DISC	—	Shimano SM-RT54 centerlock 160mm	Shimano SM-RT54 centerlock 160mm	Shimano SM-RT30 centerlock 160mm	FRONT BRAKE DISC
REAR BRAKE DISC	—	Shimano SM-RT54 centerlock 160mm	Shimano SM-RT54 centerlock 160mm	Shimano SM-RT30 centerlock 160mm	REAR BRAKE DISC
TYRES	700x42C	Schwalbe Marathon 28x1,75	Schwalbe Marathon 28x1,75	VeeTire City Tour 700x42C	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	steel	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	FRONT HUB
REAR HUB	steel	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	REAR HUB
CASSETTE	Shimano MF-TZ500 14-28T 7 speed	Shimano CS-LG400-11, 11-45T, 11 speed	Shimano CS-LG400-11, 11-45T, 11 speed	Shimano CS-LG400-10, 11-39T, 10 speed	CASSETTE
HANDLEBAR	aluminium 680mm/15°/31,8mm	aluminium 680mm/15°/31,8mm	RMT Components aluminium 660mm/31,8mm	RMT Components aluminium 640mm/31,8mm	HANDLEBAR
STEM	aluminium 90mm/31,8mm	aluminium 90mm/31,8mm	RMT Comp. adj. 85mm Internal cable routing	RMT Comp. adj. 85mm Internal cable routing	STEM
SEAT POST	aluminium 30,9mm/300mm	aluminium 30,9mm/300mm	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	SEAT POST
GRIPS	Brat Kier 138mm	Brat Kier 138mm	Wittkop Medicus Ego	Wittkop Medicus Ego	GRIPS
SADDLE	Romet	Selle Royal Essenza Plus	Selle Royal Essenza Plus	Selle Royal Essenza Plus	SADDLE
PEDALS	FP-804	FP-920	FP-920	FP-920	PEDALS
FRONT LAMP	—	Spanninga X&O	Spanninga X&O	Spanninga X&O	FRONT LAMP
REAR LAMP	—	Spanninga Pimento	Spanninga Pimento	Spanninga Pimento	REAR LAMP
WEIGHT	14,5 kg	18,2 kg	18,2 kg	18,4 kg	WEIGHT
COLOURS	white-violet, violet-pink	graphite	navy blue-beige	brown-silver, purple-graphite	COLOURS

## TECHNICAL DATA



**GAZELA 6 CS**  
TREKKING

**WAGANT 5 CS**

**GAZELA 5 CS**

**WAGANT 10**

	<b>GAZELA 6 CS</b>	<b>WAGANT 5 CS</b>	<b>GAZELA 5 CS</b>	<b>WAGANT 10</b>
<b>WHEEL SIZE / FRAME</b>	<b>28" / alu 6061</b>			
<b>SIZE</b>	M – 17" / L – 19"	M – 19" / L – 21" / XL – 23"	M – 17" / L – 19"	M – 19" / L – 21" / XL – 23"
<b>FORK</b>	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	Suntour NEX E-25 NLO 75mm tapered	Suntour NCX RL Air 63mm
<b>DAMPER</b>	—	—	—	—
<b>DRIVETRAIN</b>	<b>2x10</b>	<b>2x9</b>	<b>2x9</b>	<b>3x10</b>
<b>FRONT SHIFTERS</b>	Shimano Cues SL-U6000 2 speed	Shimano Cues SL-U4000 2 speed	Shimano Cues SL-U4000 2 speed	Shimano Deore SL-T6000 3 speed
<b>REAR SHIFTERS</b>	Shimano Cues SL-U6000 10 speed	Shimano Cues SL-U4010-9R 9 speed	Shimano Cues SL-U4010-9R 9 speed	Shimano Deore SL-T6000 10 speed
<b>FRONT DERAILLEUR</b>	Shimano Cues FD-U6010	Shimano Cues FD-U4010	Shimano Cues FD-U4010	Shimano Deore FD-T6000
<b>REAR DERAILLEUR</b>	Shimano Cues RD-U6020 SGS	Shimano Cues RD-U4020 SGS	Shimano Cues RD-U4020 SGS	Shimano Deore XT RD-T8000
<b>CRANKSET</b>	Shimano Cues FC-U6000-2, 46-32T 170mm	Shimano Cues FC-U4010-2, 46-30T, 170mm	Shimano Cues FC-U4010-2, 46-30T, 170mm	Shimano Deore FC-T6010 48/36/26T 170mm
<b>FRONT BRAKE</b>	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-MT200
<b>REAR BRAKE</b>	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-M200	Shimano BL-MT200/BR-MT200
<b>FRONT BRAKE DISC</b>	Shimano SM-RT30 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
<b>REAR BRAKE DISC</b>	Shimano SM-RT30 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
<b>TYRES</b>	VeeTire City Tour 700x42C			
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
<b>FRONT HUB</b>	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37
<b>REAR HUB</b>	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505
<b>CASSETTE</b>	Shimano CS-LG400-10, 11-39T, 10 speed	Shimano CS-LG300-9, 11-36T, 9 speed	Shimano CS-LG300-9, 11-36T, 9 speed	Shimano CS-HG500 11-32T 10 speed
<b>HANDLEBAR</b>	RMT Components aluminium 640mm/31,8mm	RMT Components aluminium 660mm/31,8mm	RMT Components aluminium 640mm/31,8mm	aluminium 640mm 15° 31,8 mm
<b>STEM</b>	RMT Comp. adj. 85mm Internal cable routing	RMT Comp. adj. 85mm Internal cable routing	RMT Comp. adj. 85mm Internal cable routing	adjustable TDS-D299 N-8 31,8mm 105mm/125mm
<b>SEAT POST</b>	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	RMT Components 27,2mm/350mm	aluminium suspension SP-405 30,9x300mm
<b>GRIPS</b>	Wittkop Medicus Ego	Wittkop Medicus Ego	Wittkop Medicus Ego	Herrmans DD14
<b>SADDLE</b>	Selle Royal Essenza Plus	Selle Royal Essenza Plus	Selle Royal Essenza Plus	Selle Royal Moderate
<b>PEDALS</b>	<b>FP-920</b>	<b>FP-920</b>	<b>FP-920</b>	<b>FP-820</b>
<b>FRONT LAMP</b>	Spanninga X&O	Spanninga X&O	Spanninga X&O	<b>JY-7090</b>
<b>REAR LAMP</b>	Spanninga Pimento	Spanninga Pimento	Spanninga Pimento	<b>JY-539</b>
<b>WEIGHT</b>	<b>18,4 kg</b>	<b>18,6 kg</b>	<b>18,6 kg</b>	<b>17,4 kg</b>
<b>COLOURS</b>	claret-blue, silver-orange	navy blue-silver, black-champagne	orange-black, white-graphite	graphite-dark gold



**WAGANT 9**

**GAZELA 9**

**WAGANT 8**

**GAZELA 8**

	<b>WAGANT 9</b>	<b>GAZELA 9</b>	<b>WAGANT 8</b>	<b>GAZELA 8</b>	<b>WHEEL SIZE / FRAME</b>
<b>WHEEL SIZE / FRAME</b>	<b>28" / alu 6061</b>	<b>28" / alu 6061</b>			
<b>SIZE</b>	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	<b>SIZE</b>
<b>FORK</b>	Suntour NX 1 Coil RL 63mm	Suntour NX 1 Coil RL 63mm	Suntour NX 63mm	Suntour NX 63mm	<b>FORK</b>
<b>DAMPER</b>	—	—	—	—	<b>DAMPER</b>
<b>DRIVETRAIN</b>	<b>3x10</b>	<b>3x10</b>	<b>3x9</b>	<b>3x9</b>	<b>DRIVETRAIN</b>
<b>FRONT SHIFTERS</b>	Shimano Deore SL-T6000 3 speed	Shimano Deore SL-T6000 3 speed	Shimano Altus SL-M2010 3 speed	Shimano Altus SL-M2010 3 speed	<b>FRONT SHIFTERS</b>
<b>REAR SHIFTERS</b>	Shimano Deore SL-T6000 10 speed	Shimano Deore SL-T6000 10 speed	Shimano Altus SL-M2010 9 speed	Shimano Altus SL-M2010 9 speed	<b>REAR SHIFTERS</b>
<b>FRONT DERAILLEUR</b>	Shimano Deore FD-T6000	Shimano Deore FD-T6000	Shimano Altus FD-M370	Shimano Altus FD-M370	<b>FRONT DERAILLEUR</b>
<b>REAR DERAILLEUR</b>	Shimano Deore RD-T6000	Shimano Deore RD-T6000	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	<b>REAR DERAILLEUR</b>
<b>CRANKSET</b>	Shimano FC-T521 48/36/26T 175mm	Shimano FC-T521 48/36/26T 175mm	Shimano FC-M371 48/36/26T 170 mm	Shimano FC-M371 48/36/26T 170 mm	<b>CRANKSET</b>
<b>FRONT BRAKE</b>	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	<b>FRONT BRAKE</b>
<b>REAR BRAKE</b>	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	Shimano BL-MT200/BR-MT200	<b>REAR BRAKE</b>
<b>FRONT BRAKE DISC</b>	Shimano SM-RT10 centerlock 160mm	<b>FRONT BRAKE DISC</b>			
<b>REAR BRAKE DISC</b>	Shimano SM-RT10 centerlock 160mm	<b>REAR BRAKE DISC</b>			
<b>TYRES</b>	VeeTire City Tour 700x42C	<b>TYRES</b>			
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	<b>RIMS</b>
<b>FRONT HUB</b>	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37	<b>FRONT HUB</b>
<b>REAR HUB</b>	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	Shimano FH-TX505	<b>REAR HUB</b>
<b>CASSETTE</b>	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG500 11-32T 10 speed	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG201 11-32T 9 speed	<b>CASSETTE</b>
<b>HANDLEBAR</b>	aluminium 640mm 15° 31,8 mm	<b>HANDLEBAR</b>			
<b>STEM</b>	adjustable TDS-D299 N-8 31,8mm 105mm/125mm	<b>STEM</b>			
<b>SEAT POST</b>	aluminium suspension SP-405 30,9x300mm	<b>SEAT POST</b>			
<b>GRIPS</b>	Herrmans DD14	Herrmans DD14	Herrmans DD14	Herrmans DD14	<b>GRIPS</b>
<b>SADDLE</b>	Selle Royal Moderate	Selle Royal Moderate	Selle Royal Moderate	Selle Royal Moderate	<b>SADDLE</b>
<b>PEDALS</b>	<b>FP-920</b>	<b>FP-920</b>	<b>FP-920</b>	<b>FP-920</b>	<b>PEDALS</b>
<b>FRONT LAMP</b>	<b>JY-7090</b>	<b>JY-7090</b>	<b>JY-7070</b>	<b>JY-7070</b>	<b>FRONT LAMP</b>
<b>REAR LAMP</b>	<b>JY-539</b>	<b>JY-539</b>	<b>JY-539</b>	<b>JY-539</b>	<b>REAR LAMP</b>
<b>WEIGHT</b>	<b>17,6 kg</b>	<b>17,6 kg</b>	<b>18,2 kg</b>	<b>18,2 kg</b>	<b>WEIGHT</b>
<b>COLOURS</b>	light graphite-dark gold	purple-gold	gold-claret, black-graphite	graphite-dark turquoise	<b>COLOURS</b>

## TECHNICAL DATA



**WAGANT 7**

TREKKING

**GAZELA 7**

**WAGANT 6**

**GAZELA 6**

	<b>WAGANT 7</b>	<b>GAZELA 7</b>	<b>WAGANT 6</b>	<b>GAZELA 6</b>
<b>WHEEL SIZE / FRAME</b>	<b>28" / alu 6061</b>			
<b>SIZE</b>	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"
<b>FORK</b>	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm
<b>DAMPER</b>	—	—	—	—
<b>DRIVETRAIN</b>	<b>3x9</b>	<b>3x9</b>	<b>3x8</b>	<b>3x8</b>
<b>FRONT SHIFTERS</b>	Shimano Altus SL-M2010 3 speed	Shimano Altus SL-M2010 3 speed	Shimano ST-EF505 3 speed	Shimano ST-EF505 3 speed
<b>REAR SHIFTERS</b>	Shimano Altus SL-M2010 9 speed	Shimano Altus SL-M2010 9 speed	Shimano ST-EF505 8 speed	Shimano ST-EF505 8 speed
<b>FRONT DERAILLEUR</b>	Shimano Altus FD-M370	Shimano Altus FD-M370	Shimano FD-TY510	Shimano FD-TY510
<b>REAR DERAILLEUR</b>	Shimano Alivio RD-T4000	Shimano Alivio RD-T4000	Shimano Acera RD-M3020	Shimano Acera RD-M3020
<b>CRANKSET</b>	Shimano FC-M371 48/36/26T 170mm	Shimano FC-M371 48/36/26T 170mm	Shimano FC-TY301 48/38/28T 170 mm	Shimano FC-TY301 48/38/28T 170 mm
<b>FRONT BRAKE</b>	V-brake Shimano BR-RT4000	V-brake Shimano BR-RT4000	Shimano BR-MT200 hydraulic	Shimano BR-MT200 hydraulic
<b>REAR BRAKE</b>	V-brake Shimano BR-RT4000	V-brake Shimano BR-RT4000	Shimano BR-MT200 hydraulic	Shimano BR-MT200 hydraulic
<b>FRONT BRAKE DISC</b>	—	—	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
<b>REAR BRAKE DISC</b>	—	—	Shimano SM-RT10 centerlock 160mm	Shimano SM-RT10 centerlock 160mm
<b>TYRES</b>	VeeTire City Tour 700×42C			
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
<b>FRONT HUB</b>	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	Shimano dynamo DH-3D37	Shimano dynamo DH-3D37
<b>REAR HUB</b>	Shimano FH-TX500	Shimano FH-TX500	Shimano FH-TX505	Shimano FH-TX505
<b>CASSETTE</b>	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG201 11-32T 9 speed	Shimano CS-HG200 12-32T 8 speed	Shimano CS-HG200 12-32T 8 speed
<b>HANDLEBAR</b>	aluminium 640mm 15° 31,8 mm			
<b>STEM</b>	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm
<b>SEAT POST</b>	aluminium suspension SP-372 30,9×300mm			
<b>GRIPS</b>	Westphal Elipsis	Westphal Elipsis	Westphal Elipsis	Westphal Elipsis
<b>SADDLE</b>	Selle Royal Moderate	Selle Royal Moderate	Selle Royal 5094	Selle Royal 5094
<b>PEDALS</b>	FP-920	FP-920	FP-920	FP-920
<b>FRONT LAMP</b>	JY-7070	JY-7070	JY-7070	JY-7070
<b>REAR LAMP</b>	JY-539	JY-539	JY-539	JY-539
<b>WEIGHT</b>	18 kg	18 kg	18,2 kg	18,2 kg
<b>COLOURS</b>	dark brown-gray, claret-gray	dark brown-gray, white-gold	brown-black, black-champagne	brown-black, purple-champagne



**WAGANT 5**

**GAZELA 5**

**WAGANT 4**

**GAZELA 4**

	<b>WAGANT 5</b>	<b>GAZELA 5</b>	<b>WAGANT 4</b>	<b>GAZELA 4</b>	<b>WHEEL SIZE / FRAME</b>
<b>WHEEL SIZE / FRAME</b>	<b>28" / alu 6061</b>	<b>WHEEL SIZE / FRAME</b>			
<b>SIZE</b>	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	<b>SIZE</b>
<b>FORK</b>	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm	Suntour NEX 63mm	<b>FORK</b>
<b>DAMPER</b>	—	—	—	—	<b>DAMPER</b>
<b>DRIVETRAIN</b>	<b>3x8</b>	<b>3x8</b>	<b>3x7</b>	<b>3x7</b>	<b>DRIVETRAIN</b>
<b>FRONT SHIFTERS</b>	Shimano ST-EF505 3 speed	Shimano ST-EF505 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed	<b>FRONT SHIFTERS</b>
<b>REAR SHIFTERS</b>	Shimano ST-EF505 8 speed	Shimano ST-EF505 8 speed	Shimano ST-EF500 7 speed	Shimano ST-EF500 7 speed	<b>REAR SHIFTERS</b>
<b>FRONT DERAILLEUR</b>	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	<b>FRONT DERAILLEUR</b>
<b>REAR DERAILLEUR</b>	Shimano Acera RD-M3020	Shimano Acera RD-M3020	Shimano Acera RD-M3020	Shimano Acera RD-M3020	<b>REAR DERAILLEUR</b>
<b>CRANKSET</b>	Shimano FC-TY301 48/38/28T 170mm	<b>CRANKSET</b>			
<b>FRONT BRAKE</b>	V-brake	V-brake	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	<b>FRONT BRAKE</b>
<b>REAR BRAKE</b>	V-brake	V-brake	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	<b>REAR BRAKE</b>
<b>FRONT BRAKE DISC</b>	—	—	160mm	160mm	<b>FRONT BRAKE DISC</b>
<b>REAR BRAKE DISC</b>	—	—	160mm	160mm	<b>REAR BRAKE DISC</b>
<b>TYRES</b>	VeeTire City Tour 700×42C	<b>TYRES</b>			
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	<b>RIMS</b>
<b>FRONT HUB</b>	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	Shimano dynamo DH-3D32	Shimano dynamo DH-3D32	<b>FRONT HUB</b>
<b>REAR HUB</b>	Shimano FH-TX500	Shimano FH-TX500	aluminium	aluminium	<b>REAR HUB</b>
<b>CASSETTE</b>	Shimano CS-HG200 12-32T 8 speed	Shimano CS-HG200 12-32T 8 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	<b>CASSETTE</b>
<b>HANDLEBAR</b>	aluminium 640mm 15° 31,8 mm	aluminium 640mm 15° 31,8 mm	steel 610mm	steel 610mm	<b>HANDLEBAR</b>
<b>STEM</b>	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	<b>STEM</b>
<b>SEAT POST</b>	aluminium suspension SP-372 30,9×300mm	<b>SEAT POST</b>			
<b>GRIPS</b>	Westphal Elipsis	Westphal Elipsis	Westphal Elipsis	Westphal Elipsis	<b>GRIPS</b>
<b>SADDLE</b>	Selle Royal 5094	Selle Royal 5094	Selle Royal 5094	Selle Royal 5094	<b>SADDLE</b>
<b>PEDALS</b>	FP-920	FP-920	FP-920	FP-920	<b>PEDALS</b>
<b>FRONT LAMP</b>	JY-7070	JY-7070	JY-7093	JY-7093	<b>FRONT LAMP</b>
<b>REAR LAMP</b>	JY-397	JY-397	JY-397	JY-397	<b>REAR LAMP</b>
<b>WEIGHT</b>	18,4 kg	18,4 kg	18,4 kg	18,4 kg	<b>WEIGHT</b>
<b>COLOURS</b>	silver-gray, brown-white	white-gold, silver-gray	silver-black, graphite-white	black-gray, graphite-white	<b>COLOURS</b>

## TECHNICAL DATA



**WAGANT 3**

TREKKING

**GAZELA 3**

TREKKING

**WAGANT 2**

TREKKING

**GAZELA 2**

	<b>WAGANT 3</b>	<b>GAZELA 3</b>	<b>WAGANT 2</b>	<b>GAZELA 2</b>
WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061
SIZE	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"
FORK	SR Suntour 3010	SR Suntour 3010	suspension	suspension
DAMPER	—	—	—	—
DRIVETRAIN	3x7	3x7	3x7	3x7
FRONT SHIFTERS	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed
REAR SHIFTERS	Shimano ST-EF500 7 speed	Shimano ST-EF500 7 speed	Shimano ST-EF500 7 speed	Shimano ST-EF500 7 speed
FRONT DERAILLEUR	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510
REAR DERAILLEUR	Shimano Acera RD-M3020	Shimano Acera RD-M3020	Shimano Altus RD-M310	Shimano Altus RD-M310
CRANKSET	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm
FRONT BRAKE	V-brake	V-brake	disc	disc
REAR BRAKE	V-brake	V-brake	disc	disc
FRONT BRAKE DISC	—	—	160mm	160mm
REAR BRAKE DISC	—	—	160mm	160mm
TYRES	Mitas Hook 700×40C	Mitas Hook 700×40C	Mitas Hook 700×40C	Mitas Hook 700×40C
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	aluminium	aluminium
REAR HUB	aluminium	aluminium	aluminium	aluminium
CASSETTE	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed
HANDLEBAR	steel 610mm	steel 610mm	steel 610mm	steel 610mm
STEM	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm
SEAT POST	aluminium suspension SP-372 30,9×300mm	aluminium suspension SP-372 30,9×300mm	aluminium 30,9 mm 350 mm	aluminium 30,9 mm 350 mm
GRIPS	Westphal Ellipsis	Westphal Ellipsis	Westphal Ellipsis	Westphal Ellipsis
SADDLE	Selle Royal 5094	Selle Royal 5094	Selle Royal 5094	Selle Royal 5094
PEDALS	FP-804	FP-804	FP-804	FP-804
FRONT LAMP	JY-7093	JY-7093	Buchel France battery	Buchel France battery
REAR LAMP	Buchel Edge	Buchel Edge	Buchel Tivoli battery	Buchel Tivoli battery
WEIGHT	17,3 kg	17,3 kg	17 kg	17 kg
COLOURS	blue-navy blue, dark gold	white-silver, blue-navy blue	gray-graphite, black-silver	navy blue-blue, gray-purple



**WAGANT 1**

**GAZELA 1**

**WAGANT**

**GAZELA**

	<b>WAGANT 1</b>	<b>GAZELA 1</b>	<b>WAGANT</b>	<b>GAZELA</b>	WHEEL SIZE / FRAME
WHEEL SIZE / FRAME	28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
SIZE	M – 19" / L – 21" / XL – 23"	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"	SIZE
FORK	suspension	suspension	suspension	suspension	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	3x7	3x7	3x7	3x7	DRIVETRAIN
FRONT SHIFTERS	Shimano ST-EF500 3 speed	Shimano ST-EF500 3 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano ST-EF500 7 speed	Shimano ST-EF500 7 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	Shimano FD-TY510	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Altus RD-M310	REAR DERAILLEUR
CRANKSET	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm	Shimano FC-TY301 48/38/28T 170mm	CRANKSET
FRONT BRAKE	V-brake	V-brake	V-brake	V-brake	FRONT BRAKE
REAR BRAKE	V-brake	V-brake	V-brake	V-brake	REAR BRAKE
FRONT BRAKE DISC	—	—	—	—	FRONT BRAKE DISC
REAR BRAKE DISC	—	—	—	—	REAR BRAKE DISC
TYRES	Mitas Hook 700×40C	Mitas Hook 700×40C	700×35C	700×35C	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	aluminium	aluminium	steel	steel	FRONT HUB
REAR HUB	aluminium	aluminium	steel	steel	REAR HUB
CASSETTE	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	CASSETTE
HANDLEBAR	steel 610mm	steel 610mm	steel 610mm	steel 610mm	HANDLEBAR
STEM	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	STEM
SEAT POST	aluminium 30,9 mm 350 mm	aluminium 30,9 mm 350 mm	aluminium 30,9 mm 350 mm	aluminium 30,9 mm 350 mm	SEAT POST
GRIPS	Westphal Ellipsis	Westphal Ellipsis	Brat Kier	Brat Kier	GRIPS
SADDLE	Selle Royal 5094	Selle Royal 5094	Selle Royal 6420	Selle Royal 6420	SADDLE
PEDALS	FP-804	FP-804	FP-804	FP-804	PEDALS
FRONT LAMP	Buchel France battery	Buchel France battery	Battery	Battery	FRONT LAMP
REAR LAMP	Buchel Tivoli battery	Buchel Tivoli battery	Battery	Battery	REAR LAMP
WEIGHT	17 kg	17 kg	17 kg	17 kg	WEIGHT
COLOURS	black-red, silver-blue	white-purple, navy blue-silver, white	light graphite-green, dark turquoise-gold	light graphite-green, dark turquoise-gold, black-yellow-gold, white-violet	COLOURS

## TECHNICAL DATA



**GAZELA 26 3 CS  
TREKKING**

**GAZELA 26 2**

**GAZELA 26 1**

**ART DECO LUX  
CITY - FASHION**

WHEEL SIZE / FRAME	26" / alu 6061	26" / alu 6061	26" / alu 6061	28" / alu 6061
SIZE	S – 15" / M – 17"	S – 15" / M – 17"	S – 15" / M – 17"	M – 18" / L – 20"
FORK	Suntour 26" NEX 63mm	Suntour 3010	suspension	suspension
DAMPER	—	—	—	—
DRIVETRAIN	2x9	3x7	3x7	1x7
FRONT SHIFTERS	Shimano Cues SL-U4000 2 speed	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	—
REAR SHIFTERS	Shimano Cues SL-U4000-9R 9 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	Shimano Nexus 7 speed
FRONT DERAILLEUR	Shimano Cues FD-U4010	Shimano FD-T2510	Shimano FD-TY500	—
REAR DERAILLEUR	Shimano Cues RD-U3020	Shimano Altus RD-M310	Shimano Altus RD-M310	Shimano Nexus 7 speed
CRANKSET	Shimano Cues FC-U4010-2, 46-30T, 170mm	Cyclone CTL3 42/34/42T 170mm	Cyclone CTL3 42/34/42T 170mm	Cyclone CTL-3-101 38T / 170mm
FRONT BRAKE	Shimano BL-MT200/BR-M200	V-brake	V-brake	V-brake
REAR BRAKE	Shimano BL-MT200/BR-M200	V-brake	V-brake	Torpedo
FRONT BRAKE DISC	Shimano SM-RT10 centerlock 160mm	—	—	—
REAR BRAKE DISC	Shimano SM-RT10 centerlock 160mm	—	—	—
TYRES	26" x 1,75"	26" x 1,75"	26" x 1,75"	28" x 1,75"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano dynamo DH-3D37	Shimano dynamo DH-C3000	steel	Shimano dynamo DH-C3000
REAR HUB	Shimano FH-TX505	steel	steel	Shimano Nexus 7 speed
CASSETTE	Shimano CS-LG300-9,11-36T 9 speed	Shimano MF-T2500 14-28T 7 speed	Shimano MF-T2500 14-28T 7 speed	19T
HANDLEBAR	steel 610mm	steel 610mm	steel 610mm	aluminium 595mm
STEM	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	MTS-C297 90mm/180mm	aluminium adjustable 90mm/100mm
SEAT POST	aluminium 27,2 mm 300 mm	aluminium 27,2 mm 300 mm	aluminium 27,2 mm 300 mm	aluminium 27,2mm/300mm
GRIPS	Brat Kier	Brat Kier	Brat Kier	—
SADDLE	Selle Royal 5094	Selle Royal 5094	Selle Royal 6420	Romet city
PEDALS	FP-804	FP-804	FP-804	FP-833
FRONT LAMP	JY-7093	JY-7093	Buchel France battery	3-LED
REAR LAMP	JY-397	JY-397	Buchel Tivoli battery	3-LED
WEIGHT	—	16.9 kg	17 kg	17.2 kg
COLOURS	white-gold, dark-lightgold	white-pink, green-creamy	mint-green, purple-pink	navy blue, black

ACCESSORIES INCLUDED

handlebar basket with a basket liner,  
stylish bell, cup holder



**ART DECO CLASSIC**

**ART DECO ECO**

**POP ART LUX**

**POP ART CLASSIC**

28" / alu 6061	28" / alu 6061	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"	SIZE
suspension	suspension	rigid steel	rigid steel	FORK
—	—	—	—	DAMPER
1x3	1x3	1x7	1x3	DRIVETRAIN
—	—	—	—	FRONT SHIFTERS
Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	REAR SHIFTERS
—	—	—	—	FRONT DERAILLEUR
Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	REAR DERAILLEUR
Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	CRANKSET
V-brake	V-brake	V-brake	V-brake	FRONT BRAKE
Torpedo	Torpedo	Torpedo	Torpedo	REAR BRAKE
—	—	—	—	FRONT BRAKE DISC
—	—	—	—	REAR BRAKE DISC
28" x 1,75"	28" x 1,75"	28" x 1,75"	28" x 1,75"	TYRES
aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
Shimano dynamo DH-C3000	Joytech 433	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	FRONT HUB
Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	REAR HUB
18T	18T	20T	20T	CASSETTE
aluminium 595mm	aluminium 595mm	aluminium 595mm	steel 595mm	HANDLEBAR
aluminium adjustable 90mm/100mm	aluminium	aluminium	steel	STEM
aluminium 27,2mm/300mm	aluminium 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm	SEAT POST
—	—	—	—	GRIPS
Romet city	Romet city	Romet city	Romet city	SADDLE
FP-833	FP-833	FP-804	FP-804	PEDALS
3-LED	1-LED battery	3-LED	1-LED	FRONT LAMP
3-LED	3-LED battery	3-LED	3-LED	REAR LAMP
16,5 kg	16,0 kg	17,2 kg	16,5 kg	WEIGHT
champagne, gray	white, pink	claret, gray	navy blue, white	COLOURS

## TECHNICAL DATA



**POP ART CLASSIC 26**    **POP ART ECO**    **SONATA CLASSIC**    **SONATA CLASSIC 26**

	<b>CITY - FASHION</b>	<b>CITY - FASHION</b>	<b>CITY - FASHION</b>	<b>CITY - FASHION</b>
WHEEL SIZE / FRAME	<b>26" / alu 6061</b>	<b>28" / alu 6061</b>	<b>28" / alu 6061</b>	<b>26" / alu 6061</b>
SIZE	M – 18"	M – 18" / L – 20"	M – 18" / L – 20"	M – 18" / L – 20"
FORK	rigid steel	rigid steel	rigid steel	rigid steel
DAMPER	—	—	—	—
DRIVETRAIN	1x3	1x3	1x3	1x3
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed
CRANKSET	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm
FRONT BRAKE	V-brake	V-brake	V-brake	V-brake
REAR BRAKE	Torpedo	Torpedo	Torpedo	Torpedo
FRONT BRAKE DISC	—	—	—	—
REAR BRAKE DISC	—	—	—	—
TYRES	<b>26" x1,75"</b>	<b>28" x1,75"</b>	<b>28" x1,75"</b>	<b>26" x1,75"</b>
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Shimano dynamo DH-C3000	Joytech 433	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000
REAR HUB	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed
CASSETTE	<b>20T</b>	<b>20T</b>	<b>20T</b>	<b>20T</b>
HANDLEBAR	steel 595mm	steel 595mm	steel 595mm	steel 595mm
STEM	steel	steel	steel	steel
SEAT POST	steel 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm
GRIPS	—	—	—	—
SADDLE	Romet city	Romet city	Romet city	Romet city
PEDALS	FP-804	FP-804	FP-804	FP-804
FRONT LAMP	1-LED	1-LED battery	1-LED	1-LED
REAR LAMP	3-LED	3-LED battery	3-LED	3-LED
WEIGHT	<b>14,0 kg</b>	<b>15,3 kg</b>	<b>15,8 kg</b>	<b>14,0 kg</b>
COLOURS	navy blue, white	black, heather, blue	pink, graphite, white	pink, graphite, white
ACCESSORIES INCLUDED	handlebar basket with a basket liner, stylish bell, cup holder	handlebar basket with a basket liner, stylish bell, cup holder	stylish bell, cup holder	stylish bell, cup holder



**SONATA ECO**    **SONATA ECO 26**    **LUIZA LUX**    **LUIZA LUX 26**

	<b>CITY - CLASSIC</b>	<b>CITY - CLASSIC</b>	<b>CITY - CLASSIC</b>	<b>CITY - CLASSIC</b>
WHEEL SIZE / FRAME	<b>28" / alu 6061</b>	<b>26" / alu 6061</b>	<b>28" / alu 6061</b>	<b>26" / alu 6061</b>
SIZE	M – 18" / L – 20"	M – 18"	M – 19" / L – 21"	M – 18"
FORK	rigid steel	rigid steel	rigid steel	rigid steel
DAMPER	—	—	—	—
DRIVETRAIN	1x6	1x6	1x7	1x7
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano SL-RS35 - 6 speed	Shimano SL-RS35 - 6 speed	Shimano Nexus 7 speed	Shimano Nexus 7 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Tourney RD TY21 - 6 speed	Shimano Tourney RD TY21 - 6 speed	Shimano Nexus 7 speed	Shimano Nexus 7 speed
CRANKSET	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm
FRONT BRAKE	V-brake	V-brake	V-brake	V-brake
REAR BRAKE	Torpedo	V-brake	Torpedo	Torpedo
FRONT BRAKE DISC	—	—	—	—
REAR BRAKE DISC	—	—	—	—
TYRES	<b>28" x1,75"</b>	<b>26" x1,75"</b>	<b>28" x1,75"</b>	<b>26" x1,75"</b>
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Joytech 433	Joytech 433	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000
REAR HUB	Joytech 434	Joytech 434	Shimano Nexus 7 speed	Shimano Nexus 7 speed
CASSETTE	<b>6 speed 14-28T</b>	<b>6 speed 14-28T</b>	<b>19T</b>	<b>19T</b>
HANDLEBAR	steel 595mm	steel 595mm	steel 595mm	steel 595mm
STEM	aluminium	aluminium	steel	steel
SEAT POST	aluminium 27,2mm/300mm	aluminium 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm
GRIPS	—	—	—	—
SADDLE	Romet city	Romet city	Romet city	Romet city
PEDALS	FP-804	FP-804	FP-804	FP-804
FRONT LAMP	1-LED battery	1-LED battery	1-LED	1-LED
REAR LAMP	3-LED battery	3-LED battery	3-LED	3-LED
WEIGHT	<b>15,0 kg</b>	<b>14,3 kg</b>	<b>17,7 kg</b>	<b>16,4 kg</b>
COLOURS	purple, gray, mint	purple, gray, mint	black, beige	black, beige
ACCESSORIES INCLUDED	stylish bell, cup holder	stylish bell, cup holder	stylish bell, cup holder	stylish bell, cup holder

## TECHNICAL DATA



**LUIZA CLASSIC**  
CITY - CLASSIC

**LUIZA CLASSIC 26**

**LUIZA ECO**

**LUIZA ECO 26**

	<b>WHEEL SIZE / FRAME</b>	<b>28" / alu 6061</b>	<b>26" / alu 6061</b>	<b>28" / alu 6061</b>	<b>26" / alu 6061</b>
<b>SIZE</b>	M – 19" / L – 21"	M – 18"	M – 18"	M – 18"	M – 18"
<b>FORK</b>	rigid steel	rigid steel	rigid steel	rigid steel	rigid steel
<b>DAMPER</b>	—	—	—	—	—
<b>DRIVETRAIN</b>	1x3	1x3	1x6	1x6	—
<b>FRONT SHIFTERS</b>	—	—	—	—	—
<b>REAR SHIFTERS</b>	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano SL-RS35 - 6 speed	Shimano SL-RS35 - 6 speed	—
<b>FRONT DERAILLEUR</b>	—	—	—	—	—
<b>REAR DERAILLEUR</b>	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Shimano Tourney RD TY21 - 6 speed	Shimano Tourney RD TY21 - 6 speed	—
<b>CRANKSET</b>	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	—
<b>FRONT BRAKE</b>	V-brake	V-brake	V-brake	V-brake	—
<b>REAR BRAKE</b>	Torpedo	Torpedo	V-brake	V-brake	—
<b>FRONT BRAKE DISC</b>	—	—	—	—	—
<b>REAR BRAKE DISC</b>	—	—	—	—	—
<b>TYRES</b>	<b>28"×1,75"</b>	<b>26"×1,75"</b>	<b>28"×1,75"</b>	<b>26"×1,75"</b>	—
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	—
<b>FRONT HUB</b>	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	Joytech 433	Joytech 433	—
<b>REAR HUB</b>	Shimano Nexus 3 speed	Shimano Nexus 3 speed	Joytech 434	Joytech 434	—
<b>CASSETTE</b>	<b>18T</b>	<b>18T</b>	<b>6 speed 14-28T</b>	<b>6 speed 14-28T</b>	—
<b>HANDLEBAR</b>	steel 595mm	steel 595mm	steel 595mm	steel 595mm	—
<b>STEM</b>	steel	steel	steel	steel	—
<b>SEAT POST</b>	steel 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm	steel 27,2mm/300mm	—
<b>GRIPS</b>	—	—	—	—	—
<b>SADDLE</b>	Romet city	Romet city	Romet city	Romet city	—
<b>PEDALS</b>	FP-804	FP-804	FP-804	FP-804	—
<b>FRONT LAMP</b>	1-LED	1-LED	1-LED battery	1-LED battery	—
<b>REAR LAMP</b>	3-LED	3-LED	3-LED battery	3-LED battery	—
<b>WEIGHT</b>	<b>15,4 kg</b>	<b>14,6 kg</b>	<b>14,8 kg</b>	<b>14,0 kg</b>	—
<b>COLOURS</b>	green, white	green, white	pink, gray	pink, gray	—

ACCESSORIES INCLUDED

stylish bell, cup holder



**VINTAGE LTD D**

**VINTAGE LTD M**

**VINTAGE CLASSIC D**

**VINTAGE CLASSIC M**

	<b>28" / steel</b>	<b>28" / steel</b>	<b>28" / steel</b>	<b>28" / steel</b>	<b>WHEEL SIZE / FRAME</b>
<b>SIZE</b>	M – 18" / L – 20"	<b>SIZE</b>			
<b>FORK</b>	rigid steel	rigid steel	rigid steel	rigid steel	<b>FORK</b>
<b>DAMPER</b>	—	—	—	—	<b>DAMPER</b>
<b>DRIVETRAIN</b>	1x7	1x7	1x3	1x3	<b>DRIVETRAIN</b>
<b>FRONT SHIFTERS</b>	—	—	—	—	<b>FRONT SHIFTERS</b>
<b>REAR SHIFTERS</b>	Shimano Nexus 7 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	<b>REAR SHIFTERS</b>
<b>FRONT DERAILLEUR</b>	—	—	—	—	<b>FRONT DERAILLEUR</b>
<b>REAR DERAILLEUR</b>	Shimano Nexus 7 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	<b>REAR DERAILLEUR</b>
<b>CRANKSET</b>	Cyclone CTL-3-101 38T / 170mm	<b>CRANKSET</b>			
<b>FRONT BRAKE</b>	V-brake	V-brak	V-brake	V-brake	<b>FRONT BRAKE</b>
<b>REAR BRAKE</b>	Torpedo	Torpedo	Torpedo	Torpedo	<b>REAR BRAKE</b>
<b>FRONT BRAKE DISC</b>	—	—	—	—	<b>FRONT BRAKE DISC</b>
<b>REAR BRAKE DISC</b>	—	—	—	—	<b>REAR BRAKE DISC</b>
<b>TYRES</b>	<b>700×35C</b>	<b>700×35C</b>	<b>700×40C</b>	<b>700×40C</b>	<b>TYRES</b>
<b>RIMS</b>	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	<b>RIMS</b>
<b>FRONT HUB</b>	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	Shimano dynamo DH-C3000	<b>FRONT HUB</b>
<b>REAR HUB</b>	Shimano Nexus 7 speed	Shimano Nexus 7 speed	Shimano Nexus 3 speed	Shimano Nexus 3 speed	<b>REAR HUB</b>
<b>CASSETTE</b>	<b>20T</b>	<b>20T</b>	<b>20T</b>	<b>20T</b>	<b>CASSETTE</b>
<b>HANDLEBAR</b>	steel 570mm	steel 570mm	steel 570mm	steel 570mm	<b>HANDLEBAR</b>
<b>STEM</b>	aluminium	aluminium	aluminium	aluminium	<b>STEM</b>
<b>SEAT POST</b>	steel 25,4 mm 300 mm	steel 25,4 mm 300 mm	steel 25,4 mm 300 mm	steel 25,4 mm / 300mm	<b>SEAT POST</b>
<b>GRIPS</b>	—	—	—	—	<b>GRIPS</b>
<b>SADDLE</b>	Romet city	Romet city	Romet city	Romet city	<b>SADDLE</b>
<b>PEDALS</b>	FP-920B	FP-920B	FP-804	FP-804	<b>PEDALS</b>
<b>FRONT LAMP</b>	1-LED	LED 100LUX	1-LED	1-LED	<b>FRONT LAMP</b>
<b>REAR LAMP</b>	3-LED	LED	3-LED	3-LED	<b>REAR LAMP</b>
<b>WEIGHT</b>	<b>17,2 kg</b>	<b>17,2 kg</b>	<b>16,0 kg</b>	<b>16,0 kg</b>	<b>WEIGHT</b>
<b>COLOURS</b>	yellow	green	turquoise, black	red, turquoise	<b>COLOURS</b>

## TECHNICAL DATA



**VINTAGE ECO D**

CITY - CLASSIC

WHEEL SIZE / FRAME	28" / steel	28" / steel	24" / alu 6061	24" / alu 6061
SIZE	M – 18" / L – 20"	M – 18" / L – 20"	15" foldable	15" foldable
FORK	rigid steel	rigid steel	rigid steel	rigid steel
DAMPER	—	—	—	—
DRIVETRAIN	1x6	1x6	1x1	1x3
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano SL-RS35 - 6 speed	Shimano SL-RS35 - 6 speed	—	Shimano Nexus 3 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Tourney RD TY21 - 6 speed	Shimano Tourney RD TY21 - 6 speed	—	Shimano Nexus 3 speed
CRANKSET	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-101 38T / 170mm
FRONT BRAKE	V-brake	V-brake	V-brake	V-brake
REAR BRAKE	Torpedo	Torpedo	Torpedo	Torpedo
FRONT BRAKE DISC	—	—	—	—
REAR BRAKE DISC	—	—	—	—
TYRES	700x35C	700x35C	24x1,75"	24x1,75"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Joytech 433	Joytech 433	steel	Shimano dynamo DH-C3000
REAR HUB	Joytech 434	Joytech 434	steel	Shimano Nexus 3 speed
CASSETTE	6 speed 14-28T	6 speed 14-28T	20T	20T
HANDLEBAR	steel 570mm	steel 570mm	steel 600mm	steel 600mm
STEM	aluminium	aluminium	aluminium foldable	aluminium foldable
SEAT POST	steel 25,4mm / 300mm	steel 25,4mm / 300mm	aluminium 28,6mm / 400mm	aluminium 27,2mm / 450mm
GRIPS	—	—	—	—
SADDLE	Romet city	Romet city	Romet city	Selle Basano
PEDALS	FP-804	FP-804	VP-F55 foldable	VP-F55 foldable
FRONT LAMP	1-LED battery	1-LED battery	1-LED battery	1-LED
REAR LAMP	3-LED battery	3-LED battery	3-LED battery	3-LED
WEIGHT	15,3 kg	15,3 kg	—	15,8 kg
COLOURS	red, white	green	claret, olive	green

**VINTAGE ECO M**



**JUBILAT ECO**

CITY - TIME

24" / alu 6061	28" / steel	28" / alu 6061	28" / alu 6061	WHEEL SIZE / FRAME
15" foldable	L – 21"	S – 44 cm / M – 48 cm / L – 52 cm	S – 48 cm / M – 52 cm / L – 56 cm	SIZE
rigid steel	rigid steel	rigid aluminium	rigid aluminium	FORK
—	—	—	—	DAMPER
1x6	1x1	1x7, drive belt	1x7, drive belt	DRIVETRAIN
—	—	—	—	FRONT SHIFTERS
Shimano SL-RS35 - 6 speed	Shimano Nexus SLC-3000 7 speed	Shimano Nexus SLC-3000 7 speed	Shimano Nexus SLC-3000 7 speed	REAR SHIFTERS
—	—	—	—	FRONT DERAILLEUR
Shimano Tourney RD TY21 - 6 speed	Shimano Nexus 7 speed	Shimano Nexus 7 speed	Shimano Nexus 7 speed	REAR DERAILLEUR
Cyclone CTL-3-101 38T / 170mm	aluminium 46T / 170mm	Gates S150 46T / 170mm	Gates S150 46T / 170mm	CRANKSET
V-brake	V-brake	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	FRONT BRAKE
V-brake Alhonga	V-brake	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	REAR BRAKE
—	—	Shimano SM-RT10 160mm	Shimano SM-RT10 160mm	FRONT BRAKE DISC
—	—	Shimano SM-RT10 160mm	Shimano SM-RT10 160mm	REAR BRAKE DISC
24x1,75"	700x28C	700x47C	700x47C	TYRES
aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
Joytech 433	aluminium GL-B32F	Shimano HB-TX505	Shimano HB-TX505	FRONT HUB
Joytech 434	aluminium GL-B32R	Shimano Nexus SG-C3017 7 speed	Shimano Nexus SG-C3017 7 speed	REAR HUB
6 speed 14-28T	freewheel 1 speed	Gates 24T	Gates 24T	CASSETTE
steel 600mm	aluminium 560mm	aluminium 660mm	aluminium 660mm	HANDLEBAR
aluminium foldable	aluminium	aluminium	aluminium	STEM
aluminium 28,6mm / 400mm	aluminium 27,2mm / 350mm	aluminium 27,2mm / 350mm	aluminium 27,2mm / 350mm	SEAT POST
—	—	—	—	GRIPS
Selle Basano	Velo	Romet city	Romet city	SADDLE
VP-F55 foldable	FP-971	FP-971	FP-971	PEDALS
1-LED battery	—	—	—	FRONT LAMP
3-LED battery	—	—	—	REAR LAMP
16,6 kg	10,4 kg	12,8 kg	12,8 kg	WEIGHT
black, blue	dark blue	dark pink	blue	COLOURS

## TECHNICAL DATA



	MISTRAL 1D CITY - TIME	MISTRAL 1M	WIGRY	WIGRY CLASSIC
WHEEL SIZE / FRAME	28" alu 6061	28" alu 6061	20" / steel	20" / alu 6061
SIZE	S – 44 cm / M – 48 cm / L – 52 cm	S – 48 cm / M – 52 cm / L – 56 cm	13" foldable	13" foldable
FORK	rigid aluminium	rigid aluminium	rigid steel	rigid steel
DAMPER	—	—	1x1	—
DRIVETRAIN	1x8	1x8	—	1x3
FRONT SHIFTERS	—	—	—	—
REAR SHIFTERS	Shimano SL-M315 8 speed	Shimano SL-M315 8 speed	—	Shimano Nexus 3 speed
FRONT DERAILLEUR	—	—	—	—
REAR DERAILLEUR	Shimano Acera RD-M3020 8 speed	Shimano Acera RD-M3020 8 speed	—	Shimano Nexus 3 speed
CRANKSET	Cyclone CTL-3 42T / 170mm	Cyclone CTL-3 42T / 170mm	Cyclone AL-4-101S-7 38T / 170mm	Cyclone AL-4-101S-7 38T / 170mm
FRONT BRAKE	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	V-brake	V-brake
REAR BRAKE	Shimano BR-TX805 mechanical disc	Shimano BR-TX805 mechanical disc	Torpedo	Torpedo
FRONT BRAKE DISC	160 mm	160 mm	—	—
REAR BRAKE DISC	160 mm	160 mm	—	—
TYRES	28" x 1,75"	28" x 1,75"	20" x 1,75"	20" x 1,75"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	aluminium GL-B43F	aluminium GL-B43F	steel	Shimano dynamo DH-C3000
REAR HUB	aluminium GL-B43R	aluminium GL-B43R	steel	Shimano Nexus 3 speed
CASSETTE	Shimano HG200 12-32T	Shimano HG200 12-32T	20T	20T
HANDLEBAR	aluminium 660mm	aluminium 660mm	steel 600mm	steel 600mm
STEM	aluminium	aluminium	aluminium foldable	aluminium foldable
SEAT POST	aluminium 27,2mm / 350mm	aluminium 27,2mm / 350mm	aluminium 27,2mm / 400mm	aluminium 27,2mm / 400mm
GRIPS	—	—	—	—
SADDLE	Romet city	Romet city	Romet city	Romet city
PEDALS	FP-971	FP-971	VP-F55 foldable	VP-F55 foldable
FRONT LAMP	—	—	1-LED battery	1-LED battery
REAR LAMP	—	—	3-LED battery	3-LED battery
WEIGHT	11,7 kg	11,7 kg	—	13,0 kg
COLOURS	gray	black	khaki, red	gray



	WIGRY ECO JUNIOR / KIDS	RAMBLER DIRT 24	RAMBLER FIT 24	RAMBLER 24
WHEEL SIZE / FRAME	20" / steel	24" / alu 6061	24" / alu 6061	24" / alu 6061
SIZE	13" foldable	S – 12"	S – 12"	S – 13"
FORK	rigid steel	suspension	suspension	suspension
DAMPER	—	—	—	—
DRIVETRAIN	1x6	3x7	3x7	3x7
FRONT SHIFTERS	Shimano ST-EF41 3 speed	Shimano ST-EF41 3 speed	Shimano Revoshift RS-36 3 speed	Shimano Revoshift RS-36 3 speed
REAR SHIFTERS	Shimano SL-RS35 - 6 speed	Shimano ST-EF41 7 speed	Shimano ST-EF41 7 speed	Shimano Revoshift RS-36 7 speed
FRONT DERAILLEUR	Shimano Tourney FD-TY300	Shimano Tourney FD-TY300	Shimano Tourney TY300	Shimano Tourney FD-TY300
REAR DERAILLEUR	Shimano Tourney RD-TY21 - 6 speed	Shimano Tourney RD-TY300	Shimano Tourney RD-TZ500	Shimano Tourney RD-TY300
CRANKSET	Cyclone CTL-3-101 38T / 170mm	Cyclone CTL-3-324 42/34/24T 152mm	Cyclone CTL-3-324 42/34/24T 152mm	Shimano Tourney FC-TY301 42/34/24T 150mm
FRONT BRAKE	V-brake	mechanical disc	mechanical disc	V-brake
REAR BRAKE	V-brake	mechanical disc	mechanical disc	V-brake
FRONT BRAKE DISC	160mm	160mm	160mm	—
REAR BRAKE DISC	160mm	160mm	160mm	—
TYRES	20" x 1,75"	24" x 1,90"	24" x 1,90"	24" x 1,90"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	Joytech 433	aluminium	aluminium	steel
REAR HUB	Joytech 434	aluminium	aluminium	steel
CASSETTE	6 speed 14-28T	Shimano MF-TZ500 14-28T 7 speed	Shimano MF-TZ500 14-28T 7 speed	freewheel 14-28T 7 speed
HANDLEBAR	steel	aluminium 60mm	steel 560mm	steel 560mm
STEM	aluminium foldable	aluminium 60mm	steel 60mm/180mm	steel 60/180mm
SEAT POST	aluminium 28,6mm / 400mm	aluminium 27,2mm/300mm	aluminium 27,2mm/300mm	aluminium 27,2mm/300mm
GRIPS	—	Brat Karo 120mm	Brat Karo 120mm	Brat Karo 120mm
SADDLE	Romet City	Romet Kid	Romet	Romet
PEDALS	VP-F55 foldable	FP-804	FP-804	FP-804
FRONT LAMP	1-LED battery	—	—	—
REAR LAMP	3-LED battery	—	—	—
WEIGHT	12,6 kg	13,6 kg	14,3 kg	13,2 kg
COLOURS	white, black	silver-orange-graphite, yellow-orange-graphite, black-blue-silver	orange-silver-graphite, graphite-turquoise-silver	green-graphite, red-graphite

## TECHNICAL DATA



PHOTO  
SOON

PHOTO  
SOON

### JOLENE 24

JUNIOR/KIDS

	JOLENE 24	RAMBLER FIT 20	RAMBLER 20 KID 2	RAMBLER 20 KID 1
WHEEL SIZE / FRAME	24" / alu 6061	20" / alu 6061	20" / alu 6061	20" / alu 6061
SIZE	S – 13"	S – 10"	S – 10"	S – 10"
FORK	suspension	suspension	suspension	steel
DAMPER	—	—	—	—
DRIVETRAIN	3x7	1x6	1x6	1x6
FRONT SHIFTERS	Shimano Revoshift RS-36 3 speed	—	—	—
REAR SHIFTERS	Shimano Revoshift RS-36 7 speed	Shimano Revoshift RS-35 6 speed	Shimano Revoshift SL-RV400 6 speed	Shimano Revoshift RS-35 6 speed
FRONT DERAILLEUR	Shimano Tourney FD-TY300	—	—	—
REAR DERAILLEUR	Shimano Tourney RD-TY300	Shimano RD-FT35	Shimano Tourney RD-FT35	Shimano Tourney RD-FT35
CRANKSET	Shimano Tourney FC-TY301 42/34/24T 150mm	Cyclone CTL-3 101 36T 127mm	Cyclone CTL-3 36T 127mm	Cyclone CTL-3 36T 127mm
FRONT BRAKE	V-brake	mechanical disc	V-brake	V-brake
REAR BRAKE	V-brake	mechanical disc	V-brake	V-brake
FRONT BRAKE DISC	—	140mm	—	—
REAR BRAKE DISC	—	140mm	—	—
TYRES	24"x1,90"	20"x1,90"	20"x1,90"	20"x1,90"
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall
FRONT HUB	steel	aluminium	steel	steel
REAR HUB	steel	aluminium	steel	steel
CASSETTE	freewheel 14-28T 7 speed	Shimano MF-TZ500 14-28T 6 speed	freewheel 14-28T 6 speed	freewheel 14-28T 6 speed
HANDLEBAR	steel 560mm	steel 540mm	steel 540mm	steel 540mm
STEM	steel 60mm/180mm	steel 60mm/180mm	steel 60mm/180mm	steel 60mm/180mm
SEAT POST	aluminium 27,2mm/300mm	aluminium 27,2mm/250mm	aluminium 27,2mm/250mm	aluminium 27,2mm/250mm
GRIPS	Brat Karo 120mm	Westphal Profiler 92mm/122mm	Westphal Profiler 92mm/122mm	Westphal Profiler 92mm/122mm
SADDLE	Romet	Romet	Romet	Romet
PEDALS	FP-804	SP-690	SP-690	SP-690
FRONT LAMP	—	—	—	—
REAR LAMP	—	—	—	—
WEIGHT	13,4 kg	11,9 kg	11,5 kg	10,3 kg
COLOURS	white-pink, turquoise-pink	celadon-blue-graphite, blue-celadon-silver	turquoise-blue, yellow-gray	white-blue, lime green-gray



PHOTO  
SOON



PHOTO  
SOON




PHOTO  
SOON


### JOLENE 20 KID 2

	JOLENE 20 KID 2	JOLENE 20 KID 1	PANDA 2	PANDA 1	WHEEL SIZE / FRAME
WHEEL SIZE / FRAME	20" / alu 6061	20" / alu 6061	24" / alu 6061	24" / alu 6061	WHEEL SIZE / FRAME
SIZE	S – 10"	S – 10"	M – 14"	14"	SIZE
FORK	suspension	steel	rigid	rigid	FORK
DAMPER	—	—	—	—	DAMPER
DRIVETRAIN	1x6	1x6	1x3	3x7	DRIVETRAIN
FRONT SHIFTERS	Shimano Revoshift RS-35 3 speed	—	Shimano Nexus 3	Shimano Revoshift RS-35 7 speed	FRONT SHIFTERS
REAR SHIFTERS	Shimano Revoshift RS-35 7 speed	Shimano Revoshift SL-RV400 6 speed	Shimano Nexus 3	Shimano Revoshift RS-35 7 speed	REAR SHIFTERS
FRONT DERAILLEUR	Shimano Tourney RD-TY300	—	—	Shimano Tourney TY500	FRONT DERAILLEUR
REAR DERAILLEUR	Shimano Tourney RD-TY300	Shimano RD-FT35	Shimano Nexus 3	Shimano Tourney RD-TZ500	REAR DERAILLEUR
CRANKSET	Shimano Tourney FC-TY301 42/34/24T 150mm	Cyclone CTL-3 101 36T 127mm	—	Cyclone CTL-3 324 42/34/24T 152mm	CRANKSET
FRONT BRAKE	V-brake	V-brake	V-brake	V-brake	FRONT BRAKE
REAR BRAKE	V-brake	V-brake	Torpedo	V-brake	REAR BRAKE
FRONT BRAKE DISC	—	—	—	—	FRONT BRAKE DISC
REAR BRAKE DISC	—	—	—	—	REAR BRAKE DISC
TYRES	20"x1,90"	20"x1,90"	24"x1,75"	24"x1,75"	TYRES
RIMS	aluminium doublewall	aluminium doublewall	aluminium doublewall	aluminium doublewall	RIMS
FRONT HUB	steel	steel	Shimano Nexus DH-C3000-3N-NT dynamo	steel	FRONT HUB
REAR HUB	steel	steel	Shimano Nexus SG-3C41	steel	REAR HUB
CASSETTE	freewheel 14-28T 6 speed	freewheel 14-28T 6 speed	19T	freewheel 14-28T 7 speed	CASSETTE
HANDLEBAR	steel 560mm	steel 540mm	steel 570mm	steel 570mm	HANDLEBAR
STEM	steel 60mm/180mm	steel 60mm/180mm	steel 40mm	steel 40mm	STEM
SEAT POST	aluminium 27,2mm/300mm	aluminium 27,2mm/250mm	steel 27,2mm/300mm	steel 27,2mm/300mm	SEAT POST
GRIPS	Brat Karo 120mm	Westphal Profiler 92mm/122mm	Brat Pik 90/120mm	Brat Pik 90mm	GRIPS
SADDLE	Romet	Romet	Romet Kid	Romet Kid	SADDLE
PEDALS	FP-804	SP-690	FP-804	FP-804	PEDALS
FRONT LAMP	—	—	Buchel Retro Sportled	LED battery	FRONT LAMP
REAR LAMP	—	—	Spaninga Pixeo	LED battery	REAR LAMP
WEIGHT	11,4 kg	10,4 kg	—	—	WEIGHT
COLOURS	gray-pink, white-blue-pink	coral-white, white-purple	pink, white-beige	white-blue, heather-white	COLOURS


# GEOMETRY FRAME




## GEOMETRY FRAME




E-MONSUN 2.0  
820Wh




E-MONSUN 1.0  
820Wh / 725Wh




E-MUSTANG 2.0  
725Wh / 540Wh




E-MUSTANG 1.0  
725Wh / 540Wh




E-RAMBLER 2.0  
504Wh




E-RAMBLER 1.0  
504Wh




E-MODECO SUV 1.0  
504Wh




E-ORKAN 3.0 M  
820Wh




E-ORKAN 3.0 D  
820Wh



E-ORKAN 2.0 M  
725Wh / 540Wh



E-ORKAN 2.0 D  
725Wh / 540Wh



E-ORKAN 1.0 M  
504Wh

**M**

28"

432 mm

613 mm

460 mm

74°

70°

1151 mm

150 mm

490 mm

644 mm

435 mm

711 mm

2.00"

**L**

28"

483 mm

645 mm

460 mm

73,1°

70°

1204 mm

160 mm

499 mm

662 mm

429 mm

799 mm

2.00"

**M**

28"

432 mm

600 mm

478 mm

74°

70°

1167 mm

150 mm

499 mm

653 mm

416 mm

708 mm

2.00"

**L**

28"

483 mm

625 mm

460 mm

74°

70°

1185 mm

160 mm

499 mm

662 mm

438 mm

709 mm

2.00"

**M**

28"

457 mm

600 mm

478 mm

73°

70°

1112 mm

1137 mm

489 mm

643 mm

398 mm

811 mm

2.00"

**L**

28"

483 mm

625 mm

460 mm

73°

70°

1159 mm

160 mm

499 mm

653 mm

398 mm

805 mm

2.00"

**M**

28"

457 mm

600 mm

478 mm

73°

70°

1112 mm

1137 mm

489 mm

643 mm

398 mm

811 mm

2.00"

**L**

28"

483 mm

625 mm

460 mm

73°

70°

1112 mm

1137 mm

489 mm

643 mm

398 mm

811 mm

2.00"

**M**

28"

457 mm

600 mm

478 mm

73°

70°

1112 mm

1137 mm

489 mm

643 mm

398 mm

811 mm

2.00"

**Size**

Tyre size

A - frame size

B - top tube length

C - chainstay length

D - seat tube angle

E - head tube angle

F - wheel base

G - head tube length

H - fork length

Stack


Reach

Standover height


Maximum tyre size




E-MODECO SUV 2.0  
504Wh




E-ORKAN 1.0 D  
504Wh



E-WAGANT 4.0  
820Wh




E-GAZELA 4.0  
820Wh




E-WAGANT 3.0  
725Wh / 540Wh


## GEOMETRY FRAME




E-GAZELA 3.0  
725Wh/540Wh




E-WAGANT 2.0  
504Wh




E-GAZELA 2.0  
504Wh




E-WAGANT 1.0  
504Wh




E-MODECO URB 1.0  
504Wh




E-GAZELA 1.0  
504Wh




E-MODECO TRK 1.0  
504Wh



E-MODECO URB 3.0  
820Wh



E-MODECO URB 2.0  
725Wh/540Wh




E-MODECO URB 1.0  
504Wh

Size	M	L	M	L	M	L	M	L
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"
A - frame size	432 mm	483 mm	457 mm	508 mm	432 mm	483 mm	457 mm	508 mm
B - top tube length	600 mm	625 mm	599 mm	600 mm	588 mm	613 mm	600 mm	625 mm
C - chainstay length	478 mm	478 mm	460 mm					
D - seat tube angle	68°	68°	73°	73°	73°	73°	73°	73°
E - head tube angle	70°	71°	70°	70°	70°	70°	70°	70°
F - wheel base	1131 mm	1186 mm	1117 mm	1117 mm	1100 mm	1126 mm	1112 mm	1137 mm
G - head tube length	150 mm	160 mm						
H - fork length	509 mm	509 mm	489 mm					
Stack	663 mm	673 mm	644 mm	653 mm	661 mm	671 mm	659 mm	668 mm
Reach	395 mm	417 mm	402 mm	399 mm	386 mm	408 mm	399 mm	421 mm
Standover height	587 mm	584 mm	812 mm	854 mm	657 mm	657 mm	800 mm	838 mm
Maximum tyre size	2.00"	2.00"	2.00"	2.00"	2.00"	2.00"	2.00"	2.00"


Size	M	L	M	L	M	L	M	L
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"
A - frame size	432 mm	483 mm						
B - top tube length	588 mm	613 mm	588 mm	613 mm	615 mm	625 mm	619 mm	640 mm
C - chainstay length	460 mm	483 mm	483 mm					
D - seat tube angle	73°	73°	73°	73°	73°	73°	72,9°	72,9°
E - head tube angle	70°	70°	70°	70°	71°	71°	70,5°	70,5°
F - wheel base	1100 mm	1126 mm	1110 mm	1125 mm	1130 mm	1140 mm	1171 mm	1192 mm
G - head tube length	150 mm	160 mm						
H - fork length	489 mm	489 mm	489 mm	489 mm	508 mm	508 mm	509 mm	509 mm
Stack	661 mm	671 mm	656 mm	656 mm	675 mm	675 mm	673 mm	673 mm
Reach	386 mm	408 mm	383 mm	408 mm	414 mm	424 mm	427 mm	449 mm
Standover height	657 mm	657 mm	415 mm	415 mm	378 mm	378 mm	437 mm	437 mm
Maximum tyre size	2.00"	2.00"	2.00"	2.00"	2.20"	2.20"	2.20"	2.20"

Size	Tyre size	A - frame size	B - top tube length	C - chainstay length	D - seat tube angle	E - head tube angle	F - wheel base	G - head tube length	H - fork length	Stack	Reach	Standover height	Maximum tyre size
28"	28"	432 mm	483 mm	588 mm	613 mm	460 mm	460 mm	1110 mm	1125 mm	661 mm	671 mm	657 mm	2.00"
460 mm	460 mm	489 mm	489 mm	489 mm	489 mm	489 mm	489 mm	656 mm	656 mm	656 mm	408 mm	415 mm	2.00"
615 mm	615 mm	615 mm	615 mm	615 mm	615 mm	615 mm	615 mm	675 mm	675 mm	675 mm	424 mm	427 mm	2.20"
619 mm	619 mm	619 mm	619 mm	619 mm	619 mm	619 mm	619 mm	690 mm	690 mm	690 mm	449 mm	452 mm	2.20"
640 mm	640 mm	640 mm	640 mm	640 mm	640 mm	640 mm	640 mm	695 mm	695 mm	695 mm	472 mm	475 mm	2.20"


## GEOMETRY FRAME



DAGGER 2



DAGGER 1




MONSUN 3




MONSUN 2


Size	M	L	XL		M	L	XL		S	M	L	XL	S	M	L	XL
Tyre size	29"	29"	29"		29"	29"	29"		29"	29"	29"	29"	29"	29"	29"	29"
A - frame size	420 mm	440 mm	460 mm		420 mm	440 mm	460 mm		381 mm	432 mm	483 mm	533 mm	381 mm	432 mm	483 mm	533 mm
B - top tube length	602 mm	631 mm	661 mm		602 mm	631 mm	661 mm		562 mm	584 mm	605 mm	630 mm	562 mm	584 mm	605 mm	630 mm
C - chainstay length	436,5 mm	436,5 mm	436,5 mm		436,5 mm	436,5 mm	436,5 mm		440 mm							
D - seat tube angle	70°	70°	70°		70°	70°	70°		73,5°	73,5°	73,5°	73,5°	73,5°	73,5°	73,5°	73,5°
E - head tube angle	64,5°	64,5°	64,5°		64,5°	64,5°	64,5°		70,5°	71°	71,5°	71,5°	70,5°	71°	71,5°	71,5°
F - wheel base	1208 mm	1237 mm	1267 mm		1208 mm	1237 mm	1267 mm		1060 mm	1070 mm	1086 mm	1111 mm	1060 mm	1070 mm	1086 mm	1111 mm
G - head tube length	110 mm	120 mm	135 mm		110 mm	120 mm	135 mm		95 mm	95 mm	110 mm	120 mm	95 mm	95 mm	110 mm	120 mm
H - fork length	560 mm	560 mm	560 mm		560 mm	560 mm	560 mm		501 mm							
Stack	618 mm	630 mm	639 mm		618 mm	630 mm	639 mm		607 mm	614 mm	625 mm	635 mm	607 mm	614 mm	625 mm	635 mm
Reach	445 mm	470 mm	495 mm		445 mm	470 mm	495 mm		383 mm	396 mm	414 mm	436 mm	383 mm	396 mm	414 mm	436 mm
Standover height	—	—	—		—	—	—		—	—	—	—	—	—	—	—
Maximum tyre size	2,4"	2,4"	2,4"		2,4"	2,4"	2,4"		2,25"	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"



MONSUN 1



MUSTANG EVO 2 CS




MUSTANG EVO 1 CS




MUSTANG EVO 3


Size	S	M	L	XL		S	M	L	XL		S	M	L	XL		S	M	L	XL
Tyre size	29"	29"	29"	29"		29"	29"	29"	29"		29"	29"	29"	29"		29"	29"	29"	29"
A - frame size	381 mm	432 mm	483 mm	533 mm		381 mm	432 mm	483 mm	533 mm		381 mm	432 mm	483 mm	533 mm		381 mm	432 mm	483 mm	533 mm
B - top tube length	562 mm	584 mm	605 mm	630 mm		560 mm	595 mm	611,5 mm	640 mm		560 mm	595 mm	611,5 mm	640 mm		560 mm	595 mm	611,5 mm	640 mm
C - chainstay length	440 mm	440 mm	440 mm	440 mm		435 mm	435 mm	435 mm	435 mm		435 mm	435 mm	435 mm	435 mm		435 mm	435 mm	435 mm	435 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°		73°	73°	73°	73°		73°	73°	73°	73°		73°	73°	73°	73°
E - head tube angle	70,5°	71°	71,5°	71,5°		69°	69°	70°	70°		69°	69°	70°	70°		69°	69°	70°	70°
F - wheel base	1060 mm	1070 mm	1086 mm	1111 mm		1168 mm	1103 mm	1104 mm	1137 mm		1168 mm	1103 mm	1104 mm	1137 mm		1168 mm	1103 mm	1104 mm	1137 mm
G - head tube length	95 mm	95 mm	110 mm	120 mm		100 mm	100 mm	115 mm	125 mm		100 mm	100 mm	115 mm	125 mm		100 mm	100 mm	115 mm	125 mm
H - fork length	501 mm	501 mm	501 mm	501 mm		501 mm	501 mm	501 mm	501 mm		501 mm	501 mm	501 mm	501 mm		501 mm	501 mm	501 mm	501 mm
Stack	607 mm	614 mm	625 mm	635 mm		599 mm	595 mm	615 mm	630 mm		599 mm	595 mm	615 mm	630 mm		599 mm	595 mm	615 mm	630 mm
Reach	383 mm	396 mm	414 mm	436 mm		378 mm	413 mm	420 mm	447 mm		378 mm	413 mm	420 mm	447 mm		378 mm	413 mm	420 mm	447 mm
Standover height	—	—	—	—		—	—	—	—		—	—	—	—		—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"	2,25"




MUSTANG EVO 1



MUSTANG M5 CS




MUSTANG M4 CS




MUSTANG M3 CS


Size	M	L	XL		M	L	XL		M	L	XL		M	L	XL		Size
Tyre size	29"	29"	29"		29"	29"	29"		29"	29"	29"		29"	29"	29"		Tyre size
A - frame size	405 mm	455 mm	505 mm		405 mm	455 mm	505 mm		432 mm	485 mm	535 mm		432 mm	485 mm	535 mm		A - frame size
B - top tube length	595 mm	611,5 mm	640 mm		615 mm	625 mm	635 mm		610 mm	630 mm	640 mm		610 mm	630 mm	640 mm		B - top tube length
C - chainstay length	435 mm	435 mm	435 mm		445 mm	445 mm	445 mm		435 mm	435 mm	435 mm		495 mm	495 mm	495 mm		C - chainstay length
D - seat tube angle	73°	73°	73°		72°	72°	72°		69°	69°	69°		69°	69°	69°		D - seat tube angle
E - head tube angle	69°	69°	70°		70°	70°	70°		70°	69°	69°		70°	69°	69°		E - head tube angle
F - wheel base	1100 mm	1130 mm	1141,5 mm		1100 mm	1130 mm	1141,5 mm		1100 mm	1130 mm	1141,5 mm		1112 mm	1122 mm	1129 mm		F - wheel base
G - head tube length	110 mm	110 mm	125 mm		110 mm	110 mm	125 mm		120 mm	130 mm	135 mm		120 mm	130 mm	135 mm		G - head tube length
H - fork length	495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		H - fork length
Stack	—	—	—		—	—	—		617 mm	624 mm	631 mm		617 mm	624 mm	631 mm		Stack
Reach	—	—	—		—	—	—		423 mm	445 mm	450 mm		423 mm	445 mm	450 mm		Reach
Standover height	—	—	—		—	—	—		—	—	—		—	—	—		Standover height
Maximum tyre size	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		Maximum tyre size




MUSTANG M2 CS



MUSTANG M1 CS




MUSTANG M8




MUSTANG M7


## GEOMETRY FRAME




MUSTANG M6



MUSTANG M5




MUSTANG M4




MUSTANG M3


Size	M	L	XL		M	L	XL		M	L	XL		M	L	XL	
Tyre size	29"	29"	29"		29"	29"	29"		29"	29"	29"		29"	29"	29"	
A - frame size	405 mm	455 mm	505 mm		432 mm	485 mm	535 mm		432 mm	485 mm	535 mm		432 mm	480 mm	530 mm	
B - top tube length	615 mm	625 mm	635 mm		610 mm	630 mm	640 mm		610 mm	630 mm	640 mm		600 mm	605 mm	605 mm	
C - chainstay length	445 mm	445 mm	445 mm		435 mm	435 mm	435 mm		435 mm	435 mm	435 mm		450 mm	450 mm	450 mm	
D - seat tube angle	72°	72°	72°		69°	69°	69°		69°	69°	69°		74°	74°	74°	
E - head tube angle	70°	70°	70°		70°	69°	69°		70°	69°	69°		70°	70°	70°	
F - wheel base	1112 mm	1122 mm	1129 mm		1100 mm	1130 mm	1141,5 mm		1100 mm	1130 mm	1141,5 mm		1120 mm	1125 mm	1140 mm	
G - head tube length	120 mm	130 mm	135 mm		110 mm	110 mm	125 mm		110 mm	110 mm	125 mm		120 mm	120 mm	140 mm	
H - fork length	495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		510 mm	510 mm	510 mm	
Stack	617 mm	624 mm	631 mm		—	—	—		—	—	—		—	—	—	
Reach	423 mm	445 mm	450 mm		—	—	—		—	—	—		—	—	—	
Standover height	—	—	—		—	—	—		—	—	—		—	—	—	
Maximum tyre size	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"	




MUSTANG M2



MUSTANG M1




MUSTANG M7.1




RAMBLER R9.4 CS


Size	M	L	XL		M	L	XL		M	L	XL		L	XL	
Tyre size	29"	29"	29"		29"	29"	29"		27,5"	27,5"	27,5"		29"	29"	
A - frame size	432 mm	485 mm	535 mm		432 mm	485 mm	535 mm		432 mm	483 mm	533 mm		457 mm	508 mm	
B - top tube length	610 mm	630 mm	640 mm		610 mm	630 mm	640 mm		585 mm	595 mm	620 mm		619 mm	622 mm	
C - chainstay length	435 mm	435 mm	435 mm		435 mm	435 mm	435 mm		430 mm	430 mm	430 mm		460 mm	460 mm	
D - seat tube angle	69°	69°	69°		69°	69°	69°		73,5°	73°	73°		73°	73°	
E - head tube angle	70°	69°	69°		70°	69°	69°		70°	70°	70°		71°	71°	
F - wheel base	1100 mm	1130 mm	1141,5 mm		1100 mm	1130 mm	1141,5 mm		1079 mm	1080 mm	1105,5 mm		1119,2 mm	1122,2 mm	
G - head tube length	110 mm	110 mm	125 mm		110 mm	110 mm	125 mm		110 mm	110 mm	110 mm		120 mm	120 mm	
H - fork length	495 mm	495 mm	495 mm		495 mm	495 mm	495 mm		480 mm	480 mm	480 mm		510 mm	510 mm	
Stack	—	—	—		—	—	—		—	—	—		—	—	
Reach	—	—	—		—	—	—		—	—	—		—	—	
Standover height	—	—	—		—	—	—		—	—	—		—	—	
Maximum tyre size	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	




MUSTANG M6




MUSTANG M5




MUSTANG M4




MUSTANG M3




RAMBLER R9.3 CS



RAMBLER R9.2 CS




RAMBLER R7.3 CS




RAMBLER R7.2 CS


Size	M	L	XL		M	L	XL		M	L	XL		L	XL	
Tyre size	29"	29"	29"		29"	29"	29"		27,5"	27,5"	27,5"		27,5"	27,5"	
A - frame size	457 mm	508 mm	530 mm		430 mm	480 mm	530 mm		457 mm	508 mm	530 mm		432 mm	483 mm	533 mm
B - top tube length	619 mm	622 mm	625 mm		600 mm	605 mm	605 mm		590 mm	594 mm	594 mm		585 mm	610 mm	615 mm
C - chainstay length	460 mm	460 mm	460 mm		450 mm	450 mm	450 mm		435 mm	435 mm	435 mm		450 mm	450 mm	450 mm
D - seat tube angle	73°	73°	73°		74°	74°	74°		73,5°	73,5°	73,5°		73°	73°	73°
E - head tube angle	71°	71°	71°		70°	70°	70°		70,5°	70,5°	70,5°		69°	69°	69°
F - wheel base	1119,2 mm	1122,2 mm	1122,2 mm		1120 mm	1125 mm	1140 mm		1082 mm	1085 mm	1085 mm		1115 mm	1120 mm	1125 mm
G - head tube length	120 mm	120 mm	120 mm		120 mm	120 mm	140 mm		120 mm	120 mm	120 mm		115 mm	120 mm	120 mm
H - fork length	510 mm	510 mm	510 mm		510 mm	510 mm	510 mm		480 mm	480 mm	480 mm		475 mm	475 mm	475 mm
Stack	—	—	—		—	—	—		—	—	—		—	—	—
Reach	—	—	—		—	—	—		—	—	—		—	—	—
Standover height	—	—	—		—	—	—		—	—	—		—	—	—
Maximum tyre size	2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"		2,25"	2,25"	2,25"




RAMBLER R9.4



RAMBLER R9.3




RAMBLER R9.1




RAMBLER FIT 29

Size	M	L	XL		M	L	XL		M	L	XL		L	XL	
Tyre size	29"	29"	29"		29"	29"	29"		29"	29"	29"		29"	29"	
A - frame size	457 mm	508 mm	530 mm		457 mm	508 mm	530 mm		430 mm	480 mm	530 mm		457 mm	508 mm	
B - top tube length	619 mm	622 mm	625 mm		619 mm	622 mm	625 mm		600 mm	605 mm	605 mm		618 mm	627 mm	
C - chainstay length	460 mm	460 mm	460 mm		460 mm	460 mm	460 mm		450 mm	450 mm	450 mm		460 mm	460 mm	
D - seat tube angle	73°	73°	73°		73°	73°	73°		74°	74°	74°		73°	73°	
E - head tube angle	71°	71°	71°		71°	71°	71°		70°	70°	70°		71°	71°	
F - wheel base	1119,2 mm	1122,2 mm	1122,2 mm		1119,2 mm	1122,2 mm	1140 mm		1120 mm	1125 mm	1140 mm		1118 mm	1127 mm	
G - head tube length	120 mm	120 mm	120 mm		120 mm	120 mm	140 mm		120 mm	120 mm	140 mm		120 mm	120 mm	
H - fork length	510 mm	510 mm	510 mm		510 mm	510 mm	510 mm								


## GEOMETRY FRAME




Size	L	XL	L	XL	M	L	XL	L	XL
Tyre size	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"
A - frame size	457 mm	508 mm	457 mm	508 mm	432 mm	483 mm	533 mm	457 mm	508 mm
B - top tube length	590 mm	594 mm	590 mm	594 mm	585 mm	610 mm	615 mm	600,5 mm	610,5 mm
C - chainstay length	435 mm	435 mm	435 mm	435 mm	450 mm	450 mm	450 mm	435 mm	435 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°	73°	73°	73°	73°	73°
E - head tube angle	70,5°	70,5°	70,5°	70,5°	70°	70°	70°	71°	71°
F - wheel base	1082 mm	1085 mm	1082 mm	1085 mm	1115 mm	1120 mm	1125 mm	1083 mm	1093 mm
G - head tube length	120 mm	120 mm	120 mm	120 mm	115 mm	120 mm	120 mm	120 mm	120 mm
H - fork length	480 mm	480 mm	480 mm	480 mm	475 mm	475 mm	475 mm	485 mm	485 mm
Stack	—	—	—	—	—	—	—	—	—
Reach	—	—	—	—	—	—	—	—	—
Standover height	—	—	—	—	—	—	—	—	—
Maximum tyre size	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"	2,25"



Size	L	XL	L	XL	S	M	L	XL	S	M	L	XL
Tyre size	26"	26"	26"	26"	26"	26"	26"	26"	26"	26"	26"	26"
A - frame size	457 mm	508 mm	457 mm	508 mm	356 mm	432 mm	483 mm	533 mm	356 mm	432 mm	483 mm	533 mm
B - top tube length	558 mm	561 mm	560 mm	565 mm	595 mm	600 mm	605 mm	610 mm	595 mm	600 mm	605 mm	610 mm
C - chainstay length	425 mm	425 mm	425 mm	425 mm	430 mm	430 mm	430 mm	430 mm	430 mm	430 mm	430 mm	430 mm
D - seat tube angle	73,5°	73,5°	73,5°	73,5°	73°	73°	73°	73°	73°	73°	73°	73°
E - head tube angle	69,5°	69,5°	69,5°	69,5°	71°	71°	71°	71°	71°	71°	71°	71°
F - wheel base	1055 mm	1058 mm	1055 mm	1058 mm	1030,5 mm	1081,6 mm	1088 mm	1090,6 mm	1030,5 mm	1077 mm	1083 mm	1090,5 mm
G - head tube length	120 mm	135 mm	135 mm	135 mm	120 mm	135 mm	135 mm	135 mm				
H - fork length	460 mm	460 mm	460 mm	460 mm	460 mm	460 mm	460 mm	460 mm				
Stack	—	—	—	—	—	—	—	—	—	—	—	—
Reach	—	—	—	—	—	—	—	—	—	—	—	—
Standover height	—	—	—	—	—	—	—	—	—	—	—	—
Maximum tyre size	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"




Size	S	M	L	XL	M	L	XL	M	L	XL	Size
Tyre size	26"	26"	26"	26"	26"	26"	26"	26"	26"	26"	Tyre size
A - frame size	457 mm	508 mm	457 mm	508 mm	432 mm	483 mm	533 mm	381 mm	432 mm	483 mm	A - frame size
B - top tube length	592 mm	599 mm	590 mm	594 mm	585 mm	610 mm	615 mm	555 mm	570 mm	570 mm	B - top tube length
C - chainstay length	430 mm	430 mm	430 mm	430 mm	425 mm	425 mm	425 mm	425 mm	425 mm	425 mm	C - chainstay length
D - seat tube angle	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	D - seat tube angle
E - head tube angle	71°	71°	71°	71°	70°	70°	70°	70°	70°	70°	E - head tube angle
F - wheel base	1072 mm	1080 mm	1030,5 mm	1077 mm	1083 mm	1090,5 mm	1090,6 mm	1042 mm	1057 mm	1060 mm	F - wheel base
G - head tube length	120 mm	120 mm	120 mm	120 mm	120 mm	120 mm	120 mm	120 mm	120 mm	120 mm	G - head tube length
H - fork length	460 mm	460 mm	460 mm	460 mm	478 mm	478 mm	478 mm	478 mm	478 mm	478 mm	H - fork length
Stack	—	—	—	—	—	—	—	—	—	—	Stack
Reach	—	—	—	—	—	—	—	—	—	—	Reach
Standover height	—	—	—	—	—	—	—	—	—	—	Standover height
Maximum tyre size	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	Maximum tyre size




Size	S	M	L	S	M	L	S	M	L	S	M	L	Size
Tyre size	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	27,5"	Tyre size
A - frame size	430 mm	483 mm	483 mm	381 mm	430 mm	483 mm	390 mm	430 mm	483 mm	390 mm	430 mm	483 mm	A - frame size
B - top tube length	575 mm	596 mm	595 mm	575 mm	585 mm	585 mm	555 mm	575 mm	596 mm	555 mm	575 mm	596 mm	B - top tube length
C - chainstay length	435 mm	C - chainstay length											
D - seat tube angle	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	D - seat tube angle
E - head tube angle	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	71°	E - head tube angle
F - wheel base	1070 mm	1085 mm	1085 mm	1050 mm	1070 mm	1085 mm	1050 mm	1070 mm	1085 mm	1050 mm	1070 mm	1085 mm	F - wheel base
G - head tube length	120 mm	G - head tube length											
H - fork length	475 mm	H - fork length											
Stack	—	—	—	—	—	—	—	—	—	—	—	—	Stack
Reach	—	—	—	—	—	—	—	—	—	—	—	—	Reach
Standover height	—	—	—	—	—	—	—	—	—	—	—	—	Standover height
Maximum tyre size	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	2,1"	Maximum tyre size


## GEOMETRY FRAME




JOLENE 6.3



JOLENE 6.2




JOLENE 6.1




JOLENE 6.0


Size	S	M	L		S	M	L		S	M	L		S	M	L	
Tyre size	26"	26"	26"		26"	26"	26"		26"	26"	26"		26"	26"	26"	
A - frame size	380 mm	430 mm	480 mm		380 mm	430 mm	480 mm		380 mm	430 mm	480 mm		380 mm	430 mm	480 mm	
B - top tube length	555 mm	570 mm	590 mm		555 mm	570 mm	590 mm		555 mm	570 mm	590 mm		555 mm	570 mm	590 mm	
C - chainstay length	425 mm	425 mm	425 mm		425 mm	425 mm	425 mm		425 mm	425 mm	425 mm		425 mm	425 mm	425 mm	
D - seat tube angle	73°	73°	73°		73°	73°	73°		73°	73°	73°		73°	73°	73°	
E - head tube angle	70°	70°	70°		70°	70°	70°		70°	70°	70°		70°	70°	70°	
F - wheel base	1040 mm	1055 mm	1075 mm		1040 mm	1055 mm	1075 mm		1040 mm	1055 mm	1075 mm		1040 mm	1055 mm	1075 mm	
G - head tube length	120 mm	120 mm	120 mm		120 mm	120 mm	120 mm		120 mm	120 mm	120 mm		120 mm	120 mm	120 mm	
H - fork length	460 mm	460 mm	460 mm		460 mm	460 mm	460 mm		460 mm	460 mm	460 mm		460 mm	460 mm	460 mm	
Stack	—	—	—		—	—	—		—	—	—		—	—	—	
Reach	—	—	—		—	—	—		—	—	—		—	—	—	
Standover height	—	—	—		—	—	—		—	—	—		—	—	—	
Maximum tyre size	2,1"	2,1"	2,1"		2,1"	2,1"	2,1"		2,1"	2,1"	2,1"		2,1"	2,1"	2,1"	




JAGUAR 2



JAGUAR DISC1




HURAGAN CRD




HURAGAN DISC


Size	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
A - frame size	460 mm	500 mm	520 mm	540 mm	460 mm	500 mm	520 mm	540 mm	490 mm	510 mm	540 mm	570 mm	490 mm	520 mm	550 mm	580 mm
B - top tube length	500 mm	530 mm	550 mm	570 mm	500 mm	530 mm	550 mm	570 mm	522 mm	542 mm	543 mm	560 mm	529 mm	549 mm	569 mm	579 mm
C - chainstay length	405 mm	408 mm	408 mm	408 mm	410 mm	408 mm	408 mm	408 mm	408 mm							
D - seat tube angle	73°	73°	73°	73°	73°	73°	73°	73°	73,5°	73°	73,5°	73°	74°	73°	72,5°	72°
E - head tube angle	71°	71°	71°	71°	71°	71°	71°	71°	71,5°	73°	73°	73°	72°	72,5°	73°	73°
F - wheel base	965 mm	973 mm	984 mm	999 mm	965 mm	973 mm	984 mm	999 mm	982 mm	983 mm	989 mm	1000 mm	976 mm	982 mm	992 mm	1006 mm
G - head tube length	110 mm	125 mm	140 mm	150 mm	110 mm	125 mm	140 mm	150 mm	120 mm	130 mm	155 mm	175 mm	135 mm	145 mm	160 mm	185 mm
H - fork length	358 mm	374 mm	374 mm	374 mm	374 mm	369 mm	369 mm	369 mm	369 mm							
Stack	507 mm	524 mm	540 mm	561 mm	507 mm	524 mm	540 mm	561 mm	—	—	—	—	—	—	—	—
Reach	364 mm	379 mm	389 mm	403 mm	364 mm	379 mm	389 mm	403 mm	—	—	—	—	375 mm	382 mm	382 mm	398 mm
Standover height	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Maximum tyre size	700x28	700x25	700x25	700x25	700x25	700x25	700x25	700x25	700x25							




HURAGAN 4



HURAGAN 3




HURAGAN 2




HURAGAN 1


Size	S	M	L	XL	S	M	L	XL	S	M	L	XL	S	M	L	XL	Size
28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	A - frame size
520 mm	560 mm	560 mm	580 mm	580 mm	470 mm	500 mm	530 mm	560 mm	470 mm	500 mm	530 mm	560 mm	470 mm	500 mm	530 mm	560 mm	B - top tube length
545 mm	554 mm	562 mm	578 mm	578 mm	521 mm	550 mm	570 mm	590 mm	521 mm	550 mm	570 mm	590 mm	550 mm	549 mm	570 mm	579 mm	C - chainstay length
425 mm	425 mm	425 mm	425 mm	425 mm	410 mm	410 mm	410 mm	410 mm	410 mm	410 mm	410 mm	410 mm	D - seat tube angle				
74°	73,5°	73,5°	73,5°	73,5°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	73°	E - head tube angle
62,4°	62,2°	62°	61,9°	61°	60°	60°	60°	61°	61°	60°	60°	61°	71°	70°	70°	70°	F - wheel base
1033 mm	1034 mm	1040 mm	1045 mm	1045 mm	996 mm	990 mm	1006 mm	1020 mm	996 mm	990 mm	1006 mm	1020 mm	995 mm	995 mm	1005 mm	1016 mm	G - head tube length
140 mm	160 mm	180 mm	200 mm	200 mm	130 mm	150 mm	170 mm	190 mm	130 mm	150 mm	170 mm	190 mm	130 mm	150 mm	170 mm	190 mm	H - fork length
371 mm	371 mm	371 mm	371 mm	371 mm	367 mm	367 mm	367 mm	367 mm	367 mm	367 mm	367 mm	367 mm	Stack				
536 mm	557,7 mm	578 mm	599 mm	599 mm	520 mm	543 mm	562 mm	584 mm	520 mm	543 mm	562 mm	584 mm	524 mm	543 mm	565 mm	581 mm	Reach
399 mm	401 mm	404 mm	406 mm	406 mm	388 mm	389 mm	403 mm	411 mm	388 mm	389 mm	403 mm	411 mm	395 mm	389 mm	402 mm	406 mm	Standover height
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Maximum tyre size
700x28	700x28	700x28	700x28	700x28	700x25C	700x25C	700x25C	700x25C	700x25	700x25	700x25	700x25	700x23C	700x23C	700x23C	700x23C	Maximum tyre size




NYK 3.0 GRX DI2






NYK 3.0 RIVAL AXS




NYK



GEOMETRY FRAME




M	L	M	L	M	L	M	L	Size
28"	28"	28"	28"	28"	28"	28"	28"	Tyre size
510 mm	530 mm	460 mm	510 mm	483 mm	533 mm	483 mm	533 mm	A - frame size
580 mm	585 mm	566 mm	580 mm	570 mm	580 mm	570 mm	580 mm	B - top tube length
460 mm	460 mm	460 mm	460 mm	460 mm	460 mm	460 mm	460 mm	C - chainstay length
68°	68°	68°	68°	66°	66°	66°	66°	D - seat tube angle
71°	71°	71°	71°	71°	71°	71°	71°	E - head tube angle
1083 mm	1083 mm	1069 mm	1083 mm	1073 mm	1083 mm	1073 mm	1083 mm	F - wheel base
135 mm	145 mm	145 mm	165 mm	150 mm	150 mm	150 mm	150 mm	G - head tube length
450 mm	450 mm	450 mm	450 mm	450 mm	450 mm	450 mm	450 mm	H - fork length
604 mm	614 mm	613 mm	632 mm	—	—	—	—	Stack
401 mm	403 mm	384,5 mm	392 mm	—	—	—	—	Reach
—	—	—	—	—	—	—	—	Standover height
1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	Maximum tyre size




M	L	M	L	M	L	M	L	Size
28"	28"	28"	28"	28"	28"	28"	28"	Tyre size
432 mm	483 mm	483 mm	533 mm	432 mm	483 mm	483 mm	533 mm	A - frame size
556 mm	566 mm	570 mm	580 mm	556 mm	566 mm	570 mm	580 mm	B - top tube length
460 mm	C - chainstay length							
66°	66°	66°	66°	66°	66°	66°	66°	D - seat tube angle
71°	71°	71°	71°	71°	71°	71°	71°	E - head tube angle
1059 mm	1069 mm	1073 mm	1083 mm	1059 mm	1069 mm	1073 mm	1083 mm	F - wheel base
150 mm	G - head tube length							
450 mm	H - fork length							
—	—	—	—	—	—	—	—	Stack
—	—	—	—	—	—	—	—	Reach
—	—	—	—	—	—	—	—	Standover height
1.75"	1.75"	1.75"	1.75"	1.75"	1.75"	1.75"	1.75"	Maximum tyre size


## GEOMETRY FRAME




ORKAN 6D



ORKAN 5M




ORKAN 5D




ORKAN 4M


Size	M	L	M	L	M	L	M	L	M	L	Size
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	Tyre size
A - frame size	432 mm	483 mm	483 mm	533 mm	432 mm	483 mm	460 mm	500 mm	460 mm	500 mm	A - frame size
B - top tube length	556 mm	566 mm	570 mm	580 mm	556 mm	566 mm	580 mm	605 mm	565 mm	590 mm	B - top tube length
C - chainstay length	460 mm	450 mm	450 mm	450 mm	450 mm	C - chainstay length					
D - seat tube angle	66°	66°	66°	66°	66°	66°	66°	66°	66°	66°	D - seat tube angle
E - head tube angle	71°	71°	71°	71°	71°	71°	70°	70°	69°	69°	E - head tube angle
F - wheel base	1059 mm	1069 mm	1073 mm	1083 mm	1059 mm	1069 mm	1100 mm	1125 mm	1100 mm	1125 mm	F - wheel base
G - head tube length	150 mm	G - head tube length									
H - fork length	450 mm	490 mm	490 mm	490 mm	490 mm	H - fork length					
Stack	—	—	—	—	—	—	—	—	—	—	Stack
Reach	—	—	—	—	—	—	389 mm	413 mm	—	—	Reach
Standover height	—	—	—	—	—	—	—	—	—	—	Standover height
Maximum tyre size	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	Maximum tyre size




ORKAN 4D



ORKAN 3M




ORKAN 3D




ORKAN 2M


Size	M	L	M	L	M	L	M	L	S	M	L	Size
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	Tyre size
A - frame size	460 mm	500 mm	385 mm	430 mm	480 mm	A - frame size						
B - top tube length	565 mm	590 mm	580 mm	605 mm	565 mm	590 mm	580 mm	605 mm	550 mm	565 mm	565 mm	B - top tube length
C - chainstay length	450 mm	445 mm	445 mm	445 mm	C - chainstay length							
D - seat tube angle	66°	66°	66°	66°	66°	66°	66°	66°	65,8°	65,8°	65,8°	D - seat tube angle
E - head tube angle	69°	69°	70°	70°	69°	69°	70°	70°	70,5°	70,5°	70,5°	E - head tube angle
F - wheel base	1096 mm	1121 mm	1100 mm	1125 mm	1096 mm	1121 mm	1100 mm	1125 mm	1060 mm	1075 mm	1076 mm	F - wheel base
G - head tube length	150 mm	G - head tube length										
H - fork length	490 mm	465 mm	465 mm	465 mm	H - fork length							
Stack	—	—	—	—	—	—	—	—	—	—	—	Stack
Reach	375 mm	400 mm	389 mm	413 mm	375 mm	400 mm	389 mm	413 mm	350 mm	375 mm	400 mm	Reach
Standover height	—	—	—	—	—	—	—	—	—	—	—	Standover height
Maximum tyre size	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	Maximum tyre size




ORKAN 2D



ORKAN 1M




ORKAN 1D




ORKAN M


Size	M	L	M	L	M	L	M	L	M	L	Size	
Tyre size	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	Tyre size	
A - frame size	460 mm	500 mm	A - frame size									
B - top tube length	565 mm	590 mm	580 mm	605 mm	565 mm	590 mm	580 mm	605 mm	565 mm	590 mm	B - top tube length	
C - chainstay length	450 mm	C - chainstay length										
D - seat tube angle	66°	66°	66°	66°	66°	66°	66°	66°	66°	66°	D - seat tube angle	
E - head tube angle	69°	69°	70°	70°	69°	69°	70°	70°	70,5°	70,5°	70,5°	E - head tube angle
F - wheel base	1096 mm	1121 mm	1100 mm	1125 mm	1096 mm	1121 mm	1100 mm	1125 mm	1060 mm	1075 mm	1076 mm	F - wheel base
G - head tube length	150 mm	G - head tube length										
H - fork length	490 mm	465 mm	465 mm	465 mm	H - fork length							
Stack	—	—	—	—	—	—	—	—	—	—	—	Stack
Reach	—	—	—	—	—	—	—	—	—	—	—	Reach
Standover height	—	—	—	—	—	—	—	—	—	—	—	Standover height
Maximum tyre size	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	1,75"	Maximum tyre size




ORKAN D



WAGANT 7CS




GAZELA 7CS




WAGANT 6CS

S	M	L	M	L	XL	M	L	Size
28"	28"	28"	28"	28"	28"	28"	28"	Tyre size
385 mm	430 mm	480 mm	480 mm	530 mm	580 mm	435 mm	485 mm	A - frame size
550 mm	565 mm	565 mm	553 mm	563 mm	579 mm	557 mm	559 mm	B - top tube length
445 mm	445 mm	445 mm	460 mm	460 mm	460 mm	460 mm	460 mm	C - chainstay length
65,8°	65,8°	65,8°	67,7°	67,7°	67,7°	68,6°	67,7°	D - seat tube angle
70,5°	70,5°	70,5°	72°	72°	73°	74°	74,6°	E - head tube angle
1060 mm	1075 mm	1076 mm	1071 mm	1082 mm	1097,8 mm	1072 mm	1077 mm	F - wheel base
150 mm	150 mm	150 mm	114 mm	145 mm	175 mm	145 mm	165 mm	G - head tube length
465 mm	465 mm	465 mm	485 mm	485 mm	485 mm	450 mm	450 mm	H - fork length
—	—	—	—	—	—	—	—	Stack
350 mm	375 mm	400 mm	—	—	—	—	—	Reach
—	—	—	—	—	—	—	—	Standover height
1,75"	1,75"	1,75"	700x45	700x45	700x45	700x45	700x45	Maximum tyre size


## GEOMETRY FRAME




GAZELA 6 CS



WAGANT 5 CS




GAZELA 5 CS




WAGANT 10


Size	M	L		M	L	XL	M	L		M	L	XL
Tyre size	28"	28"		28"	28"	28"	28"	28"		28"	28"	28"
A - frame size	435 mm	485 mm		480 mm	530 mm	580 mm	435 mm	485 mm		483 mm	533 mm	584 mm
B - top tube length	557 mm	559 mm		553 mm	563 mm	579 mm	557 mm	559 mm		570 mm	580 mm	590 mm
C - chainstay length	460 mm	460 mm		460 mm	460 mm	460 mm	460 mm	460 mm		460 mm	460 mm	460 mm
D - seat tube angle	68,6°	67,7°		67,7°	67,7°	67,7°	68,6°	67,7°		66,6°	66,6°	66,6°
E - head tube angle	74°	74,6°		72°	72°	73°	74°	74,6°		74,9°	75,6°	76,3°
F - wheel base	1072 mm	1077 mm		1071 mm	1082 mm	1097,8 mm	1072 mm	1077 mm		1072,9 mm	1082,9 mm	1093,4 mm
G - head tube length	145 mm	165 mm		114 mm	145 mm	175 mm	145 mm	165 mm		150 mm	150 mm	160 mm
H - fork length	450 mm	450 mm		485 mm	485 mm	485 mm	450 mm	450 mm		450 mm	450 mm	450 mm
Stack	—	—		—	—	—	—	—		—	—	—
Reach	—	—		—	—	—	—	—		—	—	—
Standover height	—	—		—	—	—	—	—		—	—	—
Maximum tyre size	700x45	700x45		700x45	700x45	700x45	700x45	700x45		700x42C	700x42C	700x42C




WAGANT 9



GAZELA 9




WAGANT 8




GAZELA 8


Size	M	L	XL	M	L		M	L	XL	M	L	
Tyre size	28"	28"	28"	28"	28"		28"	28"	28"	432 mm	483 mm	
A - frame size	483 mm	533 mm	584 mm	432 mm	483 mm		483 mm	533 mm	584 mm	432 mm	483 mm	
B - top tube length	570 mm	580 mm	590 mm	535 mm	542 mm		570 mm	580 mm	590 mm	535 mm	542 mm	
C - chainstay length	460 mm	460 mm	460 mm	460 mm	460 mm		460 mm	460 mm	460 mm	460 mm	460 mm	
D - seat tube angle	66,6°	66,6°	66,6°	66,6°	66,6°		66,6°	66,6°	66,6°	66,6°	66,6°	
E - head tube angle	74,9°	75,6°	76,3°	73,9°	74,6°		74,9°	75,6°	76,3°	73,9°	74,6°	
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm	1058,9 mm	1069 mm		1072,9 mm	1082,9 mm	1093,4 mm	1058,9 mm	1069 mm	
G - head tube length	150 mm	150 mm	160 mm	150 mm	150 mm		150 mm	150 mm	160 mm	150 mm	150 mm	
H - fork length	450 mm	450 mm	450 mm	450 mm	450 mm		450 mm	450 mm	450 mm	450 mm	450 mm	
Stack	—	—	—	—	—		—	—	—	—	—	
Reach	—	—	—	—	—		—	—	—	—	—	
Standover height	—	—	—	—	—		—	—	—	—	—	
Maximum tyre size	700x42C	700x42C	700x42C	700x42	700x42		700x42C	700x42C	700x42C	700x42	700x42	




WAGANT 7



GAZELA 7




WAGANT 6




GAZELA 6


Size	M	L	XL	M	L		M	L	XL	M	L		Size
Tyre size	28"	28"	28"	28"	28"		28"	28"	28"	432 mm	483 mm		A - frame size
A - frame size	483 mm	533 mm	584 mm	432 mm	483 mm		483 mm	533 mm	584 mm	432 mm	483 mm		B - top tube length
B - top tube length	570 mm	580 mm	590 mm	535 mm	542 mm		570 mm	580 mm	590 mm	535 mm	542 mm		C - chainstay length
C - chainstay length	460 mm	460 mm	460 mm	460 mm	460 mm		460 mm	460 mm	460 mm	460 mm	460 mm		D - seat tube angle
D - seat tube angle	66,6°	66,6°	66,6°	66,6°	66,6°		66,6°	66,6°	66,6°	66,6°	66,6°		E - head tube angle
E - head tube angle	74,9°	75,6°	76,3°	73,9°	74,6°		74,9°	75,6°	76,3°	73,9°	74,6°		F - wheel base
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm	1058,9 mm	1069 mm		1072,9 mm	1082,9 mm	1093,4 mm	1058,9 mm	1069 mm		G - head tube length
G - head tube length	150 mm	150 mm	160 mm	150 mm	150 mm		150 mm	150 mm	160 mm	150 mm	150 mm		H - fork length
H - fork length	450 mm	450 mm	450 mm	450 mm	450 mm		450 mm	450 mm	450 mm	450 mm	450 mm		Stack
Stack	—	—	—	—	—		—	—	—	—	—		Reach
Reach	—	—	—	—	—		—	—	—	—	—		Standover height
Standover height	—	—	—	—	—		—	—	—	—	—		Maximum tyre size




WAGANT 5



GAZELA 5




WAGANT 4




GAZELA 4

Size	M	L	XL	M	L		M	L	XL	M	L		Size
Tyre size	28"	28"	28"	28"	28"		28"	28"	28"	432 mm	483 mm		A - frame size
A - frame size	483 mm	533 mm	584 mm	432 mm	483 mm		480 mm	520 mm	560 mm	460 mm	500 mm		B - top tube length
B - top tube length	570 mm	580 mm	590 mm	535 mm	542 mm		560 mm	605 mm	630 mm	565 mm	590 mm		C - chainstay length
C - chainstay length	460 mm	460 mm	460 mm	460 mm	460 mm		450 mm	450 mm	450 mm	450 mm	450 mm		D - seat tube angle
D - seat tube angle	66,6°	66,6°	66,6°	66,6°	66,6°		65,9°	65,9°	65,8°	65,9°	65,9°		E - head tube angle
E - head tube angle	74,9°	75,6°	76,3°	73,9°	74,6°		70°	70°	70°	69°	69°		F - wheel base
F - wheel base	1072,9 mm	1082,9 mm	1093,4 mm	1058,9 mm	1069 mm		1099,8 mm	1124,8 mm	1145 mm	1096,4 mm	1096,4 mm		G - head tube length
G - head tube length	150 mm	150 mm	160 mm	150 mm	150 mm		150 mm	150 mm	170 mm	150 mm	150 mm		H - fork length
H - fork length	450 mm	450 mm	450 mm	450 mm	450 mm		490 mm	490 mm	490 mm	490 mm	490 mm		Stack
Stack	—	—	—	—	—		—	—	—	—	—		Reach
Reach	—	—	—	—	—		—	—	—	—	—		Standover height
Standover height	—	—	—	—	—		—	—	—	—	—		Maximum tyre size


## GEOMETRY FRAME




WAGANT 3



GAZELA 3




WAGANT 2




GAZELA 2


Size	M	L	XL		M	L		M	L		M	L	
Tyre size	28"	28"	28"		28"	28"		28"	28"		28"	28"	
A - frame size	480 mm	520 mm	560 mm		460 mm	500 mm		480 mm	520 mm	560 mm	460 mm	500 mm	
B - top tube length	560 mm	605 mm	630 mm		565 mm	590 mm		560 mm	605 mm	630 mm	565 mm	590 mm	
C - chainstay length	450 mm	450 mm	450 mm		450 mm	450 mm		450 mm	450 mm	450 mm	450 mm	450 mm	
D - seat tube angle	65,9°	65,9°	65,8°		65,9°	65,9°		65,9°	65,9°	65,8°	65,9°	65,9°	
E - head tube angle	70°	70°	70°		69°	69°		70°	70°	70°	69°	69°	
F - wheel base	1099,8 mm	1124,8 mm	1145 mm		1096,4 mm	1096,4 mm		1099,8 mm	1124,8 mm	1145 mm	1096,4 mm	1096,4 mm	
G - head tube length	150 mm	150 mm	170 mm		150 mm	150 mm		150 mm	150 mm	170 mm	150 mm	150 mm	
H - fork length	490 mm	490 mm	490 mm		490 mm	490 mm		490 mm	490 mm	490 mm	490 mm	490 mm	
Stack	—	—	—		—	—		—	—	—	—	—	
Reach	—	—	—		—	—		—	—	—	—	—	
Standover height	—	—	—		—	—		—	—	—	—	—	
Maximum tyre size	700x42C	700x42C	700x42C		700x42	700x42		700x42C	700x42C	700x42C	700x42	700x42	




WAGANT 1



GAZELA 1




WAGANT




GAZELA

Size	M	L	XL		M	L		M	L		M	L	
Tyre size	28"	28"	28"		28"	28"		28"	28"		28"	28"	
A - frame size	480 mm	520 mm	560 mm		460 mm	500 mm		480 mm	520 mm	560 mm	460 mm	500 mm	
B - top tube length	560 mm	605 mm	630 mm		565 mm	590 mm		560 mm	605 mm	630 mm	565 mm	590 mm	
C - chainstay length	450 mm	450 mm	450 mm		450 mm	450 mm		450 mm	450 mm	450 mm	450 mm	450 mm	
D - seat tube angle	65,9°	65,9°	65,8°		65,9°	65,9°		65,9°	65,9°	65,8°	65,9°	65,9°	
E - head tube angle	70°	70°	70°		69°	69°		70°	70°	70°	69°	69°	
F - wheel base	1099,8 mm	1124,8 mm	1145 mm		1096,4 mm	1096,4 mm		1099,8 mm	1124,8 mm	1145 mm	1096,4 mm	1096,4 mm	
G - head tube length	150 mm	150 mm	170 mm		150 mm	150 mm		150 mm	150 mm	170 mm	150 mm	150 mm	
H - fork length	490 mm	490 mm	490 mm		490 mm	490 mm		490 mm	490 mm	490 mm	490 mm	490 mm	
Stack	—	—	—		—	—		—	—	—	—	—	
Reach	—	—	—		—	—		—	—	—	—	—	
Standover height	—	—	—		—	—		—	—	—	—	—	
Maximum tyre size	700x42C	700x42C	700x42C		700x42	700x42		700x42C	700x42C	700x42C	700x42	700x42	




GAZELA 263 CS



GAZELA 262




GAZELA 261




RAMBLER DIRT 24


S	M		S	M		S	M		S		Size
26"	26"		26"	26"		26"	26"		24"		Tyre size
381 mm	432 mm		381 mm	432 mm		381 mm	432 mm		327 mm		A - frame size
555 mm	552 mm		555 mm	552 mm		555 mm	552 mm		481 mm		B - top tube length
435 mm	435 mm		435 mm	435 mm		435 mm	435 mm		410 mm		C - chainstay length
72°	72°		72°	72°		72°	72°		67,5°		D - seat tube angle
69°	69°		69°	69°		69°	69°		71°		E - head tube angle
1080 mm	1080 mm		1080 mm	1080 mm		1080 mm	1080 mm		955 mm		F - wheel base
150 mm	150 mm		150 mm	150 mm		150 mm	150 mm		105 mm		G - head tube length
465 mm	465 mm		465 mm	465 mm		465 mm	465 mm		410 mm		H - fork length
—	—		—	—		—	—		—		Stack
—	—		—	—		—	—		—		Reach
—	—		—	—		—	—		—		Standover height
1,75"	1,75"		1,75"	1,75"		1,75"	1,75"		2,0"		Maximum tyre size




RAMBLER FIT 24



RAMBLER 24




JOLENE 24




RAMBLER FIT 20

S		S		S		S		Size
24"		24"		24"		24"		Tyre size
305 mm		327 mm		327 mm		327 mm		A - frame size
501 mm		520 mm		520 mm		520 mm		B - top tube length
415 mm		410 mm		410 mm		410 mm		C - chainstay length
68°		68°		68°		68°		D - seat tube angle
71°		70°		70°		70°		E - head tube angle
—		994 mm		994 mm		994 mm		F - wheel base
110 mm		120 mm		120 mm		120 mm		G - head tube length
410 mm		413 mm		413 mm		413 mm		H - fork length
—		—		—		—		Stack
—		—		—		—		Reach
—		—		—		—		Standover height
2,0"		2,0"		2,0"		2,0"		Maximum tyre size

## GEOMETRY FRAME



Size	S	S	S	S
Tyre size	20"	20"	20"	20"
A - frame size	275 mm	275 mm	275 mm	275 mm
B - top tube length	422 mm	422 mm	422 mm	422 mm
C - chainstay length	350 mm	350 mm	350 mm	350 mm
D - seat tube angle	73°	73°	73°	73°
E - head tube angle	71°	71°	71°	71°
F - wheel base	841 mm	841 mm	841 mm	841 mm
G - head tube length	120 mm	120 mm	120 mm	120 mm
H - fork length	352 mm	352 mm	352 mm	352 mm
Stack	—	—	—	—
Reach	—	—	—	—
Standover height	—	—	—	—
Maximum tyre size	2,0"	2,0"	2,0"	2,0"



Size	S	S
Tyre size	24"	24"
A - frame size	340 mm	340 mm
B - top tube length	523 mm	523 mm
C - chainstay length	420 mm	420 mm
D - seat tube angle	66°	66°
E - head tube angle	69°	69°
F - wheel base	1000 mm	1000 mm
G - head tube length	175 mm	175 mm
H - fork length	330 mm	330 mm
Stack	—	—
Reach	—	—
Standover height	—	—
Maximum tyre size	1,75"	1,75"

Size	Tyre size
A - frame size	
B - top tube length	
C - chainstay length	
D - seat tube angle	
E - head tube angle	
F - wheel base	
G - head tube length	
H - fork length	
Stack	
Reach	
Standover height	
Maximum tyre size	

Size	Tyre size
A - frame size	
B - top tube length	
C - chainstay length	
D - seat tube angle	
E - head tube angle	
F - wheel base	
G - head tube length	
H - fork length	
Stack	
Reach	
Standover height	
Maximum tyre size	

**POWERED BY ROMET® | 2024**



**Agenzia di distribuzione  
per il mercato italiano:**

**Revelo Tech srl** • Via Dell'Artigianato n.8, 35023 BAGNOLI DI SOPRA (PD)  
Telefono: 049 9535332 • Cellulare: +39 348 4500867 • Indirizzo E-Mail: [info@revelotech.it](mailto:info@revelotech.it)

---

Le specifiche e la disponibilità dei prodotti ROMET, in particolare per quanto riguarda dati tecnici, origine e prezzo, sono soggetti a modifiche senza preavviso. Questo catalogo è fornito solo a scopo informativo e non costituisce un'offerta.



**ROMET.PL**